

AWARD NUMBER: W81XWH-14-1-0504

TITLE: The Oviduct and Serous Cancer Risk Assessment

PRINCIPAL INVESTIGATOR: Christopher P. Crum, MD

CONTRACTING ORGANIZATION: The Brigham and Women's Hospital, Inc
Boston, MA 02115

REPORT DATE: October 2015

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE October 2015		2. REPORT TYPE Annual		3. DATES COVERED 30 Sep 2014 - 29 Sep 2015	
4. TITLE AND SUBTITLE The Oviduct and Serous Cancer Risk Assessment				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER W81XWH-14-1-0504	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Christopher P. Crum, MD E-Mail: ccrum@partners.org				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The Brigham and Women's Hospital, Inc 75 Francis Street Boston MA 02115-61110				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The proposal was designed to address three issues. First could we identify stem cells from the fallopian tube, including from patients with high grade serous cancer (HGSC). Second, could we link the molecular abnormalities in cancer associated stem cells and validate them in pathologic material, specifically in what we feel are stem cell outgrowths or SCOUTs and third could we identify molecular alterations that would place the oviduct or the patient at risk for HGSC. In essence we wished to drill down to the cell of origin and link it to cancer risk, identifying an assay that could predict the presence of cancer by analyzing lower genital tract fluids or other samples.					
15. SUBJECT TERMS HGSC = high grade serous cancer; Fallopian tube; BRCA; Tp53, SCOUT = stem cell outgrowth; STIC = serous tubal intraepithelial carcinoma; STIN = serous tubal intraepithelial neoplasia.					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			USAMRMC
Unclassified	Unclassified	Unclassified	Unclassified	293	19b. TELEPHONE NUMBER (include area code)

Table of Contents

	<u>Page</u>
1. Introduction.....	4
2. Keywords.....	4
3. Accomplishments.....	4
4. Impact.....	7
5. Changes/Problems.....	8
6. Products.....	8
7. Participants & Other Collaborating Organizations.....	9
8. Special Reporting Requirements.....	10
9. Appendices.....	11

1. INTRODUCTION: The proposal was designed to address three issues. First could we identify stem cells from the fallopian tube, including from patients with high grade serous cancer (HGSC). Second, could we link the molecular abnormalities in cancer associated stem cells and validate them in pathologic material, specifically in what we feel are stem cell outgrowths or SCOUTs and third could we identify molecular alterations that would place the oviduct or the patient at risk for HGSC. In essence we wished to drill down to the cell of origin and link it to cancer risk, identifying an assay that could predict the presence of cancer by analyzing lower genital tract fluids or other samples.

KEYWORDS: HGSC = high grade serous cancer ; Fallopian tube; BRCA; Tp53, SCOUT = stem cell outgrowth; STIC = serous tubal intraepithelial carcinoma; STIN = serous tubal intraepithelial neoplasia.

2. ACCOMPLISHMENTS: All three goals were addressed in the past year with some modifications that will be addressed under part 5.

What were the major goals of the project?

The specific aims were as follows:

AIM 1: To grow stem cells from the tubes in culture from patients with and without malignancy and compare them.

AIM 2: Link the molecular disturbances seen in cancer associated stem cells and validate them in pathologic material specifically an entity we have described called the stem cell outgrowth or SCOUT.

AIM 3: Exploit the molecular alterations to make molecular probes that will detect those alterations that place women at risk for the disease, either in the fallopian tubes or lower genital tract fluids.

What was accomplished under these goals?

AIM 1: 1) Major activity: grow and identify fallopian stem cells in culture. 2) The specific objective was to identify stem cell characteristics that distinguished tumor associated (but normal appearing) stem cells from normal controls. 3) Significant results: a) We successfully cloned stem cells from normal fallopian tubes and showed that these cells were capable of both ciliated and squamous differentiation, in parallel with the histology of the fallopian tube (Figure 1). b) We generated a "stem cell" specific signature by comparing gene expression between undifferentiated stem cells and those grown on an air-liquid interface, which permitted ciliated differentiation. This was the first ever successful cloning, propagation and maturation of fallopian tube stem cells (Ning et al 2015). What we have not accomplished is to show that stem cells from normal tubal epithelium in cancers can be distinguished from epithelium from normal controls. b) An additional achievement, however, was to identify potential stem cell markers that were novel and might be used to unearth potential stem cells in the general pool of non-ciliated tubal epithelium (Yamamoto et al 2015). Moreover, we showed remarkable parallels between stem cells and putative stem cell outgrowths as well as HGSC precursors. c) Another added achievement was to demonstrate a parallel between immortalized and transformed stem cells and precursor and malignant HGSCs in the fallopian tube (Figures 2&3). D) Still another added achievement was a successful experiment focusing on propagating potential cancer stem cells. In this study we identified subpopulations that were Taxane resistant and were able to identify the same cells in Taxane naive cell cultures (Ning et al, submitted). This suggests that there is a small population of chemo-resistant cells that is inborn and not created by chemotherapy per se.

AIM 2 1) Major activity: Translating the *in vitro* findings to histopathology. 2) Objective : To link the disturbances in cancer associated stem cells and validate them in pathologic material. 3) Significant results: Although we have not yet shown that stem cells in cancer-associated tubes differ from normal, the expression profile of normal stem




Figure 1. In-vivo propagation of fallopian tube stem cells with tissue correlates (See Ning 2015).




Figure 2. Upper panels show demonstrate differences in expression between putative stem cells and cell undergoing ciliated differentiation in vitro. Lower panel depicts progressive change of gene expression among FTSC, and immortalized and transformed FTSCs (See Yamamoto 2015).

HGSC. Third, we recently sequenced cases with bilateral STICs and have shown them to contain *identical* p53 mutations. This raises the critical question that not all STICs develop *de novo* but may signify mucosal metastases from either the opposite tube or another site (Meserve et al unpublished). Fourth, we have concluded the preliminary phase of an ambitious project that has exhaustively




Figure 4. Mild tubal atypia (A) associated staining for p53 (B) is associated with a pelvic HGSC (C). Both lesions shared the same Tp53 mutation.

analyzed fallopian tubes of women with HGSC but no STIC. In these tubes we have seen non-cancerous epithelium with p53 mutations. On comparing the p53 mutations status between these non-cancerous epithelia and the associated (and physically removed) HGSCs we have discovered identical mutations. This suggests the possibility that pelvic HGSCs could be derived from minor atypias within genetically altered stem cell proliferations (Figure 4). This has potentially profound implications in that it suggests that the serous carcinogenic sequence can initiate in the tube but continue beyond the confines of the oviduct at an unknown pelvic location (Soong et al unpublished).

primary predecessor. Second, we showed that certain histologic patterns were associated with specific gene mutations (Ritterhouse et al submitted) again suggesting more than one pathogenetic route to

cells closely resembles what we are seeing in so-called stem cell outgrowths (SCOUTs) as well as serous cancer precursors (STICs). This was shown in the papers by Ning et al and Yamamoto et al. Additional achievements: During these studies we took the opportunity to address an issue fundamental to the aims, which is the origin of HGSC. Because a high grade precancerous process (or STIC) can only be uncovered in subset of cancers, we felt it important to address this issue, the goal being to better understand the potential origins of these neoplasms. This was done in series of studies. First, we showed a potential dualistic model for HGSC with a lower association with STIC seen for tumors with certain morphologic features (Howitt 2015). This suggests that there could be more than one pathway to HGSC including one where STIC is not the




Figure 3. Overlapping gene expression between immortalized fallopian tube stem cells and serous carcinoma (See Yamamoto 2015).

AIM3: 1) Major activity: To develop a means to detect the presence of biomarkers unique to serous cancer or serous cancer risk in the uterus or lower genital tract. Objective: To employ second generation sequencing (deep sequencing) to identify p53 mutations in the lower genital tract tissues or fluids that would

What opportunities for training and professional development has the project provided?

This project has provided extensive training opportunities. Dr. Brooke Howitt, a co-investigator, is a junior attending (instructor) who was actively involved in study design and execution. Moreover, she was engaged in project planning with four resident/fellows (Kyle Strickland, Lauren Ritterhouse, Emily Meserve, Rinda Soong) and supervised them on these projects. Fellows were introduced to DNA extraction, data analysis, second generation sequencing etc. and three are interested in a career in academic gynecologic pathology. All of these individuals have presented their data at the USCAP meeting (in Boston in 2015) and/or have abstracts submitted on the above projects to the USCAP meeting scheduled for Seattle in 2016. They also will present their results in a departmental seminar scheduled for February 2016. The list of abstracts presented and planned is below.

The contributions of two additional members of the team were supported partially by this grant. The first was a summer college (From Washington University) student, Brennan Beeler, who is planning a career in research. A second is a Danish medical student taking a year off for research, Helena Dietzel. She has been working closely with Dr. Howitt, creating an important opportunity for Ms Dietzel as well as for Dr. Howitt to mentor a younger colleague.




Figure 5. (A) An endometrial sample contains mostly mucus and a few cells. Extracted DNA from this archival sample revealed a p53 mutation identical to that found in a HGSC diagnosed over 2 months later.

How were the results disseminated to communities of interest?

The PI has participated in an outreach program to disseminate information on ovarian cancer.

(http://www.brighamandwomens.org/Departments_and_Services/obgyn/Services/ovarian-cancer-treatment.aspx)

Dr. Howitt has spent time in both Rwanda and Haiti performing outreach activities in the past year.

What do you plan to do during the next reporting period to accomplish the goals?

For year two the following projects are planned.

AIM1: We have a series of stem cell markers that have been unearthed by the in vitro comparison of FTSCs and FTSCs in an air-liquid interface. The protein atlas will be surveyed and 20 candidates will be identified and used to probe normal fallopian tube mucosa. We will focus primarily on markers that overlap in the same cells or region in an effort to find a consistently reproducible putative stem cell signature. Once we accomplish this we will do the following: 1) Map the distribution of putative stem cells in the fallopian tube as a function of location and age including reproductive status. The goal will be to determine if putative stem cells concentrate in particular areas of the fallopian tube and whether their distribution and frequency are altered by factors such as hormones, pregnancy, and menopause. 2) Confirm the presence of stem cell markers in lesions at variable stages of serous carcinogenesis. This will entail analysis of p53 signatures, tubal intraepithelial neoplasms and STICs.

AIM2: We are going to further explore the concept that early atypias in the fallopian tube are capable of spreading to the peritoneum. Our plan will be to analyze 25 cases of HGSC with negative fallopian tubes and concentrate on identifying early p53 mutations signatures that can be linked to HGSC. To accomplish this we will 1) microdissect non-malignant p53 positive clonal expansions in the tube and determine the nature of their mutations by next generation sequencing. The mutations will be compared to those of the concurrent serous carcinomas. 2) We will compare this group with 25 cases of HGSC associated with STICs that co-exist with less marked atypias, i.e. STICs most likely to represent primary tubal precursors. The goal will be to determine if BRCA status, the age of tumor presentation and distribution of tumor between the two groups highlights important differences.

AIM3: We will further expand the concept that archival material can be probed for p53 mutations to predict the presence of an intraabdominal HGSC. We will expand the pilot to 30 cases of HGSC that were preceded by a normal curetting and assess both HGSC and the prior material for matching mutations. This will be accomplished by next generation sequencing.

4. IMPACT: The PI and his colleagues were the first to provide solid evidence that a high percentage of high-grade serous carcinomas (HGSC) in the pelvis arise in the fallopian tube. This work began in 2005 and has been associated with a paradigm shift in this field. A testimony to the extent and speed of this evolution can be seen in the sudden increase in programs targeting the fallopian tube and funding opportunities (many from the DOD) that have been placed on this conceptual framework. This pilot project was designed specifically to address the concept that there is an underpinning of unique stem cell biology that confers risk of HGSC. If such is true, we would expect to see unique differences between normal tubes associated with HGSCs and controls. We have yet to answer this particular question but we have made major advances in our understanding of the stem cell populations in the fallopian tube, which is a necessary prerequisite to any such endeavors. Taking into account the additional studies supported by this pilot, the areas of potential impact can be summarized as follows.

Impact on the principle and other disciplines

1. Stem cell biology: If we assume that stem cells are the vulnerable targets in serous carcinogenesis we must identify them and then determine if their numbers are increased in patients with cancer and map their distribution in the fallopian tubes throughout reproductive and postmenopausal life. The recent papers by Ning et al and Yamamoto et al provide the research community ("the principle discipline") with abundant evidence for further development of this concept. Other disciplines have clearly received benefit as evidenced by the parallel studies performed in the pulmonary and gastrointestinal tract by our collaborators Wa Xian and Frank McKeon. This concept of "stem cell" has been re-named "ground state" cells in their studies.

2. The origins of HGSC: The additional projects that query the role of the fallopian tube in the genesis of a serous carcinogenic sequence are vital to our understanding of where these tumors come from. The questions we pose are are STICs really a primary process or an intramucosal metastasis and are we overestimating the importance of STICs?" and is there some other source of HGSC that we need to understand before we pursue prophylactic salpingectomy? It is highly likely that not all STICs are primary tubal neoplasm (i.e. they could in some instances represent tumor that migrates from another site) but this re-emphasized the need to determine where in the carcinogenic sequence that *tumorigenesis* initiates. The general assumption is that STICs develop and then invade or spread to pelvic surfaces. Another possibility is that altered stem cells invade or spread prior to becoming STICs and emerge suddenly in an *extra-ovarian* site. We have initiated studies to answer both of these questions and the answers to both are germane to the notion that prophylactic salpingectomy will have the desired effect of preventing HGSC.

3. The potential discovery of gene mutations in archival material prior to the onset of HGSC: We have preliminary data that supports the possibility that the simple screening of an archival specimen will detect mutations that indicate the presence of an undiagnosed HGSC. The degree to which this will interrupt the natural history of this disease remains unclear but it adds to emerging data indicating that early diagnosis of HGSC is possible by analyzing routine specimens from the lower genital tract.

What was the impact on technology transfer?

Nothing to report

What was the impact on society beyond science and technology?

2. Origins of HGSC: The management of women with germ-line mutations in BRCA1 and BRCA2 is in a state of flux as the question remains as to the degree of benefit that can be expected from prophylactic salpingo-oophorectomy. This population has been keenly aware of the data emerging in this field and is making decisions about cancer prevention around the concept that most of these tumors could originate from the fallopian tube.

3. The potential discovery of gene mutations in archival material prior to the onset of HGSC: Any lay person can imagine the potential value of a test for ovarian cancer that can be applied to their endometrial biopsy.

5. CHANGES/PROBLEMS:

Changes in the direction and scope of the projects

AIM 1: No significant changes. The original goal was to identify alterations in fallopian tube stem cells that distinguish tubes associated with HGSCs from those of control fallopian tubes. We did not demonstrate this in the data obtained so far but we have identified a stem-cell signature (albeit one that will require pruning). While it is unlikely that we will identify differences in stem cell between cancer associated and control tubes, we have the tools to more precisely morphologically define stem or "ground state" cells in the tube. If we accomplish this then we can determine whether these cells are in greater abundance in the fimbria. If not we will be positioned to retrieve genetic information from these disparate stem cell populations and search for factors that influence stem cell vulnerability. No delays or problems are anticipated and there will be no change in expenditures.

AIM2: We have succeeded in translating in vitro fallopian tube stem cells to histopathology for the most part. We will plan to shift our emphasis to address whether early precursor lesions that emerge from these stem cell are able to initiate a progression sequence to HGSC in or beyond the tube. There will be no delays or human subject issues. We do however anticipate some increase in costs that were incurred in the first year of funding. Because of the exhaustive sampling of multiple fallopian tubes to unearth the small foci suspected of being precursors to HGSC we have incurred considerable costs for tissue sectioning.

AIM3: This is essentially unchanged other than the novel approach to detecting mutations in *archival* material. This material is readily available and we anticipate no changes in cost.

Changes in funding for which we are requesting approval

No changes in funding are anticipated.

6. PRODUCTS: List any products resulting from the project during the reporting period. Examples of products include:

Publications

Yamamoto Y, Ning G, Howitt BE, Mehra K, Wu L, Wang X, Hong Y, Kern F, Wei TS, Zhang T, Nagarajan N, Basuli D, Torti S, Brewer M, Choolani M, McKeon F, Crum CP, Xian W. In Vitro and In Vivo Correlates of Physiologic and Neoplastic Human Fallopian Tube Stem Cells. J Pathol. 2015 Sep 28. [Epub ahead of print]

Novak M, Lester J, Karst AM, Parkash V, Hirsch MS, Crum CP, Karlan BY, Drapkin R. Stathmin 1 and p16INK4A are sensitive adjunct biomarkers for serous tubal intraepithelial carcinoma. Gynecol Oncol. 2015 Jul 20.. [Epub ahead of print]

Worley MJ Jr, Liu S, Hua Y, Kwok JS, Samuel A, Hou L, Shoni M, Lu S, Sandberg EM, Keryan A, Wu D, Ng SK, Kuo WP, Parra-Herran CE, Tsui SK, Welch W, Crum C, Berkowitz RS, Ng SW. Molecular changes in endometriosis-associated ovarian clear cell carcinoma. Eur J Cancer. 2015 Sep;51(13):1831-42.

Wang X, Yamamoto Y, Wilson LH, Zhang T, Howitt BE, Farrow MA, Kern F, Ning G, Hong Y, Khor CC, Chevalier B, Bertrand D, Wu L, Nagarajan N, Sylvester FA, Hyams JS, Devers T, Bronson R, Lacy DB, Ho KY, Crum CP, McKeon F, Xian W. Cloning and variation of ground state intestinal stem cells. Nature. 2015 Jun 11;522(7555):173-8.

Ivanova A, Loo A, Tworoger S, Crum CP, Fan I, McLaughlin JR, Rosen B, Risch H, Narod SA, Kotsopoulos J. Ovarian cancer survival by tumor dominance, a surrogate for site of origin. Gynecol Oncol, in press.

Howitt BE, Hanamornroongruang S, Lin DI, Conner JE, Schulte S, Horowitz N, Crum CP, Meserve EE. Evidence for a Dualistic Model of High-grade Serous Carcinoma: BRCA Mutation Status, Histology, and Tubal Intraepithelial Carcinoma. Am J Surg Pathol. 2015 Mar;39(3):287-93. PMID:25581732

Zuo W, Zhang T, Wu DZ, Guan SP, Liew AA, Yamamoto Y, Wang X, Lim SJ, Vincent M, Lessard M, Crum CP, Xian W, McKeon F. p63(+)Krt5(+) distal airway stem cells are essential for lung regeneration. *Nature*. 2015 Jan 29;517(7536):616-20. PMID:25383540

Ning G, Bijron JG, Yamamoto Y, Wang X, Howitt BE, Herfs M, Yang E, Hong Y, Cornille M, Wu L, Hanamornroongruang S, McKeon FD, Crum CP, Xian W. The PAX2-null immunophenotype defines multiple lineages with common expression signatures in benign and neoplastic oviductal epithelium. *J Pathol*. 2014 Dec;234(4):478-87. PMID:25130537

Books or non-periodical publications

Berek JS, Crum C, Friedlander M. Cancer of the ovary, fallopian tube, and peritoneum. *Int J Gynaecol Obstet*. 2015 Oct;131 Suppl 2:S111-22.

Poole EM, Rice MS, Crum CP, Tworoger SS. Salpingectomy as a potential ovarian cancer risk-reducing procedure. *J Natl Cancer Inst*. 2015 Jan 27;107(2). PMID:25628373

Kaspar HG, Crum CP. The utility of immunohistochemistry in the differential diagnosis of gynecologic disorders. *Arch Pathol Lab Med*. 2015 Jan;139(1):39-54. PMID:25549143 Review

Presentations, conference publications

Past presentations

Jelena Mirkovic, Amy DiVasta, Stacey Missmer, Brooke Howitt, Christopher Crum, Marc Laufer, Sara Vargas. The Histologic Spectrum of Adolescent Endometriosis. USCAP meeting, Boston, March 2015

Andre Pinto, Brooke Howitt, Christopher Crum. The Variable Spectrum of Tubal Intraepithelial Neoplasia in Women With High Grade Serous Carcinoma. USCAP meeting, Boston, March 2015

Lauren Ritterhouse, Christopher Crum, Lynette Sholl, Neal Lindeman, Brooke Howitt. Morphologic and Molecular Evaluation of Extra-Uterine Mullerian Carcinoma. USCAP meeting, Boston, March 2015

Submitted presentations for the USCAP 2016 meeting

Kyle C Strickland, Emily Meserve, Helena M Ditzel, Frank Campbell, Alexander Miron, Christopher P Crum, and Brooke E Howitt. Detection of Tumor Specific TP53 Signatures from Archival Endometrial Biopsies Prior to the Diagnosis of HighGrade Serous Carcinoma.

Emily E Meserve, Alexander Miron, Helena Ditzel, Andre Pinto, Frank Campbell, Brooke E Howitt, Christopher P Crum. Identical TP53 mutation in “bilateral” serous tubal intraepithelial carcinoma (STIC)

Emily E Meserve, Jelena Mirkovic, James R Conner, Eric Yang, Brooke E Howitt, Christopher P Crum. Detection of serous tubal intraepithelial carcinoma (STIC) in incidentally removed fallopian tubes from low-risk women.

Thing Rinda Soong, Christopher P Crum, Brooke E Howitt. Serial Sectioning of Distal Fallopian Tubes and its Role in the Discovery of Occult Serous Tubal Intraepithelial Carcinoma in Women with High Grade Ovarian Serous Carcinoma.

7. PARTICIPANTS & OTHER COLLABORATING ORGANIZATIONS

Individuals who worked on the project

Collaboration with Wa Xian at the Jackson Laboratory: We have a long-standing collaboration with Wa Xian who was at the Jackson Laboratory the past year. Her group received de-identified specimens for cell culture under an IRB approved protocol (included). Her laboratory was funded by the Jackson Laboratory and she did not receive

funds from this grant. She has now moved to the University of Texas at Houston. We are currently not sending specimens pending the approval of an MTA, after which an amendment will be issued to the IRB.

Changes in active other support of the PD/PI(s) or senior/key personnel since the last reporting period?

None

What other organizations were involved as partners?

Nothing to report.

8. SPECIAL REPORTING REQUIREMENTS: None

9. APPENDIX:

Selected Manuscripts:

Yamamoto Y, Ning G, Howitt BE, Mehra K, Wu L, Wang X, Hong Y, Kern F, Wei TS, Zhang T, Nagarajan N, Basuli D, Torti S, Brewer M, Choolani M, McKeon F, Crum CP, Xian W. In Vitro and In Vivo Correlates of Physiologic and Neoplastic Human Fallopian Tube Stem Cells. *J Pathol*. 2015 Sep 28. [Epub ahead of print]

Wang X, Yamamoto Y, Wilson LH, Zhang T, Howitt BE, Farrow MA, Kern F, Ning G, Hong Y, Khor CC, Chevalier B, Bertrand D, Wu L, Nagarajan N, Sylvester FA, Hyams JS, Devers T, Bronson R, Lacy DB, Ho KY, Crum CP, McKeon F, Xian W. Cloning and variation of ground state intestinal stem cells. *Nature*. 2015 Jun 11;522(7555):173-8.

Howitt BE, Hanamornroongruang S, Lin DI, Conner JE, Schulte S, Horowitz N, Crum CP, Meserve EE. Evidence for a Dualistic Model of High-grade Serous Carcinoma: BRCA Mutation Status, Histology, and Tubal Intraepithelial Carcinoma. *Am J Surg Pathol*. 2015 Mar;39(3):287-93. PMID:25581732

Ning G, Bijron JG, Yamamoto Y, Wang X, Howitt BE, Herfs M, Yang E, Hong Y, Cornille M, Wu L, Hanamornroongruang S, McKeon FD, Crum CP, Xian W. The PAX2-null immunophenotype defines multiple lineages with common expression signatures in benign and neoplastic oviductal epithelium. *J Pathol*. 2014 Dec;234(4):478-87. PMID:25130537



In Vitro and In Vivo Correlates of Physiologic and Neoplastic Human Fallopian Tube Stem Cells

Journal:	<i>The Journal of Pathology</i>
Manuscript ID:	Draft
Wiley - Manuscript type:	Original Research Article
Date Submitted by the Author:	n/a
Complete List of Authors:	Crum, Christopher; Brigham and Women's Hospital, Pathology yamamoto, yusuke; Jackson laboratory, Genomic Medicine Ning, Gang; Jackson laboratory, Genomic Medicine; Jackson laboratory, Genomic Medicine Howitt, Brooke; Brigham and Women's Hospital, Pathology Mehra, Karishma; Yale University Hospital, Medicine Wu, Lingyan; Genome Institute of Singapore, Stem Cell Biology Wang, Xia; Jackson Laboratory, Genomic Medicine Hong, Yue; Jackson Laboratory, Genomic Medicine Kern, Florian; Genome Institute of Singapore, Stem Cell Biology Wei, Tay; Genome Institute of Singapore, Stem Cell Biology Zhang, Ting; Genome Institute of Singapore, Stem Cell Biology Nagarajan, Niranjana; Genome Institute of Singapore, Stem Cell Biology Torti, Suzy; UCONN Health Center, Molecular microbial and structural biology Brewer, Mollie; UCONN Health Center, OB GYN Choolani, Mahesh; National University of Singapore, Ob Gyn McKeon, Frank; Genome Institute of Singapore, Stem Cell Biology Xian, Wa; UCONN Health Center, Genetics and Developmental Biology
Tissue:	
Pathology:	
Technique:	

SCHOLARONE™
Manuscripts

***In Vitro* and *In Vivo* Correlates of Physiologic and Neoplastic Human Fallopian Tube Stem Cells**

Yusuke Yamamoto^{1,10*}, Gang Ning^{1,10}, Brooke E. Howitt², Karishma Mehra², Lingyan Wu³, Xia Wang¹, Yue Hong¹, Florian Kern³, Tay Seok Wei³, Ting Zhang³, Niranjan Nagarajan³, , Suzy Torti⁴, Molly Brewer⁵, Mahesh Choolani⁶, Frank McKeon^{1,3,7,8^}, Christopher P. Crum^{2,^} and Wa Xian^{1,2,7,9,^}

¹The Jackson Laboratory for Genomic Medicine, Farmington, CT USA; ²Department of Pathology, Brigham and Women’s Hospital, Boston, MA USA; ³Genome Institute of Singapore, A-STAR, Singapore; ⁴Departments of Molecular, Microbial and Structural Biology, University of Connecticut Health Center, Farmington, CT, USA; ⁵Department of Obstetrics and Gynecology, University of Connecticut Health Center, Farmington, CT, USA; ⁶Division of Obstetrics and Gynecology, National University of Singapore; ⁷MultiClonal Therapeutics, Inc., Farmington, CT, USA; ⁸Department of Microbiology, National University of Singapore; ⁹Department of Genetics and Developmental Biology, University of Connecticut Health Center, Farmington, CT, USA;

¹⁰these authors contributed equally to this work.

*present affiliation: Division of Molecular and Cellular Medicine, National Cancer Center Research Institute, Tokyo, Japan

^senior authors

Word count: 3819; pages 11, Figures 5, Supplemental Figures 2, Supplemental Tables 2

Abstract

High-grade serous cancer (HGSC) progresses to advanced stages without symptoms and the 5-year survival rate is a dismal 30%. Recent studies of ovaries and fallopian tubes in patients with BRCA1 or BRCA2 mutations have documented a pre-metastatic intramucosal neoplasm that is found almost exclusively in the fallopian tube termed “serous tubal intraepithelial carcinoma” or STIC. Moreover, other proliferations, termed p53 signatures, secretory cell outgrowths (SCOUTs) and lower grade serous tubal intraepithelial neoplasms (STINs) fall short of STIC but share similar alterations in expression, in keeping with an underpinning of genomic disturbances involved in - or occurring in parallel with serous carcinogenesis. To gain insight into the cellular origins of this unique tubal pathway to high-grade serous cancer, we cloned and both immortalized and transformed fallopian tube stem cells (FTSC). We demonstrated that pedigrees of FTSCs were capable of multi-potent differentiation and that the tumors derived from the transformed FTSC shared the same histological and molecular features with HGSC. We also demonstrated that altered expression of some biomarkers seen in transformed FTSCs and HGSCs (Stathmin, EZH2, CXCR4, CXCL12 and FOXM1) could be seen as well in immortalized cells and their *in vivo* counterparts SCOUTs and STINs. Thus, a whole-genome transcriptome analysis comparing FTSC, immortalized FTSC, and transformed FTSC showed a clear molecular progression sequence that is recapitulated by the spectrum of accumulated perturbations characterizing the range of proliferations seen *in vivo*. Biomarkers unique to STIC relative to normal tubal epithelium provide a basis for novel detection approaches to early HGSC, but must be viewed critically given their potential expression in lesser proliferations. Perturbations shared by both immortalized and transformed FTSCs may provide unique early targets for prevention strategies. Central to these efforts has been the ability to clone and perpetuate multi-potent FTSCs.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Introduction

Epithelial ovarian cancer (EOC) is the fifth most common cause of death from cancer in women, and the most common type – high grade serous carcinoma or HGSC – is the most lethal. One in 200 women will develop ovarian cancer between their 50th and 70th birthday. Worldwide, there are 225,000 new cases of ovarian cancer diagnosed annually, and an estimated 140,163 disease-related deaths¹. Up to 80% of women present with Stages III/IV disease, and the 5-year survival rate is a dismal 30%. Mortality for this disease has not markedly changed since the 1930s² and this is because ovarian cancer cannot be detected at low stage by current screening programs. Resolving this dilemma will require effective tools and methods to interrupt the carcinogenic sequence at a point that permits either cure or prevention of tumor-specific mortality.

There is cogent clinical and molecular evidence to suggest that many if not all cases of HGSCs arise from the fallopian tube. From the clinical end, it has been known that reducing risk of BRCA1 and BRCA2 patients required removing the fallopian tube in addition to the ovary³. Molecular analyses have shown that HGSC has gene expression profiles more akin to those of fallopian tube epithelium than to ovarian surface epithelium⁴. Finally, and most significantly, the pathological examination of risk reduction salpingo-oophorectomies for germ-line BRCA1 and BRCA2 mutations has uncovered pre-metastatic stages of HGSC (serous tubal intraepithelial carcinoma or STIC) as well as premalignant tubal intraepithelial neoplasia (or serous tubal intraepithelial lesions) ^{5 6}. In the fallopian tube model, STIC is considered the earliest morphologic manifestation of serous carcinoma. STICs are composed of “secretory cells,” the non-ciliated population of the endosalpinx. These cells, when neoplastic, exhibit features including variable stratification, increased proliferation and loss of nuclear polarity⁷.

Most STICs are marked by mutant p53, same as their metastatic form, high-grade serous cancer. Further analyses of BRCA1/BRCA2 mutation-associated fallopian tubes have revealed the presence as well of a “latent precancer” - the “p53 signature”, which has mutant p53 overexpression but retains cell polarity and lacks excessive cell proliferation. Interestingly, p53 signatures have been found adjacent to STICs and in several revealing examples have been shown to share the same p53 mutation as HGSC suggesting a lineage relationship⁸. These compelling results demonstrate that the fallopian tube is a site of origin of HGSC, the development of which follows the classic multi-step carcinogenesis model. Importantly, latent precancers are common in tubes of women who are not at genetic risk and between 40-60% of the serous cancers in BRCA mutation-negative women also co-exist with STIC^{7 8} with a genetic link between the two^{9 10}. Thus, STIC represents the earliest phase of most pelvic serous cancers and targeted treatment or prevention of STIC is a valid goal in cancer prevention. In parallel with the serous carcinogenic sequence is the one characterized by putative stem cell outgrowths or SCOUTs. These proliferations lack p53 mutations but share many attributes with intraepithelial neoplasms, altered expression levels of certain genes, including ALDH1, PAX2, EZH2, LEF1 and others. The impression from these collective entities is that the tube is prone to both self-limited and potentially malignant intraepithelial proliferations.

HGSCs presumably arise from non-ciliated cells of the fallopian tube (secretory cells) but the precise relationship between these cells and stem cells in the tube is not understood, in part because of a lack of detailed *in vitro* studies of putative stem cells. Herein, we report a fallopian tube stem cell model based on a cell culture paradigm of both limited (immortalization) and aggressive (transformation) cell outgrowth. This model is superimposed on a similar *in vivo* paradigm of proliferative lesions seen in the fallopian tube. The goal of this exercise is to not only divine molecular perturbations marking the transition from STIC to metastatic disease but also those that highlight the loss of growth control in the early phases of neoplasia.

Methods

Case material

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

This study was approved by the Brigham and Women’s Human Investigation Committee and involved the use of discarded fresh and archived tissues. Case material for gene expression analysis and histology consisted of the following epithelia/lesions: (1) normal oviduct and HGSC paired samples (n = 10) and (2) normal oviduct, STIC and invasive HGSC lesions from each patient section (n = 6). Cases for immunohistochemistry were selected by one of us (CPC) using criteria that have been previously described¹⁰.

Stem cell culture and differentiation

Fallopian tube tissue was obtained from discarded surgical specimens of women undergoing benign procedures. Discarded fetal fallopian tube tissues were obtained under an approved IRB protocol. Disaggregated cells were cultivated onto a feeder layer of lethally irradiated 3 T3-J2 cells in stem cell culturing media (SCM-6F8)¹¹. Clonal analysis and *in vitro* ALI differentiation were based on previously described methods for lung epithelial stem cells¹².

Xenografts of transformed FTSCs

Fallopian tube stem cells were infected with retroviruses expressing c-Myc, hTERT, and SV40 large T antigen (SV40 large T and hTERT for immortalization, and SV40 large T, hTERT and c-Myc for transformation). In brief, 200,000 stem cells were plated onto a lawn of feeder cells in 3cm culture dishes and transduced three days later. After 48hr, cells were split 1:5 onto new lawns and grown and passaged for four weeks before plating onto culture plates without feeder cells for an additional four weeks. Individual colonies were selected and tested for growth in soft agar, and positive colonies selected for expansion and transplantation. Two thousand transformed cells (expressing SV40 large T antigen, hTERT and c-myc) were injected subcutaneously into six-week-old female NSG (NOD.Cg-*Prkdc*^{scid}*Il2rg*^{tm1Wjl}/SzJ) mice following the protocols approved by BRC IACUC #110643 at the Agency for Science Technology and Research (A*STAR) Singapore. Visible tumors appeared typically at two weeks and were harvested following euthanasia and analyzed by histology and expression microarray.

Histology and immunofluorescence

1
2
3 Histology, immunohistochemistry (IHC), and immunofluorescence (IF) were performed
4 following standard lab protocols. For IF and IHC staining, 4% paraformaldehyde-fixed
5 slides were subjected to antigen retrieval in citrate buffer (pH 6.0, Sigma-Aldrich, USA)
6 at 120 °C for 20 min, and blocking procedure was performed with 5 % bovine serum
7 albumin (BSA, Sigma-Aldrich, USA) and 0.05 % Triton X-100 (Sigma-Aldrich, USA) in
8 DPBS(-) (Gibco, USA) at room temperature for 1 hr. Cells cultured on 3T3 and air-liquid
9 interface culture were fixed with 4% formaldehyde at 4°C overnight and directly used in
10 staining. All primary antibodies used in this study and staining condition were
11 summarized in Supplemental Table 1. For IHC, detection was completed with the
12 Vectastain ABC kit (Cat No PK-6102; Vector Laboratories, Inc, Burlingame, CA, USA)
13 with a liquid DAB-plus substrate kit (Cat No 00-2020). Slides were counterstained with
14 Hematoxylin Stain 3 (Cat No CS402-1D). Stained slides were stored at 4 °C in the dark
15 and all images for section slides were captured by using the Inverted Eclipse Ti-Series
16 (Nikon, Japan) microscope with Lumencor SOLA light engine and Andor Technology
17 Clara Interline CCD camera and NIS-Elements Advanced Research v.4.13 software
18 (Nikon, Japan) or LSM 780 confocal microscope (Carl Zeiss, Germany) with LSM
19 software. Bright field cell culture images were obtained on an Eclipse TS100
20 microscope (Nikon, Japan) with Digital Sight DSFi1 camera (Nikon, Japan) and NIS-
21 Elements F3.0 software (Nikon, Japan).
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38

39 Laser captured microdissection

40 Fresh surgical specimens from 10 independent women for normal oviduct and HGSC
41 and 6 independent women for normal, STIC and invasive STIC were embedded in OCT,
42 sectioned on a cryostat, and stained with hematoxylin to morphologically identify each
43 region. Twelve serial frozen sections of each tissue sample were microdissected using
44 a PALM microbeam instrument (Carl Zeiss, Germany), and each selected cell
45 population from different slides of the same patient were pooled. Total RNAs were
46 extracted using the Pico Pure RNA extraction kit (Life technologies, USA).
47
48
49
50
51
52
53
54

55 Microarray

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For normal fallopian tube epithelium and paired HGSC samples from 10 patients and FTSC (stem cells, immortalized, transformed and xenograft) samples, total RNA processing and hybridization were performed on Affymetrix human U133 plus 2.0 Array chips (Affymetrix, CA, USA). For normal fallopian tube epithelium, STIC and invasive STIC from 6 patients, total RNAs were amplified using the WT Pico RNA Amplification System V2 and Encore Biotin Module (NuGEN Technologies, USA). Amplified DNA samples were prepared according to manufacturer’s instructions and hybridized onto GeneChip Human Exon 1.0 ST Array (Affymetrix, CA, USA). GeneChip operating software was used to process all the Cel files and calculate probe intensity values. To validate sample quality, quality check was conducted using Affymetrix Expression Console software. The intensity values were log2-transformed and imported into the Partek Genomics Suite 6.6 (Partek Incorporated, MO, USA). For GeneChip Human Exon 1.0 ST Array, exons were summarized to genes and a 1-way ANOVA was performed to identify differentially expressed genes. P-values and fold-change numbers were calculated for each analysis.

Bioinformatics for gene expression

Unsupervised clustering and heatmap generation were performed with sorted datasets by Euclidean distance on average linkage clustering with selected probe sets by Partek Genomics Suite 6.6. Gene Set Enrichment Analysis (GSEA; Subramanian et al., 2005) was performed to compare 1) STIC with invasive STIC, and 2) immortalized FTSC and FTSC, respectively. To find enriched pathways, DAVID bioinformatics resources (<http://david.abcc.ncifcrf.gov/>) were used¹³.

Accession numbers

Datasets generated for this study have been submitted to the National Center for Biotechnology Information Gene Expression Omnibus (GEO) database under GSE69428 for normal oviduct and HGSC from 10 patients, GSE69453 for FTSC-ALI, and transformed FTSCs (stem cell, immortalized, transformed and xenografts) and GSE69429 for normal fallopian tubal epithelium, STIC and invasive STIC from 6 patients.

Results

Cloning, immortalizing and transforming the fallopian tube stem cells.

If the fallopian tube is the origin of serous cancer, one possible mechanism for the evolution of cancer is a dysregulation of indigenous stem cells. We therefore set out to clone the stem cells of the fallopian tube using methods to clone columnar epithelial stem cells such as human intestinal stem cells¹¹. Using this method, we were able to generate clones of fallopian tube stem cells that contain many small, undifferentiated and highly proliferative (Ki67+) cells that can propagate through multiple passages (Figure 1a). These stem cell clones show strong and consistent staining with markers of fallopian tube epithelial cells (PAX8) (Figure 2a). In our recent work on cloning adult stem cells from human airway and human intestine^{11 12}, we established a pedigree analysis method to examine the multipotential differentiation ability from a single stem cell. The high clonogenic capacity of fallopian tube stem cells allowed us to use the same approach to rapidly generate single cell “pedigree” lines of expansion and characterization of their lineage fates upon induced differentiation in air-liquid interface (ALI) cultures. Following FTSC differentiation, we found through immune-staining with specific antibodies and RT-PCR with specific primers that one single fallopian tube stem cell (Foxj1-, acetylated tubulin-, TAp73-, Sall2-, BCL2-, PAX2-) can give rise to both ciliated cells (Foxj1+, acetylated tubulin+, TAp73+, Sall2+) and secretory cells (Foxj1-, acetylated tubulin-, BCL2+, PAX2+)¹⁴ (Figure 1b and c). Moreover, the same FTSC pedigree line can be induced to differentiate into squamous metaplasia (p63+/Krt5+) in 3D Matrigel assay¹⁵. We next compared the FTSCs and their differentiated structure in ALI by gene expression. FTSCs showed high expression of several known adult stem cell markers such as Lrig1¹⁶, Lgr6¹⁷ and regulators of self-renewal such as EZH2¹⁸ and FOXM1¹⁹, TCF4²⁰. Interestingly, we did not find high expression of Lgr5²¹ in FTSCs. While the differentiated cells lost the expression of stem cell markers, they showed significantly increased expression of genes associated with ciliated cell and secretory cell differentiation such as genes in the Dynein family²² and MUC13²³ (Figure 1d).

To examine whether the fallopian tube stem cells are the cell of origin of high-grade serous cancer, we introduced SV40/ hTERT or SV40/hTERT/c-MYC into these

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

cells by retroviral infection to induce immortalization or transformation of these cells (Figure 1e). We showed while both immortalized and transformed FTSCs gained the new property of growing without the support of irradiated 3T3-J2 fibroblast feeder, the transformed FTSCs lost contact inhibition and showed fibroblast like morphology in the petri dish (Figure 1f, upper). Moreover, both immortalized and transformed FTSCs formed sphere structures in growth-factor-reduced Matrigel in 5 days, but transformed FTSCs generated the irregular structures around 10 times larger in comparison with small and round spheres derived from immortalized FTSCs (Figure 1f, lower). A heat map of differentially expressed genes in whole-genome transcriptome analysis of FTSCs, immortalized and transformed FTSCs showed distinct expression profile differences between normal FTSCs and transformed FTSCs (Figure 1d and supplementary table 2). Interestingly, immortalized FTSCs expressed at the moderate level many genes that are highly expressed in transformed FTSCs (Figure 1g). Gene ontology Analysis was performed to identify the gene pathways significantly enriched in transformed cells including DNA replication and DNA repair (Supplemental Figure 1a). In addition, a highly amplified gene in ovarian cancer, c-MYC was used as the transforming agent²⁴. Consistently, we observed that downstream genes of c-MYC are highly enriched in transformed FTSCs but not in immortalized FTSCs (Supplemental Figure 1b).

Transformed fallopian tube stem cells gave rise to high-grade serous cancer.

In order to examine whether the transformed fallopian tube stem cells belong in the serous carcinogenic pathway, we injected subcutaneously two thousand transformed fallopian tube stem cells into the immunodeficient (NOD.Cg-Prkdc^{scid} Il2rg^{tm1Wjl}/SzJ) mice²⁵ and observed the formation of palpable tumor in two weeks. The xenografted tumors demonstrate all the pathological and immunological hallmarks of human high-grade serous cancer, such as gain of p53, EZH2 and MUC4 expression (Figure 2a)^{15 26 27}. To understand whether FTSC^t xenograft tumors resemble human high-grade serous cancer at the level of gene expression, we first compared RNA from ten microdissected histologically normal fallopian tube epithelium and paired high-grade serous cancer tumor samples on expression microarray chips. These data revealed a significant two-or-more-fold alteration (P<0.5) of the expression in 2395 genes that is

presented in a heatmap (Figure 2b and supplementary table 3). Of the 2395 genes, 1017 genes are up-regulated, and in contrast, 1378 genes are down regulated in tumor samples. The further analysis showed that FTSC^t xenograft tumors, just like HGSC, also expressed these HGSC related genes in a similar manner.

To clarify the function of the genes that we identified in the study and uncover the pathways that conceivably could be targeted to lead to tumor cell death for the therapeutic purpose, we uncovered a number of druggable targets in HGSC such as Enhancer of Zeste Homolog 2. (EZH2). EZH2 is a histone methyl transferase (HMT) and a member of the polycomb group of genes (PcG) regulating (suppressing) transcription through nucleosome modification, chromatin remodeling, and interaction with other transcription factors. Several studies have demonstrated that EZH2 is involved in oncogenesis and consistently, high EZH2 transcript and protein levels have been associated with aggressive tumor behavior, chemo-resistant tumor stem-like side populations and overall poor clinical outcome in ovarian, breast, prostate and bladder cancer patients²⁸. We showed that the protein expression of EZH2 is upregulated in precancerous lesion of HSGC (p53 signature²⁹, STIC, invasive serous cancer and FTSC^t xenograft tumors (Figure 2c). Consistent with the increased expression of EZH2 in HGSC and xenograft tumor, the expression of downstream targets of EZH2 was significantly down regulated compared with normal fallopian tube epithelium (Figure 2d). Moreover, treating the transformed fallopian tube stem cells with EZH2 inhibitor that specifically blocks EZH2 activity³⁰ led to dramatically decreased cell proliferation based on the diminished Ki67 antibody staining and drastic decreased structure size in the Matrigel (Figure 2e).

Resolving molecular alterations in STIC and its progression to invasive serous cancer.

Although advanced serous cancer has been proposed to result from STIC progression, there has not been transcriptome analysis to demonstrate the molecular progression from STIC to advanced serous cancer. To better understand potential links between these entities via markers of progression, we used the LCM approach to isolate normal fallopian tube epithelium, STIC and advance serous cancer from the same patient (Figure 3a). A heatmap of differentially expressed genes in these datasets

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

showed distinct expression profile between normal fallopian tubal epithelium and advanced serous cancer among six patients. In contrast, STIC showed significant overlap with both normal epithelium and advanced cancer (Figure 3b). Gene Set Enrichment Analysis (GSEA) was performed to identify the gene pathways significantly enriched in both STIC and advanced cancer or uniquely changed in advanced serous cancer. The pathways involved in cell proliferation, genomic instability and survival are aberrantly expressed at the early stage of serous carcinogenesis and are followed by deregulation of the pathways involved in angiogenesis and cell adhesion (Figure 3c).

Furthermore, we particularly focused on the secreted proteins that are highly expressed in STIC or invasive serous cancer with the goal to use them as biomarkers for early detection of HGSC. We identified eight genes significantly upregulated in invasive cancer and three of them are already upregulated in the localized tubal tumor (STIC) (Figure 3d). Among them, SPP1 (osteopontin), SPARC (Osteonectin) and VCAN (Versican) have been reported to be overexpressed in various human cancers. Particularly, osteopontin levels in plasma were significantly higher in patients with epithelial ovarian cancer compared with those of healthy controls and patients with other gynecologic cancers³¹.

Uncovering early molecular changes associated with STIC

The data presented here support the existing hypothesis that the fallopian tube is the site of origin of high-grade serous cancer and the STIC is the non-invasive, pre-metastatic form of high-grade serous cancer. A heatmap including 62 genes (>2 folds, $p<0.05$) was generated to show the genes that were aberrantly upregulated in common between STIC and matched invasive cancer (Figure 4a and supplementary table 4). Among these 62 genes, Pituitary tumor transforming gene (PTTG1) and Cyclin E1 (CCNE1) (Supplemental Figure 2a) are particularly interesting because they have been implicated in early oncogenesis through their driving role in cellular transformation^{32 33}. In order to validate some of these genes, we next performed the immunohistochemistry using the specific antibodies for PTTG1 and CCNE1 on patient-matched sections of normal fallopian tube epithelium, STIC and invasive cancer. While the protein expression of these two markers is barely detectable in normal fallopian tube epithelium, they are highly expressed in STIC and invasive cancer (Figure 4b).

We next hypothesized that among aberrantly expressed genes in STIC, there is a group of genes expressing during cellular immortalization, which is the first step towards malignancy³⁴. In order to test this hypothesis, we compared upregulated genes in immortalized FTSCs and STIC and uncovered 123 genes (>2 folds, $p < 0.05$) that overlap in these two entities (Figure 4c and supplementary table 5). Among them, genes such as Stathmin1, a microtubule destabilizing protein³⁵, Ect2, a Rho guanine nucleotide exchange factor³⁶, Forkhead Box M1 (FOXM1), a transcription factor regulating cell cycle³⁷ have been suggested playing critical roles in tumor initiation of HGSC (Figure 4d and supplementary Figure 2b).

Discussion

The perception of ovarian epithelial carcinogenesis is changing rapidly since the proposal of the hypothesis that many of these tumors appear to originate in the fallopian tube²⁹. In 2012, Gilbert and colleagues further supported this hypothesis. Among their patients with “early” HGSC 78% the cancer had originated from the fallopian tube, peritoneum, or both³⁸. Recently another report noted that in the general patient population, incidentally discovered non-uterine high-grade serous carcinomas arise in the fallopian tube in most cases: further evidence for the tubal origin of high-grade serous carcinomas³⁹.

In this study, we cloned stem cells from human fallopian tube and demonstrated that transformed fallopian tube stem cells can develop to aggressive HGSC in mouse xenograft models in a short time. The xenografted tumor shared all the hallmark features with HGSC, further supporting the fallopian tube as the site of origin of serous cancer (Figure 5). Attempts to culture oviductal epithelial cells have been made previously, including efforts to model HGSC^{14 40 41}. However this study is the first to show that stem cells of fallopian tube can be maintained in culture in their elemental state and using the pedigree approach, are capable of multipotent differentiation from one single stem cell in the fallopian tube. Importantly, this platform of culturing FTSCs faithfully and robustly *in vitro* provided us a unique opportunity of functionally studying putative oncogenes or tumor suppressors discovered in recent cancer genome analysis through genetic editing of patient-derived FTSCs. Moreover, in this study we found that

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

several putative oncogenes were significantly overexpressed at the step of FTSC immortalization prior to the occurrence of transformation. Among them, Stathmin 1 has been proposed as a marker expressed in early pelvic serous cacinomas³⁵; CXCR4 and its ligand CXCL12 have been suggested as the key determinants of tumor initiation and metastasis of ovarian cancer⁴²; Forkhead Box M1 (FOXM1) has been reported as a key regulator of tumorigenesis by increasing proliferative activity and leading to uncontrolled cell division³⁷. EZH2, a negative regulator of transcription was also upregulated two-fold with immortalization. Interestingly, our previous study showed the PAX2-null progenitor

cell growth (secretory cell outgrowth, SCOUTs) in the fallopian tube also expressed strongly both EZH2 and Stathmin 1¹⁵. This correlation led us to propose the link between FTSC immortalization and the development of early proliferations in the tube, either SCOUTs or lower grade STINs. Based on these correlations it appears that these gene perturbations associated with immortalization might occur prior to or even in the absence of the serous cancer, in which case their value as predictors of malignancy could be limited by their lack of specificity as actionable values. However, they could conceivably be targeted as co-determinants of neoplastic progression with the goal of depriving the serous carcinogenic sequence of a participating pathway.

The stage at which an ovarian cancer is detected is the single most important factor influencing outcome and interrupting ovarian cancer when it is curable will require addressing early disease in the distal fallopian tube. Early molecular signatures that are specific for these neoplasms are of paramount importance given their potential value in detecting neoplasia via analysis of fluids in the lower genital tract⁴³. Given the fact that many STICs do not have a HGSC outcome, we believe that there is a window of opportunity where patients with potentially lethal precursors can be identified through screening and spared a death from this malignancy.

It would be hoped that a molecular analysis of early lesions might provide an array of targets that are either secreted by these cells or presented on the cell surface for screening and therapeutic value, respectively. Monoclonal antibodies to secreted proteins have the potential to form the basis of population-wide screening methods from blood or cervical fluid for those at risk who might benefit from salpingectomy. Monoclonal antibodies to cell surface markers in these lesions might assist in alternative

detection via imaging technologies as the technology evolves. An important question that must be addressed is whether the parallels between immortalized cells *in vitro* and proliferations *in vivo* signify a background of accrued biologic events that both precede - and are needed for - progression to malignancy. Thus the challenge will be to tease out those molecular events that are biologically significant and when intervened will prevent subsequent malignancy.

Acknowledgements

This work was supported by grants from Connecticut Innovations (WX, FM), the Joint Council Office of the Agency for Science Technology Research Agency (ASTAR), Singapore (WX, FM), the National Medical Research Council, Singapore (BnB11dec063 to NN, MC, FM and WX), the Department of Defense (W81XWH-10-1-0289 to CPC) and NIH (R01 CA188025 to ZT). We thank J. Hammer for assistance of figure preparation and the Division of Gynecologic Oncology at Brigham and Women's Hospital and Dana Farber Cancer Institute for their contribution to the study. We also thank Drs. Ju Yuan and In Young Hwang for the assistance in cell culture.

This paper has not been previously published. Preliminary findings with clonogenic tubal epithelial cells have been previously described by Ning et al¹⁵. The authors have no conflicts of interest or relevant financial relationships. This study was approved by the Brigham and Women's Hospital Institutional Review Board. Array data is displayed in Supplemental Figure 2.

Abbreviations

STIC - serous tubal intraepithelial carcinoma; FTSC - fallopian tube stem cells;
HGSC – high grade serous cancer; ALI – air-liquid interface culture

Contribution of the coauthors are as follows:

Author	Design	Data collection	Data analysis	Data Interpretation	Literature search	Figures	Manuscript writing
--------	--------	-----------------	---------------	---------------------	-------------------	---------	--------------------

Yamamoto	X	X	X	X	X		X
Ning	X	X	X	X			
Howitt		X	X	X			
Mehra		X	X	X			
Wu		X	X	X			
Wang		X	X	X			
Hong		X	X	X			
Tay		X	X	X			
Zhang		X	X	X			
Kern		X	X	X			
Nagarajan			X	X			
Choolani	X		X	X	X		X
Torti			X	X			X
Brewer			X	X			X
McKeon	X		X	X	X	X	X
Crum	X		X	X	X	X	X
Xian	X	X	X	X	X	X	X

Illustrations

Figure 1. Cloning, immortalization and transformation of the fallopian tube stem cells. a. Cloned FTSC marked with proliferation marker Ki67 (green) and occasional expression of ciliated marker FOXJ1 (red). b ALI differentiation culture of FTSC stained with FOXJ1 (red) and acetylated tubulin (green). c. RT-PCR of selected markers. d. Heatmap of selected genes from whole-genome transcriptome analysis. e. Schematic of FTSC immortalization and transformation *in vitro*. f. Morphological difference of FTSCⁱ and FTSC^t on plastic culture dishes and in 3D Matrigel assay. g. Progressive change of gene expression among FTSC, FTSCⁱ and FTSC^t (n = 2, each). Genes with increased expression (>1.5 fold and p < 0.05 in each, 654 genes) following transformation were selected for heatmap production.

Figure 2. FTSC^t xenograft tumor resembles human high-grade serous cancer. a. *Upper panel*, 2K FTSC^t cells (PAX8, red) were injected into NSG mice and palpable tumor was observed in two weeks. *Lower panel*, Xenograft tumor expressed HGSC hallmark genes MUC4, p53 and PAX8. b. A heatmap showing FTSC^t xenograft tumors and invasive SC

shared similar gene expression profile (FTSC^t tumor: n = 3; invasive SC: n = 10 and paired normal oviduct: n = 10; 2395 genes selected, > 2 folds and p < 0.05). c. EZH2 protein expressed in multiple stages of HGSC development including lower grade serous tubal intraepithelial neoplasia and secretory cell outgrowths¹⁵. d. EZH2 target genes were downregulated in FTSC^t xenograft tumors and invasive SC. e. Selective inhibition of EZH2 by its inhibitor (3-Deazaneplanocin A) blocked FTSC^t cell proliferation in a matrigel culture. Ki67 (red) stained for proliferating cells. Dapi (blue) stained nuclei.

Figure 3. Molecular correlates of progression from STIC to invasive cancer. a. *Left*, Histology of the sections used for Laser captured microdissection (LCM) of normal fallopian tube epithelium, STIC and invasive cancer; *Right*, p53 antibody staining showing prominent expression of p53 protein in STIC and invasive cancer. b. Six heatmaps showing the progressive gene expression from STIC to invasive cancer in individual patients (genes differentially expressed in invasive cancer compared with normal FT epithelium were selected, >2 folds and p<0.05). c. Gene set enrichment analysis (GSEA) of invasive cancer vs. STIC highlighting angiogenesis and regulation of cell adhesion in invasive cancer. d. Dot plots of selected genes highly expressed in STIC and invasive cancer (normal fallopian tube: n = 6; STIC: n = 6; invasive SC: n = 6).

Figure 4. Early molecular changes associated with FTSC immortalization and STIC. a. A heatmap showing 62 genes (>2 folds, p<0.05) commonly overexpressed between STIC and matched invasive serous cancer. b. Representative images of CCNE1 and PTTG1 immunostaining on normal FT epithelium, STIC and invasive serous cancer. c. Venn diagram of genes overexpressed in STIC (>1.5 fold, p<0.05) and immortalized FTSC (>2 fold, p < 0.05). 123 genes were overlapped. d. Selected overlapping genes and fold change.

Figure 5. *In vitro* and *in vivo* correlations proposing a model of multi-step development of HGSC originated from fallopian tube stem cells.

Supplementary Figure 1. a. Pathways enriched in immortalized and transformed FTSCs compared with normal FTSC ($p < 0.05$) are listed in the table. b. GSEA showed enrichment of MYC target genes in transformed but not immortalized FTSC.

Supplementary figure 2. a. Dot plots of PTTG1 and CCNE1 expression in normal fallopian tube epithelium, STIC and invasive SC. b. Pathway analysis showed significantly enriched pathways ($p < 0.05$) in immortalized FTSCs and STIC.

References

1. Auersperg N, Wong AS, Choi KC, *et al.* Ovarian surface epithelium: biology, endocrinology, and pathology. *Endocr Rev* 2001; **22**: 255–288.
2. Vaughan S, Coward JI, Bast RC Jr, *et al.* Rethinking ovarian cancer: recommendations for improving outcomes. *Nat Rev Cancer* 2011; **11**: 719–725.
3. Piek JM, van Diest PJ, Zweemer RP, *et al.* Dysplastic changes in prophylactically removed fallopian tubes of women predisposed to developing ovarian cancer. *J Pathol* 2001; **195**: 451–456.
4. Marquez RT, Baggerly KA, Patterson AP, *et al.* Patterns of gene expression in different histotypes of epithelial ovarian cancer correlate with those in normal fallopian tube, endometrium, and colon. *Clin Cancer Res* 2005; **11**: 6116-6126.
5. Finch A, Shaw P, Rosen B, *et al.* Clinical and pathologic findings of prophylactic salpingo-oophorectomies in 159 BRCA1 and BRCA2 carriers. *Gynecol Oncol* 2006; **100**: 58–64.
6. Lowell CB, Swisher EM, Cass I, *et al.* Long term follow up of BRCA1 and BRCA2 mutation carriers with unsuspected neoplasia identified at risk reducing salpingo-oophorectomy. *Gynecol Oncol* 2013; **129**: 364-371.
7. Carlson JW, Miron A, Jarboe EA, *et al.* Serous tubal intraepithelial carcinoma: Its potential role in primaryperitoneal serous carcinoma and serous cancer prevention. *J Clin Oncol* 2008; **26**: 4160–4165.

- 1
2
3 8. Kindelberger DW, Lee Y, Miron A, *et al.* Intraepithelial carcinoma of the fimbria and
4 pelvic serous carcinoma: evidence for a causal relationship. *Am J Surg Pathol* 2007;
5 **31**: 161–169.
6
7
- 8 9. Salvador S, Rempel A, Soslow RA, *et al.* Chromosomal instability in fallopian tube
9 precursor lesions of serous carcinoma and frequent monoclonality of synchronous
10 ovarian and fallopian tube mucosal serous carcinoma. *Gynecol Oncol* 2008; **110**:
11 408-417.
12
13
- 14 10. Mehrad M, Ning G, Chen EY, *et al.* A pathologist's road map to benign,
15 precancerous, and malignant intraepithelial proliferations in the fallopian tube. *Adv*
16 *Anat Pathol* 2010; **17**: 293-302.
17
18
- 19 11. Wang X, Yamamoto Y, Wilson LH, *et al.* Cloning and variation of ground state
20 intestinal stem cells. *Nature* 2015; DOI 10.1038/nature14484
21
22
- 23 12. Kumar PA, Hu Y, Yamamoto Y, *et al.* Distal airway stem cells yield alveoli in vitro and
24 during lung regeneration following H1N1 influenza infection. *Cell* 2011; **147**: 525-538.
25
26
- 27 13. Huang da W, Sherman BT, Lempicki RA. Systematic and integrative analysis of large
28 gene lists using DAVID bioinformatics resources. *Nat Protoc* 2009; **4**: 44-57.
29
30
- 31 14. Levanon K, Ng V, Piao HY, *et al.* Primary ex vivo cultures of human fallopian tube
32 epithelium as a model for serous ovarian carcinogenesis. *Oncogene* 2010; **29**: 1103-
33 1113.
34
35
- 36 15. Ning G, Bijron J, Yamamoto Y, *et al.* The PAX2-null immunophenotype defines
37 multiple lineages with common expression signatures in benign and neoplastic
38 oviductal epithelium. *J Pathol* 2014; **234**: 478-87.
39
40
- 41 16. Wong VW, Stange DE, Page ME, *et al.* Lrig1 controls intestinal stem-cell
42 homeostasis by negative regulation of ErbB signalling. *Nat Cell Biol* 2012; **14**: 401-
43 408.
44
45
- 46 17. Oeztuerk-Winder F, Guinot A, Ochalek A, *et al.* Regulation of human lung alveolar
47 multipotent cells by a novel p38 α MAPK/miR-17-92 axis. *EMBO J* 2012; **31**: 3431-
48 3441.
49
50
- 51 18. Juan AH, Derfoul A, Feng X, *et al.* Polycomb EZH2 controls self-renewal and
52 safeguards the transcriptional identity of skeletal muscle stem cells. *Genes Dev*
53 2011; **25**: 789-794.
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

19. Bella L, Zona S, Nestal de Moraes G, *et al.* FOXM1: A key oncofoetal transcription factor in health and disease. *Semin Cancer Biol* 2014; **29**: 32-39.

20. van Es JH, Haegebarth A, Kujala P, *et al.* A critical role for the Wnt effector Tcf4 in adult intestinal homeostatic self-renewal. *Mol Cell Biol* 2012; **32**: 1918-1927.

21. Ng A, Tan S, Singh G, *et al.* Lgr5 marks stem/progenitor cells in ovary and tubal epithelia. *Nat Cell Biol* 2014; **16**: 745-757.

22. Kikkawa M. Big steps toward understanding dynein. *J Cell Biol* 2013; **202**: 15-23.

23. Chauhan SC, Vannatta K, Ebeling MC, *et al.* Expression and functions of transmembrane mucin MUC13 in ovarian cancer. *Cancer Res* 2009; **69**: 765-774.

24. Hahn WC1, Counter CM, Lundberg AS, *et al.* Creation of human tumour cells with defined genetic elements. *Nature* 1999; 400: 464-468.

25. Shultz LD, Goodwin N, Ishikawa F, *et al.* Human cancer growth and therapy in immunodeficient mouse models. *Cold Spring Harb Protoc* 2014; **7**: 694-708.

26. Crum CP, Herfs M, Gang N, *et al.* Through the glass darkly: intraepithelial neoplasia, top down differentiation, and the road to ovarian cancer. *J Pathol* 2013; **231**: 402-412.

27. Chauhan SC, Singh AP, Ruiz F, *et al.* Aberrant expression of MUC4 in ovarian carcinoma: diagnostic significance alone and in combination with MUC1 and MUC16 (CA125). *Mod Pathol* 2006; **9**:1386-1394.

28. Rizzo S, Hersey JM, Mellor P, *et al.* Ovarian cancer stem cell-like side populations are enriched following chemotherapy and overexpress EZH2. *Mol Cancer Ther* 2011; **10**: 325-335.

29. Lee Y, Miron A, Drapkin R, *et al.* A candidate precursor to serous carcinoma that originates in the distal fallopian tube. *J Pathol* 2007; **211**: 26–35.

30. Sun F, Chan E, Wu Z, *et al.* Combinatorial pharmacologic approaches target EZH2-mediated gene repression in breast cancer cells. *Mol Cancer Ther* 2009; **8**: 3191-3202.

31. Kim JH, Skates SJ, Uede T, *et al.* Osteopontin as a potential diagnostic biomarker for ovarian cancer. *JAMA* 2002; **287**: 1671-1679.

32. Pei L, Melmed S. Isolation and characterization of a pituitary tumor-transforming gene (PTTG). *Mol Endocrinol* 1997; **11**: 433–441.

33. Karst AM, Jones PM, Vena N, *et al.* Cyclin E1 deregulation occurs early in secretory cell transformation to promote formation of fallopian tube-derived high-grade serous ovarian cancers. *Cancer Res* 2014; **74**: 1141-1152.
34. Hanahan D, Weinberg RA. Hallmarks of cancer: the next generation. *Cell* 2011; **144**: 646-674.
35. Karst AM, Levanon K, Duraisamy S, *et al.* Stathmin 1, a marker of PI3K pathway activation and regulator of microtubule dynamics, is expressed in early pelvic serous carcinomas. *Gynecol Oncol* 2011; **123**: 5-12.
36. Huff LP, Decristo MJ, Trembath D, *et al.* The Role of Ect2 Nuclear RhoGEF Activity in Ovarian Cancer Cell Transformation. *Genes Cancer* 2013; **4**: 460-475.
37. Wierstra I, Alves J. FOXM1, a typical proliferation-associated transcription factor. *Biol Chem* 2007; **388**: 1257–1274.
38. Gilbert L, Basso O, Sampalis J, *et al.* Assessment of symptomatic women for early diagnosis of ovarian cancer: results from the prospective DOvE pilot project. *Lancet Oncol* 2012; **13**: 285-291.
39. Gilks CB, Irving J, Köbel M, *et al.* Incidental nonuterine high-grade serous carcinomas arise in the fallopian tube in most cases: further evidence for the tubal origin of high-grade serous carcinomas. *Am J Surg Pathol* 2015; **39**: 357-364.
40. Kervancioglu ME, Saridogan E, Martin JE *et al.* A simple technique for the long-term non-polarised and polarised culture of human fallopian tube epithelial cells. *Biol Cell* 1994; **82**: 103–107.
41. Karst AM, Levanon K, Drapkin R. Modeling high-grade serous ovarian carcinogenesis from the fallopian tube. *Proc Natl Acad Sci U S A* 2011; **108**: 7547-7552.
42. Kajiyama H, Shibata K, Terauchi M, *et al.* Involvement of SDF-1alpha/CXCR4 axis in the enhanced peritoneal metastasis of epithelial ovarian carcinoma. *Int J Cancer* 2008; **122**: 91-99.
43. Kinde I, Bettgowda C, Wang Y, *et al.* Evaluation of DNA from the Papanicolaou test to detect ovarian and endometrial cancers. *Sci Transl Med* 2013; **5**: 167ra4

Figure 1




Figure 1. Cloning, immortalization and transformation of the fallopian tube stem cells. a. Cloned FTSC marked with proliferation marker Ki67 (green) and occasional expression of ciliated marker FOXJ1 (red). b. ALI differentiation culture of FTSC stained with FOXJ1 (red) and acetylated tubulin (green). c. RT-PCR of selected markers. d. Heatmap of selected genes from whole-genome transcriptome analysis. e. Schematic of FTSC immortalization and transformation in vitro. f. Morphological difference of FTSCi and FTSCt on plastic culture dishes and in 3D Matrigel assay. g. Progressive change of gene expression among FTSC, FTSCi and FTSCt (n = 2, each). Genes with increased expression (>1.5 fold and p < 0.05 in each, 654 genes) following transformation were selected for heatmap production.

571x762mm (96 x 96 DPI)

Figure 2




Figure 2. FTSCt xenograft tumor resembles human high-grade serous cancer. a. Upper panel, 2K FTSCt cells (PAX8, red) were injected into NSG mice and palpable tumor was observed in two weeks. Lower panel, Xenograft tumor expressed HGSC hallmark genes MUC4, p53 and PAX8. b. A heatmap showing FTSCt xenograft tumors and invasive SC shared similar gene expression profile (FTSCt tumor: n = 3; invasive SC: n = 10 and paired normal oviduct: n = 10; 2395 genes selected, > 2 folds and p < 0.05). c. EZH2 protein expressed in multiple stages of HGSC development including lower grade serous tubal intraepithelial neoplasia and secretory cell outgrowths15. d. EZH2 target genes were downregulated in FTSCt xenograft tumors and invasive SC. e. Selective inhibition of EZH2 by its inhibitor (3-Deazaneplanocin A) blocked FTSCt cell proliferation in a matrigel culture. Ki67 (red) stained for proliferating cells. Dapi (blue) stained nuclei.

571x762mm (96 x 96 DPI)

Figure 3




Figure 3. . Molecular correlates of progression from STIC to invasive cancer. a. Left, Histology of the sections used for Laser captured microdissection (LCM) of normal fallopian tube epithelium, STIC and invasive cancer; Right, p53 antibody staining showing prominent expression of p53 protein in STIC and invasive cancer. b. Six heatmaps showing the progressive gene expression from STIC to invasive cancer in individual patients (genes differentially expressed in invasive cancer compared with normal FT epithelium were selected, >2 folds and p<0.05). c. Gene set enrichment analysis (GSEA) of invasive cancer vs. STIC highlighting angiogenesis and regulation of cell adhesion in invasive cancer. d. Dot plots of selected genes highly expressed in STIC and invasive cancer (normal fallopian tube: n = 6; STIC: n = 6; invasive SC: n = 6).

571x762mm (96 x 96 DPI)

Figure 4




Figure 4. Figure 4. Early molecular changes associated with FTSC immortalization and STIC. a. A heatmap showing 62 genes (>2 folds, $p < 0.05$) commonly overexpressed between STIC and matched invasive serous cancer. b. Representative images of CCNE1 and PTTG1 immunostaining on normal FT epithelium, STIC and invasive serous cancer. c. Venn diagram of genes overexpressed in STIC (>1.5 fold, $p < 0.05$) and immortalized FTSC (>2 fold, $p < 0.05$). 123 genes were overlapped. d. Selected overlapping genes and fold change.

571x762mm (96 x 96 DPI)





Figure 5. In vitro and in vivo correlations proposing a model of multi-step development of HGSC originated from fallopian tube stem cells.

571x762mm (96 x 96 DPI)


Supplemental Figure 1



Supplementary Figure 1. a. Pathways enriched in immortalized and transformed FTSCs compared with normal FTSC ($p < 0.05$) are listed in the table. b. GSEA showed enrichment of MYC target genes in transformed but not immortalized FTSC.

571x762mm (96 x 96 DPI)

Supplemental Figure 2



Supplementary Figure 2. a. Dot plots of PTTG1 and CCNE1 expression in normal fallopian tube epithelium, STIC and invasive SC. b. Pathway analysis showed significantly enriched pathways ($p < 0.05$) in immortalized FTSCs and STIC.

571x762mm (96 x 96 DPI)

Supplemental Table 1. Antibodies used

Antibody	Manufacturers	Cat. No.	Working Dilution
Alpha-Tubulin	Sigma-Aldrich	T9026	1:3000
CyclinE1	Abcam	ab3927	1:1600
EZH2	Leica Biosystems	NCL-L-EZH2	1:500
Foxj1	Sigma-Aldrich	HPA005714	1:500
MUC4	Invitrogen	18-2322	1:800
P53	Caibiochem	OP43	1:500
PAX8	Protein Tech	10336-1-AP	1:400
PTTG1	Sigma-Aldrich	HPA008890	1:1000

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

Supplementary Table 2 incrementally expressed

Probeset ID	Gene Symbol
210587_at	INHBE
203548_s_at	LPL
1554242_a_at	COCH
235020_at	TAF4B
239352_at	SLC6A15
219295_s_at	PCOLCE2
226695_at	PRRX1
219911_s_at	SLCO4A1
240419_at	SLC6A15
214651_s_at	HOXA10-HOXA9 /// HOXA9
204394_at	SLC43A1
204794_at	DUSP2
206376_at	SLC6A15
203387_s_at	TBC1D4
219985_at	HS3ST3A1
210143_at	ANXA10
232263_at	SLC6A15
203386_at	TBC1D4
205885_s_at	ITGA4
223721_s_at	DNAJC12
1558404_at	LOC644242
207536_s_at	TNFRSF9
213113_s_at	SLC43A3
206261_at	ZNF239
236302_at	PPM1E
220615_s_at	FAR2
223722_at	DNAJC12
212813_at	JAM3
205884_at	ITGA4
206172_at	IL13RA2
238681_at	GDPD1
235343_at	VASH2
218976_at	DNAJC12
201578_at	PODXL
225516_at	SLC7A2
204521_at	FAM216A
235548_at	APCDD1L
1569582_at	LOC201651
207219_at	ZNF643
242931_at	LONRF3
1554918_a_at	ABCC4
218541_s_at	C8orf4
228956_at	UGT8

1		
2	219969_at	TXLNG
3	200841_s_at	EPRS
4	210692_s_at	SLC43A3
5	232291_at	MIR17HG /// MIR18A /// M
6	238831_at	TMEM33
7	1554640_at	PALM2
8	213416_at	ITGA4
9	1555606_a_at	GDPD1
10	230763_at	SPATA17
11	226890_at	WDR35
12	236313_at	CDKN2B
13	205429_s_at	MPP6
14	218590_at	C10orf2
15	221648_s_at	AGMAT
16	222062_at	IL27RA
17	221586_s_at	E2F5
18	225285_at	BCAT1
19	229437_at	MIR155 /// MIR155HG
20	231984_at	MTAP
21	235644_at	CCDC138
22	238990_x_at	TRIM61
23	219262_at	SUV39H2
24	204956_at	MTAP
25	229596_at	AMDHD1
26	206085_s_at	CTH
27	225421_at	PM20D2
28	229715_at	B7H6
29	209406_at	BAG2
30	212816_s_at	CBS
31	236219_at	SLC35G1
32	209892_at	FUT4
33	208264_s_at	EIF3J
34	227892_at	PRKAA2
35	1553972_a_at	CBS
36	227607_at	STAMBPL1
37	236075_s_at	LOC100506676
38	202684_s_at	RNMT
39	212706_at	RASA4 /// RASA4B
40	214452_at	BCAT1
41	220251_at	DIEXF
42	228962_at	PDE4D
43	227896_at	BCCIP
44	219616_at	ACSS3
45	227932_at	ARIH2
46	242905_at	PNO1
47	235177_at	METTL21A
48	235733_at	GXYLT2
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	202920_at	ANK2
3	220346_at	MTHFD2L
4	221088_s_at	PPP1R9A
5	243502_at	GJC1
6	228494_at	PPP1R9A
7	233737_s_at	LOC284561
8	242037_at	ASPH
9	212894_at	SUPV3L1
10	226517_at	BCAT1
11	238452_at	FCRLB
12	236917_at	LRRC34
13	1555882_at	SPIN3
14	212290_at	SLC7A1
15	218599_at	REC8
16	218936_s_at	CCDC59
17	217127_at	CTH
18	203163_at	KATNB1
19	207057_at	SLC16A7
20	229435_at	GLIS3
21	219731_at	CC2D2B
22	205047_s_at	ASNS
23	1559993_at	SFXN3
24	227916_x_at	EXOSC3
25	220370_s_at	USP36
26	222305_at	HK2
27	205541_s_at	GSPT2
28	212036_s_at	PNN
29	220698_at	MGC4294
30	205668_at	LY75
31	225100_at	FBXO45
32	230097_at	GART
33	204700_x_at	DIEXF
34	1552430_at	WDR17
35	224873_s_at	MRPS25
36	227606_s_at	STAMBPL1
37	233655_s_at	HAUS6
38	200790_at	ODC1
39	1555562_a_at	ZCCHC7
40	206613_s_at	TAF1A
41	1569183_a_at	CHM
42	228378_at	C12orf29
43	222624_s_at	ZNF639
44	201228_s_at	ARIH2
45	225142_at	JHDM1D
46	204491_at	PDE4D
47	1552625_a_at	TRNT1
48	235610_at	ALKBH8
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	203622_s_at	PNO1
3	227856_at	C4orf32
4	226876_at	FAM101B
5	241866_at	SLC16A7
6	206204_at	GRB14
7	230258_at	GLIS3
8	223700_at	MND1
9	200975_at	PPT1
10	230166_at	KIAA1958
11	227037_at	PLD6
12	218591_s_at	NOL10
13	222736_s_at	TMEM38B
14	208541_x_at	TFAM
15	231973_s_at	ANAPC1 /// LOC100653327
16	204603_at	EXO1
17	236609_at	PMS1
18	203223_at	RABEP1
19	233985_x_at	PPP1R9A
20	203177_x_at	TFAM
21	242294_at	FBXO45
22	210188_at	GABPA
23	223221_at	SCO1
24	238576_at	MOCOS
25	242370_at	MTHFD2L
26	205053_at	PRIM1
27	244822_at	GART
28	223570_at	MCM10
29	219751_at	SETD6
30	228434_at	BTNL9
31	1554249_a_at	ZNF638
32	220651_s_at	MCM10
33	231292_at	EID3
34	235109_at	ZBED3
35	221540_x_at	GTF2H2 /// GTF2H2B /// GT
36	203199_s_at	MTRR
37	223758_s_at	GTF2H2
38	220265_at	GPR107
39	235949_at	TTC26
40	238441_at	PRKAA2
41	226905_at	FAM101B
42	241985_at	JMY
43	235661_at	POU2F2
44	223092_at	ANKH
45	209893_s_at	FUT4
46	230954_at	C20orf112
47	206847_s_at	HOXA7
48	241908_at	BROX
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	206112_at	ANKRD7
3	221020_s_at	SLC25A32
4	229975_at	BMPR1B
5	209676_at	TFPI
6	201083_s_at	BCLAF1
7	214507_s_at	EXOSC2
8	204128_s_at	RFC3
9	219983_at	HRASLS
10	1560579_s_at	LOC100506392
11	228402_at	ZBED3
12	214390_s_at	BCAT1
13	227749_at	POU2F2
14	235371_at	GXYLT2
15	228343_at	POU2F2
16	222528_s_at	SLC25A37
17	235707_at	C6orf228
18	226875_at	DOCK11
19	235406_x_at	TMEM161B-AS1
20	204042_at	WASF3
21	235779_at	ZNF790-AS1
22	1559942_at	MDFIC
23	242663_at	LOC148189
24	228702_at	FLJ43663
25	226481_at	VPRBP
26	226446_at	HES6
27	230047_at	ARHGAP42
28	235977_at	LONRF2
29	207891_s_at	HAUS7 /// TREX2
30	242579_at	BMPR1B
31	230177_at	GTF2H2B
32	209239_at	NFKB1
33	203176_s_at	TFAM
34	220512_at	DLC1
35	226901_at	C17orf58
36	207039_at	CDKN2A
37	220841_s_at	AHI1
38	235753_at	HOXA7
39	225996_at	LONRF2
40	205282_at	LRP8
41	1555167_s_at	NAMPT
42	1554155_at	MCPH1
43	207038_at	SLC16A6
44	210089_s_at	LAMA4
45	236518_at	KIAA1984
46	205969_at	AADAC
47	226881_at	GRPEL2
48	202510_s_at	TNFAIP2
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	219634_at	CHST11
3	220892_s_at	PSAT1
4	226179_at	SLC25A37
5	238443_at	TFAM
6	221621_at	LINC00338 /// SCARNA16
7	205909_at	POLE2
8	228416_at	ACVR2A
9	1557945_at	TCTE3
10	228191_at	FLVCR1
11	229141_at	SFT2D3 /// WDR33
12	242900_at	ALG10B
13	219880_at	LOC100507619
14	221920_s_at	SLC25A37
15	202637_s_at	ICAM1
16	227699_at	C14orf149
17	211575_s_at	UBE3A
18	218794_s_at	TXNL4B
19	1552306_at	ALG10
20	215223_s_at	LOC100129518 /// SOD2
21	226135_at	UHRF1BP1
22	208795_s_at	MCM7
23	219000_s_at	DSCC1
24	203716_s_at	DPP4
25	1559052_s_at	PAK2
26	213262_at	SACS
27	225550_at	CNST
28	209644_x_at	CDKN2A
29	202780_at	OXCT1
30	231894_at	SARS
31	206173_x_at	GABPB1
32	1564651_at	C6orf228
33	228752_at	EFCAB4B
34	204699_s_at	DIEXF
35	233234_at	KCTD16
36	225472_at	GPANK1
37	204327_s_at	ZNF202
38	210807_s_at	SLC16A7
39	232899_at	RPL23AP7 /// RPL23AP82
40	228955_at	LRP8
41	219595_at	LOC100287515 /// ZNF26
42	230588_s_at	LOC285074
43	228245_s_at	LOC100509445 /// LOC7287
44	215722_s_at	SNRPA1
45	227514_at	ITPRIPL2
46	240239_at	ZNF566
47	233827_s_at	SUPT16H
48	210664_s_at	TFPI
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	1557217_a_at	FANCB
3	1555760_a_at	RBM15
4	223595_at	TMEM133
5	1555004_a_at	RBL1
6	204059_s_at	ME1
7	227954_at	ITPRIPL2
8	200956_s_at	SSRP1
9	214193_s_at	DIEXF
10	226368_at	CHST11
11	235117_at	CHAC2
12	235931_at	LOC100506290 /// LOC1006
13	220399_at	LINC00115
14	201869_s_at	TBL1X
15	218579_s_at	DHX35
16	213556_at	LOC390940
17	210983_s_at	MCM7
18	223251_s_at	ANKRD10
19	220094_s_at	CCDC90A
20	223296_at	SLC25A33
21	1552822_at	TMX3
22	221778_at	JHDM1D
23	212110_at	SLC39A14
24	37433_at	PIAS2
25	204127_at	RFC3
26	219558_at	ATP13A3
27	1554572_a_at	SUV39H2
28	238069_at	LOC100506090
29	232063_x_at	FARSB
30	202453_s_at	GTF2H1
31	227406_at	GABPB1-AS1
32	229432_at	NAGS
33	214913_at	ADAMTS3
34	213608_s_at	SRRD
35	214552_s_at	RABEP1
36	242690_at	ATP11C
37	1568597_at	LOC646762
38	218866_s_at	POLR3K
39	239302_s_at	LOC100506922
40	1553528_a_at	TAF5
41	240983_s_at	CARS
42	1554660_a_at	CNST
43	202345_s_at	FABP5
44	208931_s_at	ILF3
45	1557755_at	CEP128
46	228308_at	FKBP11
47	204695_at	CDC25A
48	209754_s_at	TMPO
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	1553167_a_at	SEPSECS
3	202979_s_at	CREBZF
4	219131_at	UBIAD1
5	1554424_at	FIP1L1
6	210053_at	TAF5
7	223556_at	HELLS
8	1553338_at	SDE2
9	227559_at	NDUFAF4
10	226680_at	IKZF5
11	210389_x_at	TUBD1
12	202451_at	GTF2H1
13	220085_at	HELLS
14	201490_s_at	PPIF
15	241534_at	LOC100505549
16	236126_at	ACVR2B
17	229090_at	ZEB1-AS1
18	202470_s_at	CPSF6
19	218768_at	NUP107
20	214690_at	TAF1B
21	1555225_at	C1orf43
22	234304_s_at	IPO11
23	223624_at	ZFAND4
24	236431_at	U2SURP
25	212060_at	U2SURP
26	227105_at	CSPP1
27	202402_s_at	CARS
28	1555350_at	PPHLN1
29	225841_at	HENMT1
30	229091_s_at	CCNJ
31	231853_at	TUBD1
32	225470_at	NUP35
33	209804_at	DCLRE1A
34	225919_s_at	C9orf72
35	209457_at	DUSP5
36	222529_at	SLC25A37
37	225970_at	DDHD1
38	214141_x_at	SRSF7
39	1553725_s_at	ZNF644
40	232489_at	TRMT13
41	202819_s_at	TCEB3
42	204126_s_at	CDC45
43	223352_s_at	C17orf80
44	230678_at	RGS5
45	221606_s_at	HMG5
46	224825_at	DNTTIP1
47	1554099_a_at	SPIN3
48	48808_at	DHFR
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	241661_at	JMJD1C
3	229855_at	RNF34
4	222748_s_at	TXNL4B
5	227623_at	CACNA2D1
6	205085_at	ORC1
7	200692_s_at	HSPA9
8	223211_at	HACL1
9	208447_s_at	PRPS1
10	242230_at	ATXN1
11	224200_s_at	RAD18
12	1553169_at	LRRN4
13	234942_s_at	DNTTIP1
14	220885_s_at	CENPJ
15	223898_at	ZNF670
16	204492_at	ARHGAP11A
17	217767_at	C3
18	210541_s_at	TRIM27
19	243531_at	ORAOV1
20	204510_at	CDC7
21	236918_s_at	LRRC34
22	228341_at	NUDT16
23	1567013_at	NFE2L2
24	207528_s_at	SLC7A11
25	218331_s_at	FAM208B
26	201795_at	LBR
27	219118_at	FKBP11
28	221909_at	RNFT2
29	201229_s_at	ARIH2
30	225551_at	CNST
31	1555803_a_at	C11orf57
32	241024_at	C6orf147 /// KHDC1
33	227101_at	ZNF800
34	218517_at	PHF17
35	214144_at	POLR2D
36	213157_s_at	LOC339166 /// WSCD1
37	238848_at	OTUD4
38	244790_at	MTCP1
39	222891_s_at	BCL11A
40	226372_at	CHST11
41	221571_at	TRAF3
42	209421_at	MSH2
43	209799_at	PRKAA1
44	214962_s_at	NUP160
45	212118_at	TRIM27
46	228566_at	RPRD1A
47	212022_s_at	MKI67
48	233255_s_at	BIVM
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	241706_at	CPNE8
3	203358_s_at	EZH2
4	210555_s_at	NFATC3
5	222632_s_at	LZTFL1
6	215101_s_at	CXCL5
7	202534_x_at	DHFR
8	234863_x_at	FBXO5
9	235409_at	MGA
10	216237_s_at	MCM5
11	203843_at	RPS6KA3
12	210813_s_at	XRCC4
13	228902_at	NUP214
14	201489_at	PPIF
15	223195_s_at	SESN2
16	41469_at	PI3
17	219270_at	CHAC1
18	235791_x_at	CHD1
19	228365_at	CPNE8
20	226315_at	ZNF830
21	204233_s_at	CHKA
22	210665_at	TFPI
23	229751_s_at	PUS7L
24	222735_at	TMEM38B
25	65493_at	HEATR6
26	200628_s_at	WARS
27	235356_at	NHLRC2
28	233387_s_at	PCNT
29	212654_at	TPM2
30	225786_at	HNRNPU-AS1
31	1565149_at	DYNC2H1
32	219178_at	QTRTD1
33	213373_s_at	CASP8
34	212142_at	MCM4
35	233924_s_at	EXOC6
36	1555834_at	UCHL1
37	219660_s_at	ATP8A2
38	202034_x_at	RB1CC1
39	225237_s_at	MSI2
40	237005_at	LOC442075
41	1554661_s_at	CNST
42	236626_at	ALG1
43	226947_at	GUSBP1 /// GUSBP4
44	227164_at	SRSF1
45	226475_at	FAM118A
46	219117_s_at	FKBP11
47	204258_at	CHD1
48	231791_at	ASAH2B
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	219258_at	TIPIN
3	227767_at	CSNK1G3
4	219576_at	MAP7D3
5	219637_at	ARMC9
6	212092_at	PEG10
7	201791_s_at	DHCR7
8	206288_at	PGGT1B
9	221025_x_at	PUS7L
10	203115_at	FECH
11	218468_s_at	GREM1
12	209418_s_at	THOC5
13	235315_at	TSC22D1
14	201101_s_at	BCLAF1
15	204977_at	DDX10
16	234759_at	LOC100287497 /// LOC1002
17	211478_s_at	DPP4
18	206308_at	TRDMT1
19	234976_x_at	MTHFD2
20	217508_s_at	C18orf25
21	235158_at	TMEM209
22	1553171_x_at	LRRN4
23	233970_s_at	TRMT6
24	227650_at	HSPA14
25	204244_s_at	DBF4
26	1554036_at	ZBTB24
27	1555384_a_at	LARP4
28	201867_s_at	TBL1X
29	223305_at	TMEM216
30	209257_s_at	SMC3
31	1557218_s_at	FANCB
32	228868_x_at	CDT1
33	225577_at	HCG18
34	242866_x_at	POU2F2
35	201555_at	MCM3
36	226980_at	DEPDC1B
37	223759_s_at	GSG2
38	215985_at	ZNRD1-AS1
39	208875_s_at	PAK2
40	234701_at	ANKRD11
41	235333_at	B4GALT6
42	222037_at	MCM4
43	204058_at	ME1
44	229429_x_at	LOC728855 /// LOC728875
45	220060_s_at	PARPBP
46	219056_at	RNASEH2B
47	213155_at	LOC339166 /// WSCD1
48	227214_at	GOPC
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	218469_at	GREM1
3	1552978_a_at	SCAMP1
4	209753_s_at	TMPO
5	203804_s_at	LUC7L3
6	210255_at	RAD51B
7	223407_at	C16orf48
8	223530_at	TDRKH
9	1554020_at	BICD1
10	208693_s_at	GARS
11	219130_at	TRMT13
12	1555450_a_at	NAA16
13	206232_s_at	B4GALT6
14	1554037_a_at	ZBTB24
15	214446_at	ELL2
16	201266_at	TXNRD1
17	208103_s_at	ANP32E
18	238867_at	TMEM182
19	227561_at	DDR2
20	207564_x_at	OGT
21	203234_at	UPP1
22	228249_at	C11orf74
23	226924_at	LOC400657
24	210530_s_at	NR2C1
25	229622_at	FAM132B
26	226352_at	JMY
27	221925_s_at	CSPP1
28	203526_s_at	APC
29	202003_s_at	ACAA2
30	209017_s_at	LONP1
31	204640_s_at	SPOP
32	204033_at	TRIP13
33	222680_s_at	DTL
34	202124_s_at	TRAK2
35	223988_x_at	METTL17
36	230629_s_at	EP400
37	239579_at	EPHX4
38	228287_at	ING5
39	211376_s_at	NSMCE4A
40	219698_s_at	METTL4
41	218138_at	MKKS
42	225064_at	RABEP1
43	212655_at	ZCCHC14
44	205655_at	MDM4
45	241713_s_at	DYX1C1 /// DYX1C1-CCPG1
46	241820_at	RIF1
47	203068_at	KLHL21
48	218772_x_at	TMEM38B
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	232504_at	LOC285628 /// MIR146A
3	230721_at	C16orf52
4	225399_at	TSEN15
5	218754_at	NOL9
6	217771_at	GOLM1
7	209693_at	ASTN2
8	219399_at	LIN7C
9	218875_s_at	FBXO5
10	203378_at	PCF11
11	223172_s_at	MTFP1
12	204224_s_at	GCH1
13	207147_at	DLX2
14	221701_s_at	STRA6
15	203210_s_at	RFC5
16	233245_at	UHRF1BP1
17	233208_x_at	CPSF2
18	1559393_at	ALDH1L2
19	223275_at	PRMT6
20	1565269_s_at	ATF1
21	212945_s_at	MGA
22	222626_at	RBM26
23	203496_s_at	MED1
24	1558093_s_at	MATR3 /// SNHG4
25	1559064_at	NUP153
26	1552812_a_at	SENP1
27	217739_s_at	NAMPT
28	204080_at	TOE1
29	242916_at	CNTRL
30	226909_at	ZNF518B
31	226574_at	PSPC1
32	218366_x_at	METTL17
33	203194_s_at	NUP98
34	212133_at	NIPA2
35	222685_at	HAUS6
36	212116_at	TRIM27
37	202147_s_at	IFRD1
38	211220_s_at	HSF2
39	206108_s_at	SRSF6
40	214729_at	TWISTNB
41	238821_at	CSTF2
42	222697_s_at	ABHD10
43	205588_s_at	FGFR1OP
44	241343_at	RNASEH1
45	1556308_at	PRRT3
46	223686_at	TPK1
47	242996_at	MTRF1
48	222001_x_at	LOC728855 /// LOC728875
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1		
2	227633_at	RHEB
3	200690_at	HSPA9
4	1555874_x_at	MGC21881
5	225538_at	ZCCHC9
6	220744_s_at	IFT122
7	223735_at	ARL6
8	236526_x_at	C5orf44
9	218395_at	ACTR6
10	239343_at	LOC728705
11	217403_s_at	ZNF227
12	202638_s_at	ICAM1
13	239282_at	CCDC41
14	214881_s_at	UBTF
15	226576_at	ARHGAP26
16	228597_at	MIS18A
17	219004_s_at	MIS18A
18	220397_at	MDM1
19	239835_at	KBTBD8
20	1555125_at	GCFC1
21	225030_at	BOD1
22	226335_at	RPS6KA3
23	226284_at	ZBTB2
24	214095_at	SHMT2
25	235089_at	FBXL20
26	243092_at	PAN3-AS1
27	228367_at	ALPK2
28	226229_s_at	SSU72
29	1556361_s_at	ANKRD13C
30	210298_x_at	FHL1
31	209281_s_at	ATP2B1
32	212317_at	TNPO3
33	235119_at	TAF3
34	231999_at	ANKRD11
35	231149_s_at	ULK4
36	238506_at	LRRC58
37	218926_at	MYNN
38	229793_at	ASAH2B
39	218256_s_at	NUP54
40	201475_x_at	MARS
41	205068_s_at	ARHGAP26
42	242639_at	NARG2
43	223575_at	KIAA1549
44	225887_at	PROSER1
45	201962_s_at	RNF41
46	224740_at	C5orf43
47	213672_at	MARS
48	238526_at	RAB3IP
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

1	
2	genes (1.5 fold and p < 0.05) during progression (FTSC -> FTSCi -> FTSCt) 654 probes
3	
4	Gene Title
5	
6	inhibin, beta E
7	lipoprotein lipase
8	coagulation factor C homolog, coxlin (Limulus polyphemus)
9	TAF4b RNA polymerase II, TATA box binding protein (TBP)-associated factor, 105kDa
10	solute carrier family 6 (neutral amino acid transporter), member 15
11	procollagen C-endopeptidase enhancer 2
12	paired related homeobox 1
13	solute carrier organic anion transporter family, member 4A1
14	solute carrier family 6 (neutral amino acid transporter), member 15
15	HOXA10-HOXA9 readthrough /// homeobox A9 /// microRNA 196b
16	solute carrier family 43, member 1
17	dual specificity phosphatase 2
18	solute carrier family 6 (neutral amino acid transporter), member 15
19	TBC1 domain family, member 4
20	heparan sulfate (glucosamine) 3-O-sulfotransferase 3A1
21	annexin A10
22	solute carrier family 6 (neutral amino acid transporter), member 15
23	TBC1 domain family, member 4
24	integrin, alpha 4 (antigen CD49D, alpha 4 subunit of VLA-4 receptor)
25	DnaJ (Hsp40) homolog, subfamily C, member 12
26	uncharacterized LOC644242
27	tumor necrosis factor receptor superfamily, member 9
28	solute carrier family 43, member 3
29	zinc finger protein 239
30	protein phosphatase, Mg2+/Mn2+ dependent, 1E
31	fatty acyl CoA reductase 2
32	DnaJ (Hsp40) homolog, subfamily C, member 12
33	junctional adhesion molecule 3
34	integrin, alpha 4 (antigen CD49D, alpha 4 subunit of VLA-4 receptor)
35	interleukin 13 receptor, alpha 2
36	glycerophosphodiester phosphodiesterase domain containing 1
37	vasohibin 2
38	DnaJ (Hsp40) homolog, subfamily C, member 12
39	podocalyxin-like
40	solute carrier family 7 (cationic amino acid transporter, y+ system), member 2
41	family with sequence similarity 216, member A
42	adenomatosis polyposis coli down-regulated 1-like
43	arylacetamide deacetylase (esterase) pseudogene
44	zinc finger protein 643
45	LON peptidase N-terminal domain and ring finger 3
46	ATP-binding cassette, sub-family C (CFTR/MRP), member 4
47	chromosome 8 open reading frame 4
48	UDP glycosyltransferase 8
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1 taxilin gamma
2 glutamyl-prolyl-tRNA synthetase
3 solute carrier family 43, member 3
4 miR-17-92 cluster host gene (non-protein coding) /// microRNA 18a /// microRNA 19a ///
5 transmembrane protein 33
6 paralemmin 2
7 integrin, alpha 4 (antigen CD49D, alpha 4 subunit of VLA-4 receptor)
8 glycerophosphodiester phosphodiesterase domain containing 1
9 spermatogenesis associated 17
10 WD repeat domain 35
11 cyclin-dependent kinase inhibitor 2B (p15, inhibits CDK4)
12 membrane protein, palmitoylated 6 (MAGUK p55 subfamily member 6)
13 chromosome 10 open reading frame 2
14 agmatine ureohydrolase (agmatinase)
15 interleukin 27 receptor, alpha
16 E2F transcription factor 5, p130-binding
17 branched chain amino-acid transaminase 1, cytosolic
18 microRNA 155 /// MIR155 host gene (non-protein coding)
19 methylthioadenosine phosphorylase
20 coiled-coil domain containing 138
21 tripartite motif containing 61
22 suppressor of variegation 3-9 homolog 2 (Drosophila)
23 methylthioadenosine phosphorylase
24 amidohydrolase domain containing 1
25 cystathionase (cystathionine gamma-lyase)
26 peptidase M20 domain containing 2
27 B7 homolog 6
28 BCL2-associated athanogene 2
29 cystathionine-beta-synthase
30 solute carrier family 35, member G1
31 fucosyltransferase 4 (alpha (1,3) fucosyltransferase, myeloid-specific)
32 eukaryotic translation initiation factor 3, subunit J
33 protein kinase, AMP-activated, alpha 2 catalytic subunit
34 cystathionine-beta-synthase
35 STAM binding protein-like 1
36 uncharacterized LOC100506676
37 RNA (guanine-7-) methyltransferase
38 RAS p21 protein activator 4 /// RAS p21 protein activator 4B
39 branched chain amino-acid transaminase 1, cytosolic
40 digestive organ expansion factor homolog (zebrafish)
41 phosphodiesterase 4D, cAMP-specific
42 BRCA2 and CDKN1A interacting protein
43 acyl-CoA synthetase short-chain family member 3
44 ariadne homolog 2 (Drosophila)
45 partner of NOB1 homolog (S. cerevisiae)
46 methyltransferase like 21A
47 glucoside xylosyltransferase 2
48
49
50
51
52
53
54
55
56
57
58
59
60

- 1 ankyrin 2, neuronal
- 2 methylenetetrahydrofolate dehydrogenase (NADP+ dependent) 2-like
- 3 protein phosphatase 1, regulatory subunit 9A
- 4 gap junction protein, gamma 1, 45kDa
- 5 protein phosphatase 1, regulatory subunit 9A
- 6 uncharacterized LOC284561
- 7 aspartate beta-hydroxylase
- 8 suppressor of var1, 3-like 1 (*S. cerevisiae*)
- 9 branched chain amino-acid transaminase 1, cytosolic
- 10 Fc receptor-like B
- 11 leucine rich repeat containing 34
- 12 spindlin family, member 3
- 13 solute carrier family 7 (cationic amino acid transporter, y+ system), member 1
- 14 REC8 homolog (yeast)
- 15 coiled-coil domain containing 59
- 16 cystathionase (cystathionine gamma-lyase)
- 17 katanin p80 (WD repeat containing) subunit B 1
- 18 solute carrier family 16, member 7 (monocarboxylic acid transporter 2)
- 19 GLIS family zinc finger 3
- 20 Coiled-coil and C2 domain containing 2B
- 21 asparagine synthetase (glutamine-hydrolyzing)
- 22 Sideroflexin 3
- 23 exosome component 3
- 24 ubiquitin specific peptidase 36
- 25 hexokinase 2
- 26 G1 to S phase transition 2
- 27 pinin, desmosome associated protein
- 28 uncharacterized MGC4294
- 29 lymphocyte antigen 75
- 30 F-box protein 45
- 31 phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phos
- 32 digestive organ expansion factor homolog (zebrafish)
- 33 WD repeat domain 17
- 34 mitochondrial ribosomal protein S25
- 35 STAM binding protein-like 1
- 36 HAUS augmin-like complex, subunit 6
- 37 ornithine decarboxylase 1
- 38 zinc finger, CCHC domain containing 7
- 39 TATA box binding protein (TBP)-associated factor, RNA polymerase I, A, 48kDa
- 40 choroideremia (Rab escort protein 1)
- 41 chromosome 12 open reading frame 29
- 42 zinc finger protein 639
- 43 ariadne homolog 2 (*Drosophila*)
- 44 jumonji C domain containing histone demethylase 1 homolog D (*S. cerevisiae*)
- 45 phosphodiesterase 4D, cAMP-specific
- 46 tRNA nucleotidyl transferase, CCA-adding, 1
- 47 alkB, alkylation repair homolog 8 (*E. coli*)
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60

1 partner of NOB1 homolog (*S. cerevisiae*)
2 chromosome 4 open reading frame 32
3 family with sequence similarity 101, member B
4 solute carrier family 16, member 7 (monocarboxylic acid transporter 2)
5 growth factor receptor-bound protein 14
6 GLIS family zinc finger 3
7 meiotic nuclear divisions 1 homolog (*S. cerevisiae*)
8 palmitoyl-protein thioesterase 1
9 KIAA1958
10 phospholipase D family, member 6
11 nucleolar protein 10
12 transmembrane protein 38B
13 transcription factor A, mitochondrial
14 anaphase promoting complex subunit 1 /// anaphase-promoting complex subunit 1-like ///
15 exonuclease 1
16 PMS1 postmeiotic segregation increased 1 (*S. cerevisiae*)
17 rabaptin, RAB GTPase binding effector protein 1
18 protein phosphatase 1, regulatory subunit 9A
19 transcription factor A, mitochondrial
20 F-box protein 45
21 GA binding protein transcription factor, alpha subunit 60kDa
22 SCO cytochrome oxidase deficient homolog 1 (yeast)
23 molybdenum cofactor sulfurase
24 methylenetetrahydrofolate dehydrogenase (NADP+ dependent) 2-like
25 primase, DNA, polypeptide 1 (49kDa)
26 phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phos
27 minichromosome maintenance complex component 10
28 SET domain containing 6
29 butyrophilin-like 9
30 zinc finger protein 638
31 minichromosome maintenance complex component 10
32 EP300 interacting inhibitor of differentiation 3
33 zinc finger, BED-type containing 3
34 general transcription factor IIH, polypeptide 2, 44kDa /// general transcription factor
35 5-methyltetrahydrofolate-homocysteine methyltransferase reductase
36 general transcription factor IIH, polypeptide 2, 44kDa
37 G protein-coupled receptor 107
38 tetratricopeptide repeat domain 26
39 protein kinase, AMP-activated, alpha 2 catalytic subunit
40 family with sequence similarity 101, member B
41 junction mediating and regulatory protein, p53 cofactor
42 POU class 2 homeobox 2
43 ankylosis, progressive homolog (mouse)
44 fucosyltransferase 4 (alpha (1,3) fucosyltransferase, myeloid-specific)
45 chromosome 20 open reading frame 112
46 homeobox A7
47 BRO1 domain and CAAX motif containing
48
49
50
51
52
53
54
55
56
57
58
59
60

- 1
- 2 ankyrin repeat domain 7
- 3 solute carrier family 25 (mitochondrial folate carrier) , member 32
- 4 bone morphogenetic protein receptor, type IB
- 5 tissue factor pathway inhibitor (lipoprotein-associated coagulation inhibitor)
- 6 BCL2-associated transcription factor 1
- 7
- 8 exosome component 2
- 9 replication factor C (activator 1) 3, 38kDa
- 10 HRAS-like suppressor
- 11 uncharacterized LOC100506392
- 12 zinc finger, BED-type containing 3
- 13 branched chain amino-acid transaminase 1, cytosolic
- 14 POU class 2 homeobox 2
- 15 glucoside xylosyltransferase 2
- 16 POU class 2 homeobox 2
- 17 solute carrier family 25 (mitochondrial iron transporter), member 37
- 18 chromosome 6 open reading frame 228
- 19 dedicator of cytokinesis 11
- 20 TMEM161B antisense RNA 1 (non-protein coding)
- 21 WAS protein family, member 3
- 22 ZNF790 antisense RNA 1 (non-protein coding)
- 23 MyoD family inhibitor domain containing
- 24 Uncharacterized LOC148189
- 25 uncharacterized LOC378805
- 26 Vpr (HIV-1) binding protein
- 27 hairy and enhancer of split 6 (Drosophila)
- 28 Rho GTPase activating protein 42
- 29 LON peptidase N-terminal domain and ring finger 2
- 30 HAUS augmin-like complex, subunit 7 /// three prime repair exonuclease 2
- 31 bone morphogenetic protein receptor, type IB
- 32 general transcription factor IIH, polypeptide 2B (pseudogene)
- 33 nuclear factor of kappa light polypeptide gene enhancer in B-cells 1
- 34 transcription factor A, mitochondrial
- 35 deleted in liver cancer 1
- 36 chromosome 17 open reading frame 58
- 37 cyclin-dependent kinase inhibitor 2A
- 38 Abelson helper integration site 1
- 39 homeobox A7
- 40 LON peptidase N-terminal domain and ring finger 2
- 41 low density lipoprotein receptor-related protein 8, apolipoprotein e receptor
- 42 nicotinamide phosphoribosyltransferase
- 43 microcephalin 1
- 44 solute carrier family 16, member 6 (monocarboxylic acid transporter 7)
- 45 laminin, alpha 4
- 46 KIAA1984
- 47 arylacetamide deacetylase (esterase)
- 48 GrpE-like 2, mitochondrial (E. coli)
- 49 tumor necrosis factor, alpha-induced protein 2
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60

1 carbohydrate (chondroitin 4) sulfotransferase 11
2 phosphoserine aminotransferase 1
3 solute carrier family 25 (mitochondrial iron transporter), member 37
4 transcription factor A, mitochondrial
5 long intergenic non-protein coding RNA 338 /// small Cajal body-specific RNA 16
6 polymerase (DNA directed), epsilon 2, accessory subunit
7 activin A receptor, type IIA
8 T-complex-associated-testis-expressed 3
9 feline leukemia virus subgroup C cellular receptor 1
10 SFT2 domain containing 3 /// WD repeat domain 33
11 asparagine-linked glycosylation 10, alpha-1,2-glucosyltransferase homolog B (yeast)
12 uncharacterized LOC100507619
13 solute carrier family 25 (mitochondrial iron transporter), member 37
14 intercellular adhesion molecule 1
15 chromosome 14 open reading frame 149
16 ubiquitin protein ligase E3A
17 thioredoxin-like 4B
18 asparagine-linked glycosylation 10, alpha-1,2-glucosyltransferase homolog (S. pombe)
19 uncharacterized LOC100129518 /// superoxide dismutase 2, mitochondrial
20 UHRF1 binding protein 1
21 minichromosome maintenance complex component 7
22 defective in sister chromatid cohesion 1 homolog (S. cerevisiae)
23 dipeptidyl-peptidase 4
24 p21 protein (Cdc42/Rac)-activated kinase 2
25 spastic ataxia of Charlevoix-Saguenay (sacsin)
26 consortin, connexin sorting protein
27 cyclin-dependent kinase inhibitor 2A
28 3-oxoacid CoA transferase 1
29 seryl-tRNA synthetase
30 GA binding protein transcription factor, beta subunit 1
31 chromosome 6 open reading frame 228
32 EF-hand calcium binding domain 4B
33 digestive organ expansion factor homolog (zebrafish)
34 potassium channel tetramerisation domain containing 16
35 G patch domain and ankyrin repeats 1
36 zinc finger protein 202
37 solute carrier family 16, member 7 (monocarboxylic acid transporter 2)
38 ribosomal protein L23a pseudogene 7 /// ribosomal protein L23a pseudogene 82
39 low density lipoprotein receptor-related protein 8, apolipoprotein e receptor
40 zinc finger protein 26-like /// zinc finger protein 26
41 anaphase promoting complex subunit 1 pseudogene
42 uncharacterized LOC100509445 /// ovostatin homolog 2-like /// ovostatin 2
43 small nuclear ribonucleoprotein polypeptide A'
44 inositol 1,4,5-trisphosphate receptor interacting protein-like 2
45 zinc finger protein 566
46 suppressor of Ty 16 homolog (S. cerevisiae)
47 tissue factor pathway inhibitor (lipoprotein-associated coagulation inhibitor)
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2 Fanconi anemia, complementation group B
3 RNA binding motif protein 15
4 transmembrane protein 133
5 retinoblastoma-like 1 (p107)
6 malic enzyme 1, NADP(+)-dependent, cytosolic
7 inositol 1,4,5-trisphosphate receptor interacting protein-like 2
8 structure specific recognition protein 1
9 digestive organ expansion factor homolog (zebrafish)
10 carbohydrate (chondroitin 4) sulfotransferase 11
11 ChaC, cation transport regulator homolog 2 (E. coli)
12 uncharacterized LOC100506290 /// uncharacterized LOC100653153 /// methyltransferase lik
13 long intergenic non-protein coding RNA 115
14 transducin (beta)-like 1X-linked
15 DEAH (Asp-Glu-Ala-His) box polypeptide 35
16 uncharacterized protein ENSP00000244321
17 minichromosome maintenance complex component 7
18 ankyrin repeat domain 10
19 coiled-coil domain containing 90A
20 solute carrier family 25 (pyrimidine nucleotide carrier), member 33
21 thioredoxin-related transmembrane protein 3
22 jumonji C domain containing histone demethylase 1 homolog D (S. cerevisiae)
23 solute carrier family 39 (zinc transporter), member 14
24 protein inhibitor of activated STAT, 2
25 replication factor C (activator 1) 3, 38kDa
26 ATPase type 13A3
27 suppressor of variegation 3-9 homolog 2 (Drosophila)
28 uncharacterized LOC100506090
29 phenylalanyl-tRNA synthetase, beta subunit
30 general transcription factor IIH, polypeptide 1, 62kDa
31 GABPB1 antisense RNA 1 (non-protein coding)
32 N-acetylglutamate synthase
33 ADAM metalloproteinase with thrombospondin type 1 motif, 3
34 SRR1 domain containing
35 rabaptin, RAB GTPase binding effector protein 1
36 ATPase, class VI, type 11C
37 uncharacterized LOC646762
38 polymerase (RNA) III (DNA directed) polypeptide K, 12.3 kDa
39 uncharacterized LOC100506922
40 TAF5 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 100kDa
41 cysteinyl-tRNA synthetase
42 consortin, connexin sorting protein
43 fatty acid binding protein 5 (psoriasis-associated)
44 interleukin enhancer binding factor 3, 90kDa
45 centrosomal protein 128kDa
46 FK506 binding protein 11, 19 kDa
47 cell division cycle 25 homolog A (S. pombe)
48 thymopoietin
59
60

1 Sep (O-phosphoserine) tRNA:Sec (selenocysteine) tRNA synthase
2 CREB/ATF bZIP transcription factor
3 UbiA prenyltransferase domain containing 1
4 FIP1 like 1 (*S. cerevisiae*)
5 TAF5 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 100kDa
6 helicase, lymphoid-specific
7 SDE2 telomere maintenance homolog (*S. pombe*)
8 NADH dehydrogenase (ubiquinone) complex I, assembly factor 4
9 IKAROS family zinc finger 5 (*Pegasus*)
10 tubulin, delta 1
11 general transcription factor IIH, polypeptide 1, 62kDa
12 helicase, lymphoid-specific
13 peptidylprolyl isomerase F
14 uncharacterized LOC100505549
15 activin A receptor, type IIB
16 ZEB1 antisense RNA 1 (non-protein coding)
17 cleavage and polyadenylation specific factor 6, 68kDa
18 nucleoporin 107kDa
19 TATA box binding protein (TBP)-associated factor, RNA polymerase I, B, 63kDa
20 chromosome 1 open reading frame 43
21 importin 11
22 zinc finger, AN1-type domain 4
23 U2 snRNP-associated SURP domain containing
24 U2 snRNP-associated SURP domain containing
25 centrosome and spindle pole associated protein 1
26 cysteinyl-tRNA synthetase
27 periphilin 1
28 HEN1 methyltransferase homolog 1 (*Arabidopsis*)
29 cyclin J
30 tubulin, delta 1
31 nucleoporin 35kDa
32 DNA cross-link repair 1A
33 chromosome 9 open reading frame 72
34 dual specificity phosphatase 5
35 solute carrier family 25 (mitochondrial iron transporter), member 37
36 DDHD domain containing 1
37 serine/arginine-rich splicing factor 7
38 zinc finger protein 644
39 tRNA methyltransferase 13 homolog (*S. cerevisiae*)
40 transcription elongation factor B (SIII), polypeptide 3 (110kDa, elongin A)
41 cell division cycle 45 homolog (*S. cerevisiae*)
42 chromosome 17 open reading frame 80
43 regulator of G-protein signaling 5
44 high mobility group nucleosome binding domain 5
45 deoxynucleotidyltransferase, terminal, interacting protein 1
46 spindlin family, member 3
47 dihydrofolate reductase
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2 jumonji domain containing 1C
3 ring finger protein 34, E3 ubiquitin protein ligase
4 thioredoxin-like 4B
5 calcium channel, voltage-dependent, alpha 2/delta subunit 1
6 origin recognition complex, subunit 1
7 heat shock 70kDa protein 9 (mortalin)
8 2-hydroxyacyl-CoA lyase 1
9 phosphoribosyl pyrophosphate synthetase 1
10 ataxin 1
11 RAD18 homolog (S. cerevisiae)
12 leucine rich repeat neuronal 4
13 deoxynucleotidyltransferase, terminal, interacting protein 1
14 centromere protein J
15 zinc finger protein 670
16 Rho GTPase activating protein 11A
17 complement component 3
18 tripartite motif containing 27
19 oral cancer overexpressed 1
20 cell division cycle 7 homolog (S. cerevisiae)
21 leucine rich repeat containing 34
22 nudix (nucleoside diphosphate linked moiety X)-type motif 16
23 nuclear factor (erythroid-derived 2)-like 2
24 solute carrier family 7 (anionic amino acid transporter light chain, xc- system), membe
25 family with sequence similarity 208, member B
26 lamin B receptor
27 FK506 binding protein 11, 19 kDa
28 ring finger protein, transmembrane 2
29 ariadne homolog 2 (Drosophila)
30 consortin, connexin sorting protein
31 chromosome 11 open reading frame 57
32 chromosome 6 open reading frame 147 /// KH homology domain containing 1
33 zinc finger protein 800
34 PHD finger protein 17
35 polymerase (RNA) II (DNA directed) polypeptide D
36 uncharacterized LOC339166 /// WSC domain containing 1
37 OTU domain containing 4
38 mature T-cell proliferation 1
39 B-cell CLL/lymphoma 11A (zinc finger protein)
40 carbohydrate (chondroitin 4) sulfotransferase 11
41 TNF receptor-associated factor 3
42 mutS homolog 2, colon cancer, nonpolyposis type 1 (E. coli)
43 protein kinase, AMP-activated, alpha 1 catalytic subunit
44 nucleoporin 160kDa
45 tripartite motif containing 27
46 Regulation of nuclear pre-mRNA domain containing 1A
47 antigen identified by monoclonal antibody Ki-67
48 basic, immunoglobulin-like variable motif containing
49
50
51
52
53
54
55
56
57
58
59
60

1 copine VIII
2 enhancer of zeste homolog 2 (Drosophila)
3 nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 3
4 leucine zipper transcription factor-like 1
5 chemokine (C-X-C motif) ligand 5
6 dihydrofolate reductase
7 F-box protein 5
8 MAX gene associated
9 minichromosome maintenance complex component 5
10 ribosomal protein S6 kinase, 90kDa, polypeptide 3
11 X-ray repair complementing defective repair in Chinese hamster cells 4
12 nucleoporin 214kDa
13 peptidylprolyl isomerase F
14 sestrin 2
15 peptidase inhibitor 3, skin-derived
16 ChaC, cation transport regulator homolog 1 (E. coli)
17 chromodomain helicase DNA binding protein 1
18 copine VIII
19 zinc finger protein 830
20 choline kinase alpha
21 tissue factor pathway inhibitor (lipoprotein-associated coagulation inhibitor) pseudouridylate synthase 7
22 homolog (S. cerevisiae)-like
23 transmembrane protein 38B
24 HEAT repeat containing 6
25 tryptophanyl-tRNA synthetase
26 NHL repeat containing 2
27 pericentrin
28 tropomyosin 2 (beta)
29 HNRNPU antisense RNA 1 (non-protein coding)
30 dynein, cytoplasmic 2, heavy chain 1
31 queuine tRNA-ribosyltransferase domain containing 1
32 caspase 8, apoptosis-related cysteine peptidase
33 minichromosome maintenance complex component 4
34 exocyst complex component 6
35 Ubiquitin carboxyl-terminal esterase L1 (ubiquitin thiolesterase)
36 ATPase, aminophospholipid transporter, class I, type 8A, member 2
37 RB1-inducible coiled-coil 1
38 musashi homolog 2 (Drosophila)
39 uncharacterized LOC442075
40 consortin, connexin sorting protein
41 asparagine-linked glycosylation 1, beta-1,4-mannosyltransferase homolog (S. cerevisiae) glucuronidase, beta
42 pseudogene 1 /// glucuronidase, beta pseudogene 4
43 serine/arginine-rich splicing factor 1
44 family with sequence similarity 118, member A
45 FK506 binding protein 11, 19 kDa
46 chromodomain helicase DNA binding protein 1
47 N-acylsphingosine amidohydrolase (non-lysosomal ceramidase) 2B
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2 TIMELESS interacting protein
3 casein kinase 1, gamma 3
4 MAP7 domain containing 3
5 armadillo repeat containing 9
6 paternally expressed 10
7 7-dehydrocholesterol reductase
8 protein geranylgeranyltransferase type I, beta subunit
9 pseudouridylate synthase 7 homolog (*S. cerevisiae*)-like
10 ferrochelatase
11 gremlin 1
12 THO complex 5
13 TSC22 domain family, member 1
14 BCL2-associated transcription factor 1
15 DEAD (Asp-Glu-Ala-Asp) box polypeptide 10
16 uncharacterized LOC100287497 /// uncharacterized LOC100287934
17 dipeptidyl-peptidase 4
18 tRNA aspartic acid methyltransferase 1
19 methylenetetrahydrofolate dehydrogenase (NADP+ dependent) 2, methenyltetrahydrofolate c
20 chromosome 18 open reading frame 25
21 transmembrane protein 209
22 leucine rich repeat neuronal 4
23 tRNA methyltransferase 6 homolog (*S. cerevisiae*)
24 heat shock 70kDa protein 14
25 DBF4 homolog (*S. cerevisiae*)
26 zinc finger and BTB domain containing 24
27 La ribonucleoprotein domain family, member 4
28 transducin (beta)-like 1X-linked
29 transmembrane protein 216
30 structural maintenance of chromosomes 3
31 Fanconi anemia, complementation group B
32 Chromatin licensing and DNA replication factor 1
33 HLA complex group 18 (non-protein coding)
34 POU class 2 homeobox 2
35 minichromosome maintenance complex component 3
36 DEP domain containing 1B
37 germ cell associated 2 (haspin)
38 ZNRD1 antisense RNA 1 (non-protein coding)
39 p21 protein (Cdc42/Rac)-activated kinase 2
40 ankyrin repeat domain 11
41 UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 6
42 minichromosome maintenance complex component 4
43 malic enzyme 1, NADP(+)-dependent, cytosolic
44 uncharacterized LOC728855 /// uncharacterized LOC728875
45 PARP1 binding protein
46 ribonuclease H2, subunit B
47 uncharacterized LOC339166 /// WSC domain containing 1
48 golgi-associated PDZ and coiled-coil motif containing
49
50
51
52
53
54
55
56
57
58
59
60

gremlin 1
secretory carrier membrane protein 1
thymopoietin
LUC7-like 3 (*S. cerevisiae*)
RAD51 homolog B (*S. cerevisiae*)
chromosome 16 open reading frame 48
tudor and KH domain containing
bicaudal D homolog 1 (*Drosophila*)
glycyl-tRNA synthetase
tRNA methyltransferase 13 homolog (*S. cerevisiae*)
N(alpha)-acetyltransferase 16, NatA auxiliary subunit
UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 6
zinc finger and BTB domain containing 24
elongation factor, RNA polymerase II, 2
thioredoxin reductase 1
acidic (leucine-rich) nuclear phosphoprotein 32 family, member E
transmembrane protein 182
discoidin domain receptor tyrosine kinase 2
O-linked N-acetylglucosamine (GlcNAc) transferase
uridine phosphorylase 1
chromosome 11 open reading frame 74
uncharacterized LOC400657
nuclear receptor subfamily 2, group C, member 1
family with sequence similarity 132, member B
junction mediating and regulatory protein, p53 cofactor
centrosome and spindle pole associated protein 1
adenomatous polyposis coli
acetyl-CoA acyltransferase 2
lon peptidase 1, mitochondrial
speckle-type POZ protein
thyroid hormone receptor interactor 13
denticless E3 ubiquitin protein ligase homolog (*Drosophila*)
trafficking protein, kinesin binding 2
methyltransferase like 17
E1A binding protein p400
epoxide hydrolase 4
inhibitor of growth family, member 5
non-SMC element 4 homolog A (*S. cerevisiae*)
methyltransferase like 4
McKusick-Kaufman syndrome
rabaptin, RAB GTPase binding effector protein 1
zinc finger, CCHC domain containing 14
Mdm4 p53 binding protein homolog (mouse)
dyslexia susceptibility 1 candidate 1 /// DYX1C1-CCPG1 readthrough (non-protein coding)
RAP1 interacting factor homolog (yeast)
kelch-like 21 (*Drosophila*)
transmembrane protein 38B

1
2 uncharacterized LOC285628 /// microRNA 146a
3 chromosome 16 open reading frame 52
4 tRNA splicing endonuclease 15 homolog (S. cerevisiae)
5 nucleolar protein 9
6 golgi membrane protein 1
7 astrotactin 2
8 lin-7 homolog C (C. elegans)
9 F-box protein 5
10 PCF11, cleavage and polyadenylation factor subunit, homolog (S. cerevisiae)
11 mitochondrial fission process 1
12 GTP cyclohydrolase 1
13 distal-less homeobox 2
14 stimulated by retinoic acid gene 6 homolog (mouse)
15 replication factor C (activator 1) 5, 36.5kDa
16 UHRF1 binding protein 1
17 cleavage and polyadenylation specific factor 2, 100kDa
18 aldehyde dehydrogenase 1 family, member L2
19 protein arginine methyltransferase 6
20 activating transcription factor 1
21 MAX gene associated
22 RNA binding motif protein 26
23 mediator complex subunit 1
24 matrin 3 /// small nucleolar RNA host gene 4 (non-protein coding)
25 nucleoporin 153kDa
26 SUMO1/sentrin specific peptidase 1
27 nicotinamide phosphoribosyltransferase
28 target of EGR1, member 1 (nuclear)
29 centriolin
30 zinc finger protein 518B
31 paraspeckle component 1
32 methyltransferase like 17
33 nucleoporin 98kDa
34 non imprinted in Prader-Willi/Angelman syndrome 2
35 HAUS augmin-like complex, subunit 6
36 tripartite motif containing 27
37 interferon-related developmental regulator 1
38 heat shock transcription factor 2
39 serine/arginine-rich splicing factor 6
40 TWIST neighbor
41 cleavage stimulation factor, 3' pre-RNA, subunit 2, 64kDa
42 abhydrolase domain containing 10
43 FGFR1 oncogene partner
44 Ribonuclease H1
45 proline-rich transmembrane protein 3
46 thiamin pyrophosphokinase 1
47 mitochondrial translational release factor 1
48 uncharacterized LOC728855 /// uncharacterized LOC728875
49
50
51
52
53
54
55
56
57
58
59
60

1 Ras homolog enriched in brain
2 heat shock 70kDa protein 9 (mortalin)
3 uncharacterized locus MGC21881
4 zinc finger, CCHC domain containing 9
5 intraflagellar transport 122 homolog (Chlamydomonas)
6 ADP-ribosylation factor-like 6
7 chromosome 5 open reading frame 44
8 ARP6 actin-related protein 6 homolog (yeast)
9 uncharacterized LOC728705
10 zinc finger protein 227
11 intercellular adhesion molecule 1
12 coiled-coil domain containing 41
13 upstream binding transcription factor, RNA polymerase I
14 Rho GTPase activating protein 26
15 MIS18 kinetochore protein homolog A (S. pombe)
16 MIS18 kinetochore protein homolog A (S. pombe)
17 Mdm1 nuclear protein homolog (mouse)
18 kelch repeat and BTB (POZ) domain containing 8
19 GC-rich sequence DNA-binding factor 1
20 biorientation of chromosomes in cell division 1
21 ribosomal protein S6 kinase, 90kDa, polypeptide 3
22 zinc finger and BTB domain containing 2
23 serine hydroxymethyltransferase 2 (mitochondrial)
24 F-box and leucine-rich repeat protein 20
25 PAN3 antisense RNA 1 (non-protein coding)
26 alpha-kinase 2
27 SSU72 RNA polymerase II CTD phosphatase homolog (S. cerevisiae)
28 ankyrin repeat domain 13C
29 four and a half LIM domains 1
30 ATPase, Ca⁺⁺ transporting, plasma membrane 1
31 transportin 3
32 TAF3 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 140kDa
33 ankyrin repeat domain 11
34 unc-51-like kinase 4 (C. elegans)
35 leucine rich repeat containing 58
36 myoneurin
37 N-acylsphingosine amidohydrolase (non-lysosomal ceramidase) 2B
38 nucleoporin 54kDa
39 methionyl-tRNA synthetase
40 Rho GTPase activating protein 26
41 NMDA receptor regulated 2
42 KIAA1549
43 proline and serine rich 1
44 ring finger protein 41
45 chromosome 5 open reading frame 43
46 methionyl-tRNA synthetase
47 RAB3A interacting protein (rabin3)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

RefSeq Transcript ID	FTSCi vs. FTSC		FTSCi vs. FTSCt	
	p-value	Fold-Change	p-value	Fold-Change
NM_031479	0.00063466	4.47907	0.00011722	-14.0452
NM_000237	0.0131274	1.76946	0.000156224	-13.4391
NM_001135058 /// NM_0040	0.0162055	1.61273	0.000153534	-10.6209
NM_005640 /// XM_00340361	0.0191241	1.58515	0.000178229	-10.0019
NM_001146335 /// NM_0180	0.0105459	2.59215	0.00102089	-8.43969
NM_013363	0.00305735	2.05335	0.00013755	-7.76648
NM_006902 /// NM_022716	0.00180276	1.87496	5.79E-05	-7.35897
NM_016354	0.000204472	3.5843	5.84E-05	-6.96513
NM_001146335 /// NM_0180	0.037793	3.59134	0.0127751	-6.82613
NM_152739 /// NR_029911 //	0.00976867	2.11093	0.000667088	-6.54988
NM_001198810 /// NM_0036	0.00449467	2.75125	0.000787765	-6.2531
NM_004418	0.00106929	1.67057	2.40E-05	-6.24194
NM_001146335 /// NM_0180	0.000211709	11.0668	0.000549682	-5.72656
NM_014832	0.0106757	1.93074	0.000634044	-5.68462
NM_006042	0.0122319	2.26689	0.00148915	-5.47793
NM_007193	0.00132816	3.27592	0.000495115	-5.23638
NM_001146335 /// NM_0180	6.25E-05	7.98439	0.000152631	-4.67199
NM_014832	0.000711087	1.69076	3.07E-05	-4.50536
NM_000885	0.00288285	3.6754	0.00192927	-4.45159
NM_021800 /// NM_201262	5.35E-05	4.09336	4.53E-05	-4.43831
NR_036540	0.012274	2.99782	0.00539301	-4.34267
NM_001561	0.000837259	5.11388	0.00114579	-4.33945
NM_014096 /// NM_017611 /	6.19E-05	6.44123	0.000127631	-4.31804
NM_001099282 /// NM_0010	0.00241823	2.46865	0.000594205	-4.28094
NM_014906 /// NR_048561	0.000575669	4.27946	0.000581963	-4.25678
NM_018099	0.000320981	8.46914	0.0010498	-4.19331
NM_021800 /// NM_201262	0.00428715	2.17319	0.000710089	-4.18842
NM_001205329 /// NM_0328	0.00415698	1.60154	0.000168486	-4.03007
NM_000885	0.000555189	2.75336	0.000222183	-3.96463
NM_000640	0.000156605	17.5483	0.00148009	-3.83944
NM_001165993 /// NM_0011	0.00291364	2.87724	0.00149129	-3.7743
NM_001136474 /// NM_0011	0.00194104	2.15487	0.000383515	-3.77305
NM_021800 /// NM_201262	0.000769521	5.86935	0.0018147	-3.75622
NM_001018111 /// NM_0053	0.000516371	1.67003	3.09E-05	-3.7319
NM_001008539 /// NM_0011	0.000240162	1.74941	1.89E-05	-3.69546
NM_013300	0.000539073	2.23343	0.00012699	-3.68719
NM_153360	0.00363714	1.82295	0.000372349	-3.67211
NR_026915	0.000325162	4.23953	0.000453272	-3.63997
NM_023070	0.000189272	3.33401	0.000155038	-3.6232
NM_001031855 /// NM_0247	2.13E-06	6.24795	6.21E-06	-3.60359
NM_001105515 /// NM_0058	0.0310334	1.56143	0.00161066	-3.57561
NM_020130	0.00166867	2.637	0.000750887	-3.5631
NM_001128174 /// NM_0033	0.0140875	1.92193	0.00211459	-3.55385

1					
2	NM_001168683 /// NM_0183	0.0191046	1.78848	0.00210053	-3.54116
3	NM_004446	0.0331087	1.70171	0.00311908	-3.46836
4	NM_014096 /// NM_017611 /	0.000822018	2.98108	0.000560762	-3.46446
5	NR_027349 /// NR_027350 ///	0.00408478	3.68229	0.00503027	-3.36273
6	NM_018126	0.000693866	1.77011	7.43E-05	-3.34663
7	NM_001037293 /// NM_0530	0.000726468	3.8613	0.00101561	-3.34174
8	NM_000885	7.92E-05	11.8713	0.000704556	-3.28298
9	NM_001165993 /// NM_0011	0.0315555	1.62724	0.00261211	-3.28091
10	NM_138796	0.0113527	1.68461	0.00105663	-3.27148
11	NM_001006657 /// NM_0207	0.00772359	2.54	0.00416161	-3.17951
12	NM_004936 /// NM_078487	0.000250821	2.32403	9.85E-05	-3.16758
13	NM_016447	0.0279302	1.99346	0.00701231	-3.12972
14	NM_001163812 /// NM_0011	0.0210729	1.52625	0.00138443	-3.00133
15	NM_024758	0.000398925	3.28164	0.000503589	-3.00067
16	NM_004843	0.000288241	2.427	0.000154511	-2.98216
17	NM_001083588 /// NM_0010	0.0220728	1.8732	0.00483948	-2.94767
18	NM_001178091 /// NM_0011	0.00173067	2.39224	0.00092015	-2.94618
19	NR_001458 /// NR_030784	0.000105734	10.8253	0.00119618	-2.86971
20	NM_002451	0.00416762	1.66505	0.00049305	-2.8675
21	NM_144978	0.00866037	1.68121	0.00111525	-2.86529
22	NM_001012414	0.00112834	3.02887	0.00131713	-2.86223
23	NM_001193424 /// NM_0011	0.016303	1.92782	0.0043606	-2.85139
24	NM_002451	0.00969203	1.7786	0.00173004	-2.84699
25	NM_152435	0.00877474	1.55224	0.000710225	-2.83618
26	NM_001190463 /// NM_0019	0.000498646	14.2116	0.00771832	-2.82886
27	NM_001010853	0.0146196	1.79481	0.00284339	-2.82851
28	NM_001009913 /// NM_0012	0.000772337	2.98865	0.000901498	-2.82678
29	NM_004282	0.00473948	1.90698	0.00118131	-2.82492
30	NM_000071 /// NM_0011780	0.000188095	3.88182	0.000417843	-2.8229
31	NM_001134658 /// NM_1532	0.00486072	2.61877	0.00391508	-2.82248
32	NM_002033	0.0110379	1.90883	0.00286235	-2.81807
33	NM_003758	0.00505745	1.68683	0.000726672	-2.75615
34	NM_006252	0.000467916	1.9408	0.000131903	-2.75601
35	NM_000071 /// NM_0011780	0.00119818	3.01119	0.00156242	-2.73851
36	NM_020799	5.38E-05	6.6908	0.000360185	-2.73436
37	XR_109352 /// XR_109353 ///	0.009435	2.35498	0.00613506	-2.70979
38	NM_003799	0.00204196	2.23351	0.00108856	-2.70467
39	NM_001079877 /// NM_0069	0.0107778	1.58535	0.00118858	-2.68527
40	NM_001178091 /// NM_0011	0.000187637	6.60506	0.0013051	-2.67214
41	NM_014388	0.00306528	1.82265	0.000719961	-2.67015
42	NM_001104631 /// NM_0011	0.00816016	2.02134	0.00318482	-2.65505
43	NM_016567 /// NM_078468 /	0.00057257	2.18437	0.000296402	-2.65058
44	NM_024560	0.00644622	1.58069	0.000708264	-2.65027
45	NM_006321	0.00864154	1.57502	0.000952046	-2.63875
46	NM_020143	0.00823243	1.69414	0.0014386	-2.61813
47	NM_001127395 /// NM_1452	0.0433475	1.71245	0.00952125	-2.58109
48	NM_001080393	0.000330274	2.29404	0.000225712	-2.56861
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					

1					
2	NM_001127493 /// NM_0011	0.000125647	15.3348	0.00295129	-2.56258
3	NM_001004346 /// NM_0011	0.000227211	3.99391	0.000723962	-2.55525
4	NM_001166160 /// NM_0011	0.00349031	3.42279	0.0077023	-2.54484
5	NM_001080383 /// NM_0054	0.0124754	2.11209	0.0067535	-2.53415
6	NM_001166160 /// NM_0011	0.00145068	7.27677	0.0129271	-2.52925
7	XR_110828 /// XR_112106	0.00311139	1.85646	0.00095139	-2.52454
8	NM_001164750 /// NM_0011	0.0469918	1.85414	0.0164046	-2.51949
9	NM_003171	0.0369583	1.53649	0.0046082	-2.50101
10	NM_001178091 /// NM_0011	0.000450889	2.48127	0.00044943	-2.48373
11	NM_001002901	0.0101577	1.61988	0.00165711	-2.47034
12	NM_001172779 /// NM_0011	0.00571494	3.54471	0.0147565	-2.46736
13	NM_001010862 /// NR_02713	0.019748	1.79838	0.00610417	-2.44583
14	NM_003045	0.000313056	1.84303	0.000101403	-2.43956
15	NM_001048205 /// NM_0051	0.0197574	1.79332	0.00612467	-2.43318
16	NM_014167 /// NR_033192	0.0181265	1.53603	0.00230098	-2.42905
17	NM_001190463 /// NM_0019	0.000483805	26.5228	0.0210033	-2.42389
18	NM_005886	0.043365	1.75362	0.0131283	-2.41703
19	NM_004731	0.00252403	6.45052	0.0210054	-2.41337
20	NM_001042413 /// NM_1526	0.00547258	7.32928	0.0495364	-2.41334
21	NM_001001732 /// NM_0011	0.00452493	1.59394	0.000717432	-2.3953
22	NM_001178075 /// NM_0011	0.000135484	4.54944	0.000719672	-2.37491
23	NM_030971	0.0079964	1.60354	0.00139542	-2.3683
24	NM_001002269 /// NM_0160	0.0165645	1.56152	0.00258135	-2.35638
25	NM_025090	0.0123931	2.01927	0.00721546	-2.34397
26	NM_000189	0.00285691	2.0464	0.00172109	-2.34294
27	NM_018094	0.00265826	2.69731	0.00416898	-2.33937
28	NM_002687	0.0114346	2.13188	0.00827534	-2.33822
29	XR_109628 /// XR_112170	0.0179112	1.64274	0.0039839	-2.3309
30	NM_002349	0.00905109	1.81287	0.00333536	-2.32285
31	NM_001105573	0.0164246	1.82426	0.0063852	-2.32243
32	NM_000819 /// NM_0011360	0.000353907	2.16532	0.000273583	-2.32162
33	NM_014388	0.000115198	2.88666	0.000230481	-2.31745
34	NM_170710 /// NM_181265	0.00790502	1.73697	0.00235919	-2.3155
35	NM_022497	0.0119601	2.6073	0.017315	-2.31115
36	NM_020799	0.00241798	3.52234	0.00790851	-2.30453
37	NM_017645	0.0238987	2.32179	0.0245577	-2.30192
38	NM_002539	0.00459841	1.93659	0.00234236	-2.30165
39	NM_032226	0.049075	1.63478	0.0122774	-2.29743
40	NM_001201536 /// NM_0056	0.00417297	2.2937	0.00415649	-2.29631
41	NM_000390 /// NM_0010373	0.0381292	1.66308	0.010253	-2.29293
42	NM_001009894	0.0107222	1.55	0.00171921	-2.28709
43	NM_016331	0.00268468	1.69544	0.000723994	-2.27915
44	NM_006321	0.0146743	1.67168	0.00389625	-2.27202
45	NM_030647	0.00062285	3.53997	0.00225564	-2.26446
46	NM_001104631 /// NM_0011	0.023319	1.5898	0.00481276	-2.26296
47	NM_016000 /// NM_182916	0.00443791	1.83685	0.00188298	-2.26173
48	NM_138775	0.00560761	2.38545	0.00675275	-2.25843
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					

1					
2	NM_020143	3.14E-05	1.64671	7.23E-06	-2.25694
3	NM_152400	0.000981883	2.118	0.000786039	-2.24573
4	NM_182705	0.00130802	4.63123	0.00841306	-2.2405
5	NM_004731	0.00644407	3.02676	0.0156829	-2.23941
6	NM_004490	0.000596815	2.45693	0.000828983	-2.23592
7					
8	NM_001042413 /// NM_1526	0.000702157	4.83719	0.00504626	-2.23493
9	NM_001253861 /// NM_0321	0.00425605	2.45158	0.00583942	-2.23304
10	NM_000310 /// NM_0011426	0.00428146	1.54817	0.000728238	-2.22407
11					
12	NM_133465	0.0205419	2.42117	0.02691	-2.22294
13	NM_178836	0.000219836	3.52614	0.000853994	-2.22242
14	NM_001261392 /// NM_0012	0.0211745	1.69503	0.00678305	-2.21529
15	NM_018112	0.00526977	2.20697	0.00520709	-2.21427
16					
17	NM_003201	0.00197535	1.84649	0.000935911	-2.20381
18	NM_001012626 /// NM_0226	9.72E-05	1.96184	6.05E-05	-2.20326
19	NM_003686 /// NM_006027 /	0.00254318	1.8947	0.00137272	-2.19998
20	NM_000534 /// NM_0011281	0.0108343	1.68593	0.00336926	-2.195
21	NM_001083585 /// NM_0047	0.00725004	2.66306	0.0136936	-2.18305
22					
23	NM_001166160 /// NM_0011	0.0293561	1.6864	0.00986797	-2.1829
24	NM_003201	0.000383644	2.36409	0.000513794	-2.18133
25	NM_001105573	0.00580465	2.10916	0.00511808	-2.18094
26					
27	NM_001197297 /// NM_0020	0.0357147	1.7551	0.0150079	-2.18066
28	NM_004589	0.00870461	1.66539	0.00257087	-2.17989
29	NM_017947	0.0145637	2.36319	0.0190643	-2.17961
30	NM_001004346 /// NM_0011	0.0441356	1.81415	0.0221481	-2.17653
31					
32	NM_000946	0.00113159	1.94073	0.000712531	-2.17103
33	NM_000819 /// NM_0011360	0.0132359	2.04685	0.0106446	-2.16986
34	NM_018518 /// NM_182751	0.00384356	1.5335	0.000671021	-2.16921
35	NM_001160305 /// NM_0248	0.000518084	1.78333	0.000217428	-2.16889
36	NM_152547	0.0258773	1.55856	0.00563067	-2.15939
37	NM_001014972 /// NM_0012	0.00515123	2.42339	0.0076992	-2.15755
38	NM_018518 /// NM_182751	0.000594626	2.05625	0.000491883	-2.15631
39	NM_001008394	0.00112389	2.50578	0.00190546	-2.15513
40					
41	NM_032367	0.000582068	2.56049	0.0010679	-2.15137
42	NM_001042490 /// NM_0010	0.00354691	1.72248	0.00129999	-2.15133
43	NM_002454 /// NM_024010	0.00890394	1.63759	0.00251837	-2.14901
44					
45	NM_001515	0.000776009	2.0234	0.000616353	-2.14186
46	NM_001136557 /// NM_0011	0.0054936	2.33577	0.00753759	-2.13686
47	NM_001144920 /// NM_0011	0.00636774	2.90437	0.0164916	-2.13581
48					
49	NM_006252	0.00218389	3.17969	0.0073931	-2.13527
50	NM_182705	3.13E-05	10.8573	0.000955389	-2.13526
51	NM_152405	0.00448527	5.04529	0.0363281	-2.13041
52	NM_001207025 /// NM_0012	2.09E-05	9.71903	0.000561762	-2.12836
53	NM_054027	0.00282206	2.14022	0.00289069	-2.12689
54	NM_002033	0.00186109	2.20711	0.00216835	-2.12016
55	NM_001256798 /// NM_0806	0.00134455	2.0951	0.00130972	-2.109
56					
57	NM_006896	0.00355725	2.76325	0.00866587	-2.10634
58	NM_144695	0.0119262	1.74609	0.00528927	-2.10196
59					
60					

1					
2	NM_001077708 /// NM_0196	0.00417888	2.19327	0.00491402	-2.10115
3	NM_030780	0.00276938	1.80031	0.00139815	-2.10067
4	NM_001203 /// NM_0012567	0.00038466	2.29274	0.000545195	-2.09164
5	NM_001032281 /// NM_0062	0.000200654	4.82939	0.00190125	-2.09143
6	NM_001077440 /// NM_0010	0.0274594	2.19617	0.0324525	-2.09126
7	NM_014285	0.0241844	1.68482	0.00937035	-2.09035
8	NM_002915 /// NM_181558	0.00933654	2.13383	0.0101011	-2.08961
9	NM_020386	0.0313722	1.64809	0.0109988	-2.08874
10	XR_110490 /// XR_133252	0.00680193	1.8571	0.00413322	-2.08819
11	NM_032367	8.40E-05	2.62677	0.000191925	-2.0804
12	NM_001178091 /// NM_0011	0.000144623	2.90728	0.000445728	-2.0787
13	NM_001207025 /// NM_0012	9.21E-05	5.97117	0.0013153	-2.07795
14	NM_001080393	0.0126859	2.64536	0.027539	-2.07554
15	NM_001207025 /// NM_0012	0.00680063	2.29608	0.00989971	-2.07066
16	NM_016612	0.000559677	2.28797	0.000820848	-2.06978
17	NM_001135575	0.00504942	1.85077	0.00315126	-2.0638
18	NM_144658	0.00324889	2.96744	0.0104124	-2.06236
19	NR_039993 /// NR_039994 ///	0.000798802	1.7685	0.000394067	-2.06104
20	NM_006646	0.00208229	2.47422	0.00401489	-2.0609
21	NR_040027 /// NR_040028	0.0273336	2.30729	0.0397199	-2.06071
22	NM_001166345 /// NM_0011	0.00200686	2.23524	0.00274159	-2.06057
23	NR_027301	0.00227337	1.89306	0.00159857	-2.05352
24	NM_001085379 /// NR_01543	0.00239448	3.83693	0.0143804	-2.04928
25	NM_001171904 /// NM_0147	0.00685567	1.73514	0.00324132	-2.04376
26	NM_001142853 /// NM_0186	0.0261356	2.3132	0.0395846	-2.04209
27	NM_152432	0.00693117	2.37481	0.0119164	-2.04114
28	NM_198461	4.92E-05	6.3997	0.000865848	-2.03385
29	NM_017518 /// NM_080701 /	0.0171989	1.70603	0.00780566	-2.03308
30	NM_001203 /// NM_0012567	3.37E-05	3.30775	0.000161656	-2.03033
31	NM_001098729 /// NR_03341	0.013009	1.67437	0.00534859	-2.02602
32	NM_001165412 /// NM_0039	0.0263847	1.53305	0.00662263	-2.02483
33	NM_003201	0.000256245	2.32318	0.000440958	-2.01887
34	NM_001164271 /// NM_0060	0.0106211	2.59132	0.0243686	-2.0186
35	NM_181655 /// NM_181656	0.0167084	1.75939	0.00913869	-2.01825
36	NM_000077 /// NM_0011951	0.000168763	7.01954	0.00354181	-2.0063
37	NM_001134830 /// NM_0011	0.00869819	1.55571	0.00235448	-2.00496
38	NM_006896	0.000201778	2.67862	0.000572769	-2.00204
39	NM_198461	3.84E-05	22.0423	0.00325389	-2.00145
40	NM_001018054 /// NM_0046	0.000560213	3.37963	0.00294346	-2.00087
41	NM_005746 /// NM_182790	0.00119964	1.84134	0.000823987	-2.00003
42	NM_001172574 /// NM_0011	0.00357842	2.64825	0.00961033	-1.99265
43	NM_001174166 /// NM_0046	0.000282538	10.8481	0.0106255	-1.99179
44	NM_001105206 /// NM_0011	0.000932597	3.98443	0.00713946	-1.98873
45	NM_001039374 /// NM_0328	0.0484309	1.60599	0.0184728	-1.98795
46	NM_001086	0.00117923	2.56199	0.00296999	-1.98723
47	NM_152407	0.00584519	1.9184	0.00503191	-1.98656
48	NM_006291	0.0239911	1.69711	0.0118079	-1.98624
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					

1					
2	NM_001173982 /// NM_0184	0.00309543	2.4425	0.00666285	-1.98279
3	NM_021154 /// NM_058179	0.000333293	3.97112	0.00267196	-1.97768
4	NM_016612	0.000586904	2.4747	0.00136289	-1.97719
5	NM_003201	0.0439704	1.88703	0.0370734	-1.97305
6	NR_003013 /// NR_027058	0.0257217	1.50758	0.00648756	-1.96633
7	NM_001197330 /// NM_0011	0.00482758	1.92208	0.00439507	-1.96409
8	NM_001616	0.00350817	2.24288	0.00594764	-1.95935
9	NM_174910	0.0200911	2.20908	0.0312244	-1.95576
10	NM_014053	0.0186546	1.68485	0.0093172	-1.95549
11	NM_001006622 /// NM_0010	0.00107238	2.42015	0.0024207	-1.95444
12	NM_001013620	0.00217616	1.73438	0.00122479	-1.95327
13	XR_110082 /// XR_112807	0.0221781	1.60864	0.00865756	-1.95219
14	NM_016612	0.00773949	2.00224	0.00862817	-1.95053
15	NM_000201	0.00309128	2.79164	0.0106017	-1.94901
16	NM_144581	0.000102546	3.54868	0.000693825	-1.94833
17	NM_000462 /// NM_130838 /	0.00704445	1.61659	0.00273909	-1.94722
18	NM_001142317 /// NM_0011	0.0383444	1.66657	0.0191852	-1.94489
19	NM_032834	0.0274376	1.84453	0.0220436	-1.94446
20	NM_000636 /// NM_0010244	3.77E-05	2.85524	0.000147745	-1.94376
21	NM_017754	0.000488602	1.98071	0.000531843	-1.943
22	NM_005916 /// NM_182776	0.00779986	2.03222	0.00943362	-1.94049
23	NM_024094	0.017065	1.89181	0.0153526	-1.94001
24	NM_001935	0.00455235	2.67987	0.0140541	-1.93798
25	NM_002577	0.00377446	1.6124	0.00146981	-1.93398
26	NM_014363	0.0013257	2.31108	0.00268266	-1.93257
27	NM_001139459 /// NM_1526	0.00617942	2.5087	0.0158372	-1.92984
28	NM_000077 /// NM_0011951	0.000190417	7.25995	0.00494034	-1.92962
29	NM_000436	0.000651287	2.86629	0.00263556	-1.92577
30	NM_006513 /// NR_034072 //	0.0056111	1.79146	0.00402468	-1.92384
31	NM_002041 /// NM_005254 /	0.000100156	2.26795	0.000196162	-1.92308
32	NM_001135575	0.0193521	1.85311	0.0165331	-1.92265
33	NM_001144958 /// NM_0011	0.000697593	5.25193	0.0105706	-1.91701
34	NM_014388	0.000936701	1.88016	0.000858169	-1.91614
35	NM_020768	0.00272467	3.71416	0.0199622	-1.9132
36	NM_001199237 /// NM_0011	0.000926021	2.5158	0.00261223	-1.91269
37	NM_003455	0.013143	1.57998	0.00489996	-1.91243
38	NM_004731	0.0130712	2.43743	0.0308082	-1.91089
39	NM_203302 /// NM_203477 /	0.000159165	1.7799	0.000113582	-1.90687
40	NM_001018054 /// NM_0046	0.00616657	3.4043	0.0354931	-1.9068
41	NM_001256279 /// NM_0012	6.05E-05	2.02469	8.00E-05	-1.90118
42	NM_001012626 /// NR_02684	0.000870614	1.76875	0.000611444	-1.90111
43	NM_001080502 /// NM_1734	0.000408825	3.92294	0.00380936	-1.89794
44	NM_003090	0.0108517	1.61247	0.00472607	-1.89672
45	NM_001034841 /// NR_02802	0.00298622	2.0228	0.00395149	-1.89592
46	NM_001145343 /// NM_0011	0.00200145	2.08265	0.00299097	-1.8954
47	NM_007192	0.000705093	2.23633	0.00139672	-1.89411
48	NM_001032281 /// NM_0062	3.02E-05	6.08242	0.000673972	-1.89288
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					

1					
2	NM_001018113 /// NM_1526	0.00150255	1.99361	0.00189164	-1.89263
3	NM_001201545 /// NM_0227	0.0119035	1.625	0.00550624	-1.892
4	NM_032021	0.0154009	1.58713	0.00624072	-1.8917
5	NM_002895 /// NM_183404	0.0183636	2.13769	0.0294375	-1.88929
6	NM_002395	3.00E-05	2.60211	0.000102531	-1.88592
7	NM_001034841 /// NR_02802	0.0259175	1.55097	0.00953271	-1.88309
8	NM_003146	0.000209737	1.50377	5.65E-05	-1.88245
9	NM_014388	0.00113928	3.37772	0.00764186	-1.88216
10	NM_001173982 /// NM_0184	0.00572589	2.3187	0.0128437	-1.88065
11	NM_001008708	0.00334497	1.65398	0.00172212	-1.88037
12	NM_001127395 /// NM_1452	0.00128205	3.74853	0.0109021	-1.87733
13	NM_024796 /// NR_024321	0.031931	1.86897	0.031635	-1.8732
14	NM_001139466 /// NM_0011	0.017598	1.6328	0.00890239	-1.87189
15	NM_001190809 /// NM_0219	0.0463433	1.53892	0.0174776	-1.87163
16	NM_001193621 /// NM_0011	0.0126846	1.99025	0.0164528	-1.87045
17	NM_005916 /// NM_182776	0.000992709	2.45556	0.00287333	-1.86959
18	NM_017664	0.000370882	2.00879	0.000516562	-1.86644
19	NM_001031713 /// NM_0221	0.000458761	1.96481	0.000584997	-1.86333
20	NM_032315	0.000805887	4.02767	0.00845967	-1.86118
21	NM_019022	0.0245526	1.86152	0.0246548	-1.85971
22	NM_030647	0.00028182	2.17909	0.000559878	-1.85614
23	NM_001128431 /// NM_0011	6.49E-05	2.7236	0.000274985	-1.85559
24	NM_004671 /// NM_173206	0.0183079	1.78304	0.0153033	-1.85452
25	NM_002915 /// NM_181558	0.000594384	1.82594	0.000551192	-1.85444
26	NM_024524	0.00873766	1.78379	0.00733656	-1.85074
27	NM_001193424 /// NM_0011	0.00226284	2.00991	0.00326604	-1.85073
28	XR_110202 /// XR_112909	0.0413879	1.74915	0.0325229	-1.84912
29	NM_005687	0.0042141	1.69261	0.00269165	-1.84799
30	NM_001142307 /// NM_0053	0.0282895	2.01099	0.0395128	-1.84677
31	NR_024490	0.00434356	2.43428	0.0125446	-1.84438
32	NM_153006	0.00761652	1.75613	0.00601922	-1.84339
33	NM_014243	5.44E-05	16.2957	0.00488404	-1.84266
34	NM_001013694	0.0299976	1.6025	0.0150155	-1.84165
35	NM_001083585 /// NM_0047	0.00365219	1.69364	0.00238021	-1.84099
36	NM_001010986 /// NM_1736	0.0125925	1.66801	0.00767837	-1.8409
37	NR_024278	0.00323011	3.55994	0.0253577	-1.83766
38	NM_016310	0.00147305	1.77277	0.00123507	-1.83639
39	XR_109888 /// XR_112387	0.00900851	2.28238	0.0210662	-1.83364
40	NM_006951	0.00115453	2.97818	0.0064552	-1.8301
41	NM_001014437 /// NM_0010	0.00103995	2.93184	0.00563151	-1.82776
42	NM_001139459 /// NM_1526	0.00119169	1.94527	0.00159693	-1.82667
43	NM_001444	0.0036916	1.74034	0.00290451	-1.82528
44	NM_001137673 /// NM_0045	0.0130936	1.73643	0.0104308	-1.81992
45	NM_152446	0.000827576	1.65327	0.000493012	-1.81957
46	NM_001143781 /// NM_0011	0.00365265	1.81068	0.00357012	-1.81921
47	NM_001789 /// NM_201567	0.00535963	1.87875	0.00623226	-1.81894
48	NM_001032283 /// NM_0010	0.0099983	2.48869	0.0313207	-1.81869
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					

1					
2	NM_001159728 /// NM_0169	0.00504254	2.07935	0.00900596	-1.81704
3	NM_001039618 /// NM_0212	0.0036308	1.59194	0.00174923	-1.81671
4	NM_013319	0.00141553	2.47236	0.00477727	-1.81593
5	NM_001134937 /// NM_0011	0.0175268	1.96028	0.0247206	-1.80784
6	NM_006951	0.000491373	1.82314	0.000512932	-1.80751
7	NM_018063	0.00159234	2.03713	0.00273354	-1.80709
8	NM_152608	0.00640093	1.52105	0.00237011	-1.80619
9	NM_014165	0.00232924	2.56104	0.00887638	-1.80577
10	NM_022466	0.00381566	2.21183	0.0088876	-1.80533
11	NM_001193609 /// NM_0011	0.00045316	2.03874	0.000790303	-1.80521
12	NM_001142307 /// NM_0053	0.00156257	1.96614	0.00233356	-1.80347
13	NM_018063	0.000368249	2.99828	0.0023154	-1.80338
14	NM_005729	0.000146035	2.67279	0.000670943	-1.80276
15	NM_001242804	0.0133752	1.69119	0.0097206	-1.80251
16	NM_001106	0.00312453	1.8511	0.00356913	-1.80079
17	NR_024284	0.0152437	1.96773	0.0223481	-1.79982
18	NM_007007	0.00529879	1.60638	0.00285093	-1.79886
19	NM_020401	0.000500381	1.51046	0.000174783	-1.79845
20	NM_005680	0.00746063	1.72308	0.00601599	-1.79821
21	NM_001098616 /// NM_0154	0.00216243	1.79763	0.0021704	-1.79631
22	NM_001134779 /// NM_0163	0.00742928	2.04842	0.0131235	-1.79577
23	NM_001128324 /// NM_1748	0.00387258	1.75824	0.0034822	-1.79567
24	NM_001080415	0.00193267	1.72988	0.00159463	-1.79519
25	NM_001080415	0.0275171	1.70059	0.0214421	-1.79207
26	NM_001077204 /// NM_0247	0.000414536	1.63822	0.00025334	-1.79016
27	NM_001014437 /// NM_0010	0.00147774	1.9716	0.00232027	-1.78987
28	NM_001143787 /// NM_0011	0.0375945	1.52269	0.0159601	-1.78858
29	NM_001102592 /// NM_1445	0.0131974	2.39366	0.038906	-1.78808
30	NM_001134375 /// NM_0011	0.00483676	2.27121	0.0129339	-1.78507
31	NM_001193609 /// NM_0011	0.000639126	1.76237	0.000600254	-1.78383
32	NM_001008544 /// NM_1382	0.00179313	1.57872	0.000895636	-1.78204
33	NM_014881	0.0083243	1.55125	0.0037942	-1.78174
34	NM_001256054 /// NM_0183	0.0250256	1.57874	0.0135148	-1.77418
35	NM_004419	0.00363267	1.61607	0.00216495	-1.77401
36	NM_016612	0.00112256	1.72073	0.000955853	-1.77372
37	NM_001160147 /// NM_0011	0.000472704	4.05912	0.00653089	-1.77135
38	NM_001031684 /// NM_0011	0.00210986	1.51413	0.000821038	-1.77068
39	NM_016620 /// NM_032186 /	0.00989997	2.08711	0.019963	-1.76887
40	NM_019083	0.0114498	1.60526	0.00688425	-1.76279
41	NM_003198	0.0165819	1.55885	0.00842437	-1.76188
42	NM_001178010 /// NM_0011	0.0092612	1.91559	0.0136506	-1.76051
43	NM_001100621 /// NM_0011	0.0346992	1.74329	0.0334822	-1.75693
44	NM_001195303 /// NM_0012	0.0253672	1.68584	0.0209954	-1.75193
45	NM_030763	0.00369573	4.0031	0.0442541	-1.75154
46	NM_052951	0.00136162	2.18801	0.00363971	-1.7499
47	NM_001010862 /// NR_02713	0.00169036	1.52532	0.000735697	-1.74987
48	NM_000791	0.00642775	2.07509	0.0137892	-1.74437
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					

1					
2	NM_004241 /// NM_032776	0.00166799	1.93903	0.00278747	-1.74316
3	NM_001256858 /// NM_0251	0.0404806	1.52725	0.0199748	-1.74217
4	NM_001142317 /// NM_0011	0.00924718	1.95634	0.0156716	-1.74199
5	NM_000722	1.30E-05	38.0977	0.00348667	-1.74171
6					
7	NM_001190818 /// NM_0011	0.00860468	1.5317	0.00405029	-1.7417
8	NM_004134	0.0117181	1.55151	0.00606868	-1.74101
9	NM_012260	0.00290217	2.14489	0.00729344	-1.74057
10	NM_001204402 /// NM_0027	0.00853284	2.00231	0.0160781	-1.73828
11	NM_000332 /// NM_0011281	0.00269869	2.28074	0.00853174	-1.73781
12	NM_020165	0.0315474	1.69728	0.0282551	-1.73659
13	NM_152611	4.59E-05	4.52487	0.000923935	-1.73649
14	NM_052951	0.00606517	2.67105	0.029733	-1.73537
15					
16	NM_018451 /// NR_047594 //	0.0175583	1.74854	0.0182311	-1.73515
17	NM_001204220 /// NM_0332	0.0125593	2.44709	0.0453621	-1.73403
18	NM_014783 /// NM_199357	0.00769013	2.5401	0.0324139	-1.73299
19	NM_000064	0.00355541	1.96417	0.006431	-1.73237
20	NM_006510 /// NM_030950	0.00211844	3.23793	0.0184004	-1.73212
21	NM_153451	0.0289648	1.89263	0.0429436	-1.72773
22	NM_001134419 /// NM_0011	5.65E-05	2.63167	0.000311532	-1.72739
23	NM_001172779 /// NM_0011	0.000528157	5.2077	0.013053	-1.72721
24	NM_001171905 /// NM_0011	0.00707567	1.78235	0.00833693	-1.72539
25	NM_001145412 /// NM_0011	0.00832441	1.64225	0.00638456	-1.72395
26	NM_014331	6.62E-05	4.30096	0.00124993	-1.72278
27	NM_017782	0.00010423	1.60986	7.01E-05	-1.72223
28	NM_002296 /// NM_194442	0.000411947	2.02286	0.000889547	-1.72223
29	NM_001143781 /// NM_0011	0.00260635	2.18932	0.00754754	-1.71933
30	NM_001109903 /// NM_0328	0.00371185	2.50893	0.0165883	-1.71871
31	NM_006321	0.00109128	2.18544	0.00321099	-1.7181
32	NM_001139459 /// NM_1526	0.00244859	2.99384	0.0182448	-1.71669
33	NM_001082969 /// NM_0010	0.00438994	1.69415	0.00409822	-1.7158
34	NM_001251874 /// NM_0305	0.00492145	2.24465	0.0154618	-1.71352
35	NM_176814	0.00516958	2.31341	0.0179284	-1.71303
36	NM_024900 /// NM_199320	0.000255248	2.5024	0.00124823	-1.71168
37	NM_004805	0.005666	1.85344	0.00840095	-1.71141
38	NM_015253 /// NR_040000	0.00142723	4.60425	0.0274714	-1.71101
39	NM_001102653 /// NM_0174	0.00131332	1.86767	0.00205051	-1.71065
40	NM_001018025 /// NM_0142	0.0157457	1.71212	0.0159134	-1.70857
41	NM_018014 /// NM_022893 /	0.00211537	1.78254	0.00264463	-1.70839
42	NM_001173982 /// NM_0184	0.0012245	1.94519	0.00232428	-1.70749
43	NM_001199427 /// NM_0033	0.00263809	2.81082	0.0171842	-1.70595
44	NM_000251 /// NM_0012582	0.00106095	3.04204	0.00894201	-1.70535
45	NM_006251 /// NM_206907	0.019139	1.53015	0.0102487	-1.70508
46	NM_015231	0.0163949	1.67072	0.0148802	-1.7019
47	NM_006510 /// NM_030950	0.00218253	1.92518	0.00400657	-1.70183
48	NM_018170	0.0177584	1.5139	0.00894518	-1.70086
49	NM_001145966 /// NM_0024	0.00185411	2.00857	0.00410547	-1.70064
50	NM_001159596 /// NM_0176	0.00363329	1.80339	0.00494098	-1.69919
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					

1					
2	NM_153634	0.0221291	1.61245	0.0167226	-1.69891
3	NM_001203247 /// NM_0012	0.00237953	2.07387	0.00603748	-1.69697
4	NM_004555 /// NM_173163 /	0.0152631	1.50384	0.00739849	-1.69673
5					
6	NM_020347	0.000918209	3.37897	0.0103347	-1.69619
7	NM_002994	2.71E-06	12.0184	0.000280904	-1.69515
8	NM_000791	0.00441778	1.61409	0.00333263	-1.69505
9					
10	NM_001142522 /// NM_0121	6.01E-05	3.38543	0.000731044	-1.69497
11	NM_001080541 /// NM_0011	0.0129366	1.68203	0.0124364	-1.69461
12	NM_006739	0.00320447	2.72489	0.0196566	-1.69389
13	NM_004586	0.00166508	2.52393	0.00849562	-1.69389
14	NM_003401 /// NM_022406 /	0.0356335	1.68864	0.0351692	-1.6932
15	NM_005085	0.0123252	2.00648	0.0263621	-1.69214
16	NM_005729	0.00357951	2.03123	0.00841882	-1.69191
17					
18	NM_031459	8.73E-06	3.27526	9.98E-05	-1.6919
19	NM_002638	0.00254981	1.81461	0.00367393	-1.69147
20					
21	NM_001142776 /// NM_0241	0.000829706	2.80573	0.00597604	-1.69036
22	NM_001270	0.0135032	1.55468	0.00832783	-1.68966
23	NM_153634	0.00130352	1.59953	0.00094246	-1.68912
24	NM_052857	0.000598746	2.08272	0.00161825	-1.68909
25					
26	NM_001277 /// NM_212469	0.0174426	1.71927	0.0191285	-1.68837
27	NM_001032281 /// NM_0062	0.000188797	7.88497	0.0105257	-1.68736
28	NM_001098614 /// NM_0010	0.00523292	1.95401	0.0105624	-1.68713
29	NM_018112	0.000860555	3.93473	0.0139011	-1.68668
30	NM_022070	0.00282419	2.05795	0.00719791	-1.68489
31					
32	NM_004184 /// NM_173701 /	0.00113803	2.47219	0.00570311	-1.68353
33	NM_198514	0.019546	1.79881	0.0269358	-1.6829
34	NM_006031	0.000130649	1.86546	0.000224709	-1.682
35	NM_001145822 /// NM_0032	0.00512921	1.64219	0.00449919	-1.68056
36					
37	NR_026778	1.61E-05	2.83353	0.000130566	-1.6784
38	NM_001080463 /// NM_0013	0.0131662	2.06531	0.0325128	-1.67807
39	NM_001256835 /// NM_0012	0.0202259	1.57991	0.0145372	-1.67595
40	NM_001080124 /// NM_0010	0.00757413	1.59597	0.00571781	-1.67517
41					
42	NM_005914 /// NM_182746	0.00224807	2.55083	0.012417	-1.67476
43	NM_001013848 /// NM_0190	0.00507779	2.79705	0.0340014	-1.6736
44	NM_004181	0.000509403	6.333	0.0202006	-1.67308
45	NM_016529	0.00148143	4.27085	0.0280921	-1.66988
46					
47	NM_001083617 /// NM_0147	0.00470432	2.04435	0.0120891	-1.66964
48	NM_138962 /// NM_170721	0.00327522	1.76125	0.00436779	-1.66944
49	NM_001013730 /// XR_11003	0.00108092	1.82484	0.00173326	-1.66939
50	NM_001139459 /// NM_1526	0.00103627	2.0421	0.00276046	-1.66789
51	NM_019109	0.0104462	1.66241	0.0102678	-1.66763
52					
53	NM_206908 /// NM_206910 /	0.00309836	3.4743	0.036553	-1.66696
54	NM_001078166 /// NM_0069	0.00596351	2.72094	0.0373696	-1.66662
55	NM_001104595 /// NM_0179	0.040242	1.50648	0.02288	-1.66433
56					
57	NM_001143781 /// NM_0011	0.000119242	2.22396	0.000460359	-1.66234
58	NM_001270	0.0104605	1.56989	0.00751516	-1.66051
59	NM_001079516	0.0122345	1.51327	0.00695521	-1.65922
60					

1					
2	NM_017858	8.36E-05	2.8939	0.00076407	-1.65855
3	NM_001031812 /// NM_0010	0.007085	1.58938	0.00553073	-1.65749
4	NM_001173516 /// NM_0011	0.00301623	1.68215	0.00329285	-1.65636
5	NM_025139	0.000522525	2.39766	0.00265146	-1.6558
6					
7	NM_001040152 /// NM_0011	0.00889404	1.52309	0.00534599	-1.65388
8	NM_001163817 /// NM_0013	0.00103094	1.7197	0.00128769	-1.65338
9	NM_005023	0.0499922	1.50536	0.0297021	-1.65308
10	NM_001098614 /// NM_0010	0.0283779	1.75716	0.0382835	-1.65168
11					
12	NM_000140 /// NM_0010125	0.00551416	2.68166	0.0351708	-1.65136
13	NM_001191322 /// NM_0011	0.000106886	50.8321	0.0397859	-1.64969
14	NM_001002877 /// NM_0010	0.000192821	1.64532	0.000190454	-1.64872
15	NM_001243797 /// NM_0012	0.000941362	1.94697	0.00219855	-1.64798
16	NM_001077440 /// NM_0010	0.0013272	1.53702	0.00085622	-1.64634
17					
18	NM_004398	0.00052048	1.62292	0.000478289	-1.64575
19	XR_108279 /// XR_112047 ///	0.0104249	1.57177	0.00798216	-1.64406
20	NM_001935	7.91E-05	6.11185	0.0036534	-1.64306
21					
22	NM_004412 /// NM_176081 /	0.00711549	1.82473	0.01232	-1.64014
23	NM_001040409 /// NM_0066	0.000631878	2.14286	0.00226537	-1.63958
24	NM_001008239 /// NM_1450	0.0137383	1.65586	0.0145337	-1.63906
25	NM_032842	0.0107478	1.74967	0.015165	-1.63894
26					
27	NM_152611	0.000666062	5.40575	0.0226232	-1.63829
28	NM_015939	0.00057903	2.36385	0.00297932	-1.63789
29	NM_016299	0.000109506	2.23772	0.000472804	-1.63774
30	NM_006716	0.0123603	1.9703	0.0293555	-1.63582
31					
32	NM_001164313 /// NM_0147	0.0137991	1.74063	0.0191052	-1.63559
33	NM_001170803 /// NM_0011	0.0037431	1.63921	0.00381259	-1.63409
34	NM_001139466 /// NM_0011	0.00357547	2.1757	0.0132659	-1.63248
35	NM_001173990 /// NM_0011	0.01664	1.84696	0.0304416	-1.63091
36					
37	NM_005445	0.00537066	1.7746	0.00848283	-1.62995
38	NM_001018113 /// NM_1526	0.00367366	2.27655	0.0160643	-1.6296
39	NM_030928	0.0152226	1.98623	0.037632	-1.62838
40	NR_024052 /// NR_024053	0.00537728	1.97238	0.0138662	-1.62488
41	NM_001207025 /// NM_0012	0.0107659	1.95274	0.025965	-1.62306
42	NM_001270472 /// NM_0023	0.000600553	1.65122	0.000667928	-1.62234
43	NM_001145208 /// NM_0183	0.000118241	2.01724	0.000359774	-1.6215
44					
45	NM_031965	0.0252189	1.74973	0.0369458	-1.62073
46	NR_026751	0.00237003	1.7446	0.0036181	-1.61818
47	NM_002577	0.00495906	1.94867	0.0125831	-1.61625
48					
49	NM_001256182 /// NM_0012	6.41E-05	1.89987	0.000152827	-1.61621
50	NM_004775	0.0223901	1.76316	0.0347124	-1.61546
51	NM_005914 /// NM_182746	0.00283966	1.72623	0.00414281	-1.61503
52	NM_002395	0.002179	2.6167	0.0158853	-1.61491
53	NR_024510 /// NR_024511 ///	0.00172778	1.51711	0.00114811	-1.61417
54	NM_017915	0.00130469	2.75527	0.0114425	-1.61225
55					
56	NM_001142279 /// NM_0245	0.0229905	1.70632	0.0309477	-1.61157
57	NM_015253 /// NR_040000	8.54E-05	26.9902	0.0236274	-1.61027
58	NM_001017408 /// NM_0203	0.0115488	1.80308	0.0207582	-1.6094
59					
60					

1					
2	NM_001191322 /// NM_0011	5.15E-05	76.117	0.0311946	-1.60915
3	NM_004866 /// NM_052822	4.40E-05	1.93861	0.000118744	-1.608
4	NM_001032283 /// NM_0010	0.00227181	2.71931	0.0188701	-1.60735
5	NM_006107 /// NM_016424	0.000386463	2.20595	0.00175654	-1.60715
6	NM_002877 /// NM_133509 /	0.018019	1.97662	0.0464021	-1.60588
7	NM_032140	0.00916668	1.93274	0.0227439	-1.6054
8	NM_001083963 /// NM_0010	0.00501599	2.09443	0.0175528	-1.60507
9	NM_001003398 /// NM_0017	0.000280885	3.36166	0.00449885	-1.60494
10	NM_002047	0.000946222	2.11967	0.00367965	-1.60458
11	NM_019083	0.00423235	1.78707	0.00764793	-1.60358
12	NM_001110798 /// NM_0185	0.000832492	1.59086	0.000795325	-1.60237
13	NM_004775	0.000362299	1.90075	0.000928323	-1.59658
14	NM_001164313 /// NM_0147	0.0255384	1.59839	0.0257641	-1.5959
15	NM_012081	0.00323475	2.11084	0.0123573	-1.59498
16	NM_001093771 /// NM_0012	4.13E-05	8.99296	0.00407913	-1.59493
17	NM_001136478 /// NM_0011	0.000734595	2.82448	0.0075681	-1.59478
18	NM_144632	0.00240364	2.35309	0.0136059	-1.59436
19	NM_001014796 /// NM_0061	0.000520656	6.27733	0.0264631	-1.59393
20	NM_003605 /// NM_181672 /	0.000508023	1.6757	0.000687834	-1.59386
21	NM_003364 /// NM_181597	0.00265557	2.34934	0.0149272	-1.59332
22	NM_138787	0.00296121	1.63932	0.00352625	-1.59276
23	NM_001008234 /// NR_02448	0.000320415	3.53015	0.00601853	-1.59176
24	NM_001032287 /// NM_0011	0.000420976	2.07731	0.00161403	-1.59103
25	XM_001714385 /// XM_00311	2.88E-05	9.15728	0.00303332	-1.5878
26	NM_152405	8.15E-05	9.1873	0.00828246	-1.58706
27	NM_001077204 /// NM_0247	0.0145693	1.76857	0.0259793	-1.58421
28	NM_000038 /// NM_0011275	0.00674162	1.92199	0.0179673	-1.58359
29	NM_006111	0.00156352	2.04789	0.00572152	-1.58239
30	NM_004793	0.00346314	1.72581	0.00577156	-1.57957
31	NM_001007226 /// NM_0010	0.0026938	2.03545	0.00957133	-1.57937
32	NM_001166260 /// NM_0042	0.00529259	1.67224	0.00745869	-1.57771
33	NM_016448	0.00135977	3.98727	0.03116	-1.57769
34	NM_015049	0.00124878	2.95563	0.0150773	-1.57685
35	NM_001029991 /// NM_0010	0.0171706	1.55831	0.0160766	-1.57529
36	NM_015409	2.42E-05	1.78756	5.05E-05	-1.57484
37	NM_173567	6.23E-06	9.4035	0.000737304	-1.57438
38	NM_032329	0.00612027	1.80054	0.0127157	-1.57413
39	NM_001167865 /// NM_0176	0.000546436	1.58533	0.000578037	-1.5717
40	NM_022840	0.00643627	2.62669	0.0498256	-1.56984
41	NM_018848 /// NM_170784 /	0.0013799	1.54533	0.0012515	-1.56814
42	NM_001083585 /// NM_0047	0.00193077	2.00724	0.0068685	-1.56769
43	NM_015144	0.00255357	2.18269	0.0124072	-1.56692
44	NM_001204171 /// NM_0012	0.0214313	1.66534	0.0300506	-1.56633
45	NM_001033559 /// NM_0010	0.00112725	2.62133	0.0103144	-1.56606
46	NM_001177663 /// NM_0011	0.00764503	2.01539	0.0260536	-1.56604
47	NM_014851	0.00106237	2.05077	0.00424374	-1.5644
48	NM_018112	0.000131887	2.47014	0.001073	-1.56375
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					

1					
2	NR_029701	1.41E-05	58.2943	0.00964676	-1.56329
3	NM_001164579 /// NM_1735	0.00210682	1.64981	0.0029661	-1.56104
4	NM_001127394 /// NM_0529	0.000982904	2.50736	0.00810435	-1.5605
5	NM_024654	0.00250936	1.56349	0.00254453	-1.56017
6	NM_001099268 /// NM_0165	0.00624792	1.61565	0.00780779	-1.55831
7	NM_001184734 /// NM_0011	0.00366277	1.68807	0.00592798	-1.55741
8	NM_018362	0.0115955	1.60991	0.0141787	-1.55711
9	NM_001142522 /// NM_0121	0.000286638	3.54316	0.00627161	-1.55686
10	NM_015885	0.0139305	1.51452	0.0117431	-1.55502
11	NM_001003704 /// NM_0164	0.00488028	1.75017	0.00960255	-1.55469
12	NM_000161 /// NM_0010240	3.25E-05	4.40449	0.00121078	-1.55398
13	NM_004405	0.000328844	11.3929	0.0423437	-1.55369
14	NM_001142617 /// NM_0011	0.0193205	1.63007	0.0255378	-1.55294
15	NM_001130112 /// NM_0011	0.00960025	1.67088	0.0147588	-1.55238
16	NM_017754	0.00116627	1.70545	0.00206285	-1.55238
17	NM_017437	0.00931561	1.55905	0.00962078	-1.55118
18	NM_001034173 /// NR_02775	0.00257108	2.11529	0.0118804	-1.55096
19	NM_018137	0.0056133	2.084	0.0236556	-1.54869
20	NM_005171	6.87E-05	2.10211	0.000337485	-1.54672
21	NM_001080541 /// NM_0011	0.00905335	1.53047	0.00844888	-1.5467
22	NM_022118	0.0157332	1.62151	0.0208901	-1.54554
23	NM_004774	0.0150562	1.76034	0.0303409	-1.5453
24	NM_001194954 /// NM_0011	0.00468483	2.0151	0.0178779	-1.54495
25	NM_005124	0.00608477	2.36448	0.0390852	-1.54415
26	NM_001267594 /// NM_0012	0.00137404	2.09255	0.00651288	-1.54098
27	NM_005746 /// NM_182790	0.0198042	1.56894	0.0221287	-1.54057
28	NM_025077	0.00251074	2.17736	0.0135262	-1.53949
29	NM_007018	0.00322467	2.18952	0.0174981	-1.53886
30	NM_053042	0.00340985	1.71443	0.00653773	-1.53731
31	NM_001042414 /// NR_00327	0.00583941	1.62296	0.00823651	-1.53593
32	NM_001029991 /// NM_0010	0.0141427	1.53537	0.0141223	-1.53572
33	NM_005387 /// NM_016320 /	0.00521122	2.3762	0.0358977	-1.53432
34	NM_001008860 /// NM_0010	0.00606597	2.48342	0.0464787	-1.5342
35	NM_017645	6.30E-05	1.55578	6.93E-05	-1.53418
36	NM_006510 /// NM_030950	5.12E-05	2.58906	0.000557933	-1.53327
37	NM_001007245 /// NM_0011	0.000265623	2.3617	0.00210355	-1.53321
38	NM_001135564 /// NM_0012	0.00149043	2.01742	0.00631119	-1.53294
39	NM_006275 /// NR_034009	0.00248658	2.58237	0.0236104	-1.53261
40	NM_001002926	0.0162128	1.82016	0.0395544	-1.5326
41	NM_001325	0.0133177	2.00652	0.0482491	-1.5322
42	NM_018394	0.00215987	2.62227	0.0217775	-1.53143
43	NM_007045 /// NM_194429	0.00145344	2.6646	0.0158825	-1.53031
44	NM_002936	0.00430173	1.63612	0.00655438	-1.52984
45	NM_207351	0.0088731	1.6194	0.012691	-1.5283
46	NM_001042482 /// NM_0224	0.00189085	2.62079	0.0195715	-1.52741
47	NM_004294	0.000117305	3.47015	0.00286971	-1.52677
48	NR_024510 /// NR_024511 ///	0.00537526	1.54171	0.00573942	-1.5267
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					

1					
2	NM_005614	0.00900041	2.14371	0.0436455	-1.52633
3	NM_004134	0.00263756	1.6808	0.00479532	-1.52588
4	NM_203448 /// NR_015363 //	0.00222292	2.8346	0.0281515	-1.52526
5	NM_001131035 /// NM_0011	0.00439763	1.53897	0.00468902	-1.52444
6	NM_018262 /// NM_052985 /	0.00811568	1.50966	0.00761447	-1.52387
7	NM_032146 /// NM_177976	0.000410802	5.15095	0.0207473	-1.52344
8	NM_001093755 /// NM_0010	0.00303905	2.92645	0.0403626	-1.52327
9	NM_022496 /// NR_048568 //	0.00193208	1.5153	0.00186756	-1.52265
10					
11	NM_001128243	0.00821763	1.983	0.0311206	-1.52187
12	NM_182490	0.00205733	3.20374	0.0355332	-1.52179
13	NM_000201	0.000193245	5.24269	0.0107858	-1.52101
14	NM_001042399 /// NM_0161	0.00123215	1.83209	0.00362418	-1.52027
15	NM_001076683 /// NM_0010	0.000847391	2.00637	0.00376811	-1.52014
16	NM_001135608 /// NM_0150	0.00129219	3.40105	0.0270508	-1.52002
17	NM_018944	0.00690302	1.69472	0.0132329	-1.51959
18	NM_018944	0.013868	1.52903	0.0144487	-1.51946
19	NM_001205028 /// NM_0012	0.000806137	3.88096	0.0233597	-1.51896
20	NM_032505	0.000290064	2.78984	0.00410738	-1.51836
21	NM_013329 /// NM_016631 /	0.0035214	1.61198	0.00518583	-1.51829
22	NM_001159651 /// NM_1383	0.000973825	1.60086	0.00138723	-1.51802
23	NM_004586	0.00247377	1.69696	0.00493951	-1.51695
24	NM_020861	0.00233154	2.60135	0.024314	-1.51629
25	NM_001166356 /// NM_0011	0.000740403	1.82066	0.00216895	-1.51619
26	NM_001184906 /// NM_0328	0.0130097	1.73211	0.0276551	-1.51506
27	NR_029383	0.000949192	3.29063	0.019486	-1.5146
28	NM_052947	0.000163412	2.18989	0.00108344	-1.51437
29	NM_014188	0.0015565	1.89382	0.00546204	-1.51421
30	NM_030816	0.0215313	1.64863	0.0351374	-1.51391
31	NM_001159699 /// NM_0011	0.000348314	1.66204	0.000639741	-1.51304
32	NM_001001323 /// NM_0016	0.00233429	2.18538	0.0144113	-1.51166
33	NM_001191028 /// NM_0124	0.00378685	1.57763	0.00507527	-1.50975
34	NM_031923	0.00253032	2.31691	0.0191888	-1.50836
35	NM_001256182 /// NM_0012	0.00729822	1.60509	0.0109011	-1.50742
36	NM_017886	0.0246132	1.66862	0.0436872	-1.50629
37	NM_001099678	0.00323749	1.88534	0.0112836	-1.50612
38	NM_001185118 /// NM_0011	0.007014	1.71625	0.0152516	-1.50564
39	NM_001079516	0.00380819	2.6807	0.0426792	-1.50456
40	NM_017426	0.00232302	1.89509	0.00844907	-1.50448
41	NM_004990	0.000464368	2.13904	0.00290521	-1.50442
42	NM_001135608 /// NM_0150	0.00194909	2.71141	0.0243845	-1.50396
43	NM_001018089 /// NM_0246	0.0026262	2.09044	0.0141982	-1.50376
44	NM_001164665 /// NM_0209	0.00287405	1.89886	0.010594	-1.50175
45	NM_025138 /// NM_170719	0.00306428	1.67878	0.00617387	-1.50145
46	NM_001242826 /// NM_0057	0.00280012	2.11769	0.0160058	-1.50115
47	NM_001048249	0.00146558	1.54246	0.00177517	-1.50087
48	NM_004990	0.000991115	2.85147	0.01523	-1.5004
49	NM_001024647 /// NM_0224	0.00325009	2.08984	0.0176104	-1.50013
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					

Supplementary Table 3 highly expressed genes in both xenograft FTSCt and HGSC (2 fold and p < 0.05, 2395)

Probeset ID	Gene Symbol	Gene Title
223278_at	GJB2	gap junction protein, beta 2, 26kDa
211719_x_at	FN1	fibronectin 1
207039_at	CDKN2A	cyclin-dependent kinase inhibitor 2A
225681_at	CTHRC1	collagen triple helix repeat containing 1
212464_s_at	FN1	fibronectin 1
216442_x_at	FN1	fibronectin 1
204268_at	S100A2	S100 calcium binding protein A2
210495_x_at	FN1	fibronectin 1
219918_s_at	ASPM	asp (abnormal spindle) homolog, microcephaly associated (Drosophila)
203186_s_at	S100A4	S100 calcium binding protein A4
228335_at	CLDN11	claudin 11
222608_s_at	ANLN	anillin, actin binding protein
201387_s_at	UCHL1	ubiquitin carboxyl-terminal esterase L1 (ubiquitin thiolesterase)
208025_s_at	HMGA2	high mobility group AT-hook 2
209773_s_at	RRM2	ribonucleotide reductase M2
219148_at	PBK	PDZ binding kinase
202345_s_at	FABP5	fatty acid binding protein 5 (psoriasis-associated)
201645_at	TNC	tenascin C
218662_s_at	NCAPG	non-SMC condensin I complex, subunit G
203764_at	DLGAP5	discs, large (Drosophila) homolog-associated protein 5
204170_s_at	CKS2	CDC28 protein kinase regulatory subunit 2
204331_s_at	MRPS12	mitochondrial ribosomal protein S12
218585_s_at	DTL	denticleless E3 ubiquitin protein ligase homolog (Drosophila)
222958_s_at	DEPDC1	DEP domain containing 1
AFFX-HUMGAPDH/	GAPDH /// GAPDH	glyceraldehyde-3-phosphate dehydrogenase /// glyceraldehyde-3-phosphate dehydrogenase
204822_at	TTK	TTK protein kinase
218663_at	NCAPG	non-SMC condensin I complex, subunit G
201890_at	RRM2	ribonucleotide reductase M2
201291_s_at	TOP2A	topoisomerase (DNA) II alpha 170kDa
210559_s_at	CDK1	cyclin-dependent kinase 1
236313_at	CDKN2B	cyclin-dependent kinase inhibitor 2B (p15, inhibits CDK4)
206445_s_at	PRMT1	protein arginine methyltransferase 1
201292_at	TOP2A	topoisomerase (DNA) II alpha 170kDa
202503_s_at	KIAA0101	KIAA0101
223490_s_at	EXOSC3	exosome component 3
209714_s_at	CDKN3	cyclin-dependent kinase inhibitor 3
228273_at	PRR11	proline rich 11
203554_x_at	PTTG1	pituitary tumor-transforming 1
211071_s_at	MLLT11	myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila)
202870_s_at	CDC20	cell division cycle 20 homolog (S. cerevisiae)
219493_at	SHCBP1	SHC SH2-domain binding protein 1
202095_s_at	BIRC5	baculoviral IAP repeat containing 5
214710_s_at	CCNB1	cyclin B1

1			
2	235545_at	DEPDC1	DEP domain containing 1
3	228053_s_at	TOMM5	translocase of outer mitochondrial membrane 5 homolog (yeast)
4	218542_at	CEP55	centrosomal protein 55kDa
5	218009_s_at	PRC1	protein regulator of cytokinesis 1
6	209642_at	BUB1	budding uninhibited by benzimidazoles 1 homolog (yeast)
7	209644_x_at	CDKN2A	cyclin-dependent kinase inhibitor 2A
8	223381_at	NUF2	NUF2, NDC80 kinetochore complex component, homolog (S. cere
9	224428_s_at	CDCA7	cell division cycle associated 7
10	222680_s_at	DTL	denticleless E3 ubiquitin protein ligase homolog (Drosophila)
11	203276_at	LMNB1	lamin B1
12	222037_at	MCM4	minichromosome maintenance complex component 4
13	218039_at	NUSAP1	nucleolar and spindle associated protein 1
14	219295_s_at	PCOLCE2	procollagen C-endopeptidase enhancer 2
15	207165_at	HMMR	hyaluronan-mediated motility receptor (RHAMM)
16	205046_at	CENPE	centromere protein E, 312kDa
17	206884_s_at	SCEL	sciellin
18	223229_at	UBE2T	ubiquitin-conjugating enzyme E2T (putative)
19	218755_at	KIF20A	kinesin family member 20A
20	201105_at	LGALS1	lectin, galactoside-binding, soluble, 1
21	201505_at	LAMB1	laminin, beta 1
22	202954_at	UBE2C	ubiquitin-conjugating enzyme E2C
23	218883_s_at	MLF1IP	MLF1 interacting protein
24	214437_s_at	SHMT2	serine hydroxymethyltransferase 2 (mitochondrial)
25	203214_x_at	CDK1	cyclin-dependent kinase 1
26	209709_s_at	HMMR	hyaluronan-mediated motility receptor (RHAMM)
27	220651_s_at	MCM10	minichromosome maintenance complex component 10
28	208002_s_at	ACOT7	acyl-CoA thioesterase 7
29	207828_s_at	CENPF	centromere protein F, 350/400kDa (mitosin)
30	208079_s_at	AURKA	aurora kinase A
31	238756_at	GAS2L3	growth arrest-specific 2 like 3
32	209825_s_at	MIR3658 /// UCK2	microRNA 3658 /// uridine-cytidine kinase 2
33	203560_at	GGH	gamma-glutamyl hydrolase (conjugase, folypolygammaglutamyl h
34	229332_at	HPDL	4-hydroxyphenylpyruvate dioxygenase-like
35	204026_s_at	ZWINT	ZW10 interactor
36	213599_at	OIP5	Opa interacting protein 5
37	220295_x_at	DEPDC1	DEP domain containing 1
38	220083_x_at	UCHL5	ubiquitin carboxyl-terminal hydrolase L5
39	225655_at	UHRF1	ubiquitin-like with PHD and ring finger domains 1
40	225834_at	FAM72A /// FAM72B	family with sequence similarity 72, member A /// family with sequ
41	205394_at	CHEK1	checkpoint kinase 1
42	204092_s_at	AURKA	aurora kinase A
43	203213_at	CDK1	cyclin-dependent kinase 1
44	225687_at	FAM83D	family with sequence similarity 83, member D
45	209679_s_at	SMAGP	small cell adhesion glycoprotein
46	239579_at	EPHX4	epoxide hydrolase 4
47	230165_at	SGOL2	shugoshin-like 2 (S. pombe)
48	206550_s_at	NUP155	nucleoporin 155kDa
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	201577_at	NME1	NME/NM23 nucleoside diphosphate kinase 1
3	213007_at	FANCI	Fanconi anemia, complementation group I
4	236641_at	KIF14	kinesin family member 14
5	201714_at	TUBG1	tubulin, gamma 1
6	226980_at	DEPDC1B	DEP domain containing 1B
7	213113_s_at	SLC43A3	solute carrier family 43, member 3
8	209900_s_at	SLC16A1	solute carrier family 16, member 1 (monocarboxylic acid transpor
9	201663_s_at	SMC4	structural maintenance of chromosomes 4
10	218073_s_at	TMEM48	transmembrane protein 48
11	227928_at	PARPBP	PARP1 binding protein
12	221521_s_at	GINS2	GINS complex subunit 2 (Psf2 homolog)
13	202718_at	IGFBP2	insulin-like growth factor binding protein 2, 36kDa
14	204962_s_at	C2orf18 /// CENPA	chromosome 2 open reading frame 18 /// centromere protein A
15	209434_s_at	PPAT	phosphoribosyl pyrophosphate amidotransferase
16	218336_at	PFDN2	prefoldin subunit 2
17	222077_s_at	RACGAP1	Rac GTPase activating protein 1
18	202705_at	CCNB2	cyclin B2
19	205034_at	CCNE2	cyclin E2
20	203755_at	BUB1B	budding uninhibited by benzimidazoles 1 homolog beta (yeast)
21	232231_at	RUNX2	runt-related transcription factor 2
22	204444_at	KIF11	kinesin family member 11
23	219979_s_at	C11orf73	chromosome 11 open reading frame 73
24	209891_at	SPC25	SPC25, NDC80 kinetochore complex component, homolog (S. cere
25	217755_at	HN1	hematological and neurological expressed 1
26	205129_at	NPM3	nucleophosmin/nucleoplasmin 3
27	204146_at	RAD51AP1	RAD51 associated protein 1
28	235609_at	BRIP1	BRCA1 interacting protein C-terminal helicase 1
29	210052_s_at	TPX2	TPX2, microtubule-associated, homolog (Xenopus laevis)
30	202234_s_at	SLC16A1	solute carrier family 16, member 1 (monocarboxylic acid transpor
31	232056_at	SCEL	sciellin
32	221730_at	COL5A2	collagen, type V, alpha 2
33	219306_at	KIF15	kinesin family member 15
34	204709_s_at	KIF23	kinesin family member 23
35	222036_s_at	MCM4	minichromosome maintenance complex component 4
36	219555_s_at	CENPN	centromere protein N
37	226237_at	COL8A1	collagen, type VIII, alpha 1
38	228323_at	CASC5	cancer susceptibility candidate 5
39	204825_at	MELK	maternal embryonic leucine zipper kinase
40	228069_at	FAM54A	family with sequence similarity 54, member A
41	224870_at	DANCR	differentiation antagonizing non-protein coding RNA
42	201742_x_at	SRSF1	serine/arginine-rich splicing factor 1
43	205361_s_at	PFDN4	prefoldin subunit 4
44	235022_at	FAM210A	family with sequence similarity 210, member A
45	218252_at	CKAP2	cytoskeleton associated protein 2
46	225799_at	LINC00152 /// LOC541	long intergenic non-protein coding RNA 152 /// uncharacterized L
47	219410_at	TMEM45A	transmembrane protein 45A
48	213226_at	CCNA2	cyclin A2
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	1555772_a_at	CDC25A	cell division cycle 25 homolog A (S. pombe)
3	201202_at	PCNA	proliferating cell nuclear antigen
4	202206_at	ARL4C	ADP-ribosylation factor-like 4C
5	223570_at	MCM10	minichromosome maintenance complex component 10
6	227211_at	PHF19	PHD finger protein 19
7			
8	1555225_at	C1orf43	chromosome 1 open reading frame 43
9	200634_at	PFN1	profilin 1
10	226661_at	CDCA2	cell division cycle associated 2
11	204887_s_at	PLK4	polo-like kinase 4
12	218726_at	HJURP	Holliday junction recognition protein
13	224913_s_at	TIMM50	translocase of inner mitochondrial membrane 50 homolog (S. cerevisiae)
14	218235_s_at	UTP11L	UTP11-like, U3 small nucleolar ribonucleoprotein, (yeast)
15			
16	1554572_a_at	SUV39H2	suppressor of variegation 3-9 homolog 2 (Drosophila)
17	224972_at	ROMO1	reactive oxygen species modulator 1
18	209796_s_at	CNPY2	canopy 2 homolog (zebrafish)
19	222443_s_at	RBM8A	RNA binding motif protein 8A
20	223403_s_at	POLR1B	polymerase (RNA) I polypeptide B, 128kDa
21	227212_s_at	PHF19	PHD finger protein 19
22	211981_at	COL4A1	collagen, type IV, alpha 1
23	220865_s_at	PDSS1	prenyl (decaprenyl) diphosphate synthase, subunit 1
24	212364_at	MYO1B	myosin IB
25	221987_s_at	TSR1	TSR1, 20S rRNA accumulation, homolog (S. cerevisiae)
26	207507_s_at	ATP5G3	ATP synthase, H ⁺ transporting, mitochondrial Fo complex, subunit 3
27	223307_at	CDCA3	cell division cycle associated 3
28	202246_s_at	CDK4	cyclin-dependent kinase 4
29	213011_s_at	TPI1	triosephosphate isomerase 1
30	204836_at	GLDC	glycine dehydrogenase (decarboxylating)
31	206364_at	KIF14	kinesin family member 14
32	217728_at	S100A6	S100 calcium binding protein A6
33	212949_at	NCAPH	non-SMC condensin I complex, subunit H
34	202998_s_at	LOXL2	lysyl oxidase-like 2
35	226936_at	CENPW	centromere protein W
36	229551_x_at	ZNF367	zinc finger protein 367
37	222740_at	ATAD2	ATPase family, AAA domain containing 2
38	210466_s_at	SERBP1	SERPINE1 mRNA binding protein 1
39	222803_at	PRTFDC1	phosphoribosyl transferase domain containing 1
40	203022_at	RNASEH2A	ribonuclease H2, subunit A
41	218782_s_at	ATAD2	ATPase family, AAA domain containing 2
42	202613_at	CTPS1	CTP synthase 1
43	219978_s_at	NUSAP1	nucleolar and spindle associated protein 1
44	212094_at	PEG10	paternally expressed 10
45	223032_x_at	PRELID1	PRELI domain containing 1
46	214512_s_at	SUB1	SUB1 homolog (S. cerevisiae)
47	228977_at	LOC729680	uncharacterized LOC729680
48	201014_s_at	PAICS	phosphoribosylaminoimidazole carboxylase, phosphoribosylaminimidazole
49	228729_at	CCNB1	cyclin B1
50	223556_at	HELLS	helicase, lymphoid-specific
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	212022_s_at	MKI67	antigen identified by monoclonal antibody Ki-67
3	221685_s_at	CCDC99	coiled-coil domain containing 99
4	210983_s_at	MCM7	minichromosome maintenance complex component 7
5	205909_at	POLE2	polymerase (DNA directed), epsilon 2, accessory subunit
6	208627_s_at	YBX1	Y box binding protein 1
7	206102_at	GINS1	GINS complex subunit 1 (Psf1 homolog)
8	225161_at	GFM1	G elongation factor, mitochondrial 1
9	203145_at	SPAG5	sperm associated antigen 5
10	225300_at	C15orf23	chromosome 15 open reading frame 23
11	206632_s_at	APOBEC3B	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like
12	201930_at	MCM6	minichromosome maintenance complex component 6
13	202635_s_at	POLR2K	polymerase (RNA) II (DNA directed) polypeptide K, 7.0kDa
14	202094_at	BIRC5	baculoviral IAP repeat containing 5
15	209026_x_at	TUBB	tubulin, beta class I
16	201138_s_at	SSB	Sjogren syndrome antigen B (autoantigen La)
17	208767_s_at	LAPTM4B	lysosomal protein transmembrane 4 beta
18	204886_at	PLK4	polo-like kinase 4
19	209408_at	KIF2C	kinesin family member 2C
20	224345_x_at	FAM162A	family with sequence similarity 162, member A
21	202589_at	TYMS	thymidylate synthetase
22	208758_at	ATIC	5-aminoimidazole-4-carboxamide ribonucleotide formyltransferase
23	202207_at	ARL4C	ADP-ribosylation factor-like 4C
24	206074_s_at	HMGA1	high mobility group AT-hook 1
25	212782_x_at	POLR2J	polymerase (RNA) II (DNA directed) polypeptide J, 13.3kDa
26	204126_s_at	CDC45	cell division cycle 45 homolog (S. cerevisiae)
27	201478_s_at	DKC1 /// SNORA56	dyskeratosis congenita 1, dyskerin /// small nucleolar RNA, H/ACA
28	224637_at	OST4	oligosaccharyltransferase 4 homolog (S. cerevisiae)
29	200039_s_at	PSMB2	proteasome (prosome, macropain) subunit, beta type, 2
30	201072_s_at	SMARCC1	SWI/SNF related, matrix associated, actin dependent regulator of
31	201688_s_at	TPD52	tumor protein D52
32	224753_at	CDCA5	cell division cycle associated 5
33	211714_x_at	TUBB	tubulin, beta class I
34	217946_s_at	SAE1	SUMO1 activating enzyme subunit 1
35	212891_s_at	GADD45GIP1	growth arrest and DNA-damage-inducible, gamma interacting pro
36	212694_s_at	PCCB	propionyl CoA carboxylase, beta polypeptide
37	203931_s_at	MRPL12	mitochondrial ribosomal protein L12
38	223193_x_at	FAM162A	family with sequence similarity 162, member A
39	1554667_s_at	METTL8	methyltransferase like 8
40	208103_s_at	ANP32E	acidic (leucine-rich) nuclear phosphoprotein 32 family, member E
41	221437_s_at	MRPS15	mitochondrial ribosomal protein S15
42	228597_at	MIS18A	MIS18 kinetochore protein homolog A (S. pombe)
43	202647_s_at	NRAS	neuroblastoma RAS viral (v-ras) oncogene homolog
44	208628_s_at	YBX1	Y box binding protein 1
45	204510_at	CDC7	cell division cycle 7 homolog (S. cerevisiae)
46	212563_at	BOP1	block of proliferation 1
47	200822_x_at	TPI1	triosephosphate isomerase 1
48	222883_at	SELRC1	Sel1 repeat containing 1
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	201725_at	CDC123	cell division cycle 123 homolog (S. cerevisiae)
3	225402_at	TP53RK	TP53 regulating kinase
4	201555_at	MCM3	minichromosome maintenance complex component 3
5	211519_s_at	KIF2C	kinesin family member 2C
6	209053_s_at	WHSC1	Wolf-Hirschhorn syndrome candidate 1
7	219787_s_at	ECT2	epithelial cell transforming sequence 2 oncogene
8	226545_at	CD109	CD109 molecule
9			
10	200665_s_at	LOC100505813 /// SP	uncharacterized LOC100505813 /// secreted protein, acidic, cyste
11	203046_s_at	TIMELESS	timeless homolog (Drosophila)
12	216228_s_at	WDHD1	WD repeat and HMG-box DNA binding protein 1
13	208967_s_at	AK2	adenylate kinase 2
14	200832_s_at	SCD	stearoyl-CoA desaturase (delta-9-desaturase)
15	205680_at	MMP10	matrix metalloproteinase 10 (stromelysin 2)
16	203358_s_at	EZH2	enhancer of zeste homolog 2 (Drosophila)
17	219000_s_at	DSCC1	defective in sister chromatid cohesion 1 homolog (S. cerevisiae)
18	226835_s_at	ZNFX1-AS1	ZNFX1 antisense RNA 1 (non-protein coding)
19	204023_at	RFC4	replication factor C (activator 1) 4, 37kDa
20	218605_at	TFB2M	transcription factor B2, mitochondrial
21	218027_at	MRPL15	mitochondrial ribosomal protein L15
22	203511_s_at	TRAPPC3	trafficking protein particle complex 3
23	201112_s_at	CSE1L	CSE1 chromosome segregation 1-like (yeast)
24	204127_at	RFC3	replication factor C (activator 1) 3, 38kDa
25	202309_at	MTHFD1	methylenetetrahydrofolate dehydrogenase (NADP+ dependent) 1
26	218512_at	WDR12	WD repeat domain 12
27	223774_at	SNHG12 /// SNORA16	small nucleolar RNA host gene 12 (non-protein coding) /// small n
28	222216_s_at	MRPL17	mitochondrial ribosomal protein L17
29	214431_at	GMPS	guanine monophosphate synthetase
30	211971_s_at	LRPPRC	leucine-rich pentatricopeptide repeat containing
31	226456_at	RMI2	RMI2, RecQ mediated genome instability 2, homolog (S. cerevisiae)
32	205436_s_at	H2AFX	H2A histone family, member X
33	224752_at	C7orf73 /// LOC10028	chromosome 7 open reading frame 73 /// chromosome 7 open re
34	221922_at	GPSM2	G-protein signaling modulator 2
35	217949_s_at	VKORC1	vitamin K epoxide reductase complex, subunit 1
36	218051_s_at	NT5DC2	5'-nucleotidase domain containing 2
37	203889_at	SCG5	secretogranin V (7B2 protein)
38	201689_s_at	TPD52	tumor protein D52
39	218355_at	KIF4A	kinesin family member 4A
40	223993_s_at	CNIH4	cornichon homolog 4 (Drosophila)
41	202856_s_at	SLC16A3	solute carrier family 16, member 3 (monocarboxylic acid transpor
42	202690_s_at	SNRPD1	small nuclear ribonucleoprotein D1 polypeptide 16kDa
43	225099_at	FBXO45	F-box protein 45
44	238075_at	CHEK1	checkpoint kinase 1
45	222701_s_at	CHCHD7	coiled-coil-helix-coiled-coil-helix domain containing 7
46	212320_at	TUBB	tubulin, beta class I
47	228559_at	CENPN	centromere protein N
48	212013_at	PXDN	peroxidasin homolog (Drosophila)
49	224217_s_at	FAF1	Fas (TNFRSF6) associated factor 1
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	202580_x_at	FOXM1	forkhead box M1
3	201629_s_at	ACP1	acid phosphatase 1, soluble
4	223062_s_at	PSAT1	phosphoserine aminotransferase 1
5	201096_s_at	ARF4	ADP-ribosylation factor 4
6	201897_s_at	CKS1B	CDC28 protein kinase regulatory subunit 1B
7	225827_at	EIF2C2	eukaryotic translation initiation factor 2C, 2
8	227350_at	HELLS	helicase, lymphoid-specific
9	208581_x_at	MT1X	metallothionein 1X
10	224523_s_at	C3orf26	chromosome 3 open reading frame 26
11	239002_at	ASPM	asp (abnormal spindle) homolog, microcephaly associated (Droso
12	231855_at	KIAA1524	KIAA1524
13	235425_at	SGOL2	shugoshin-like 2 (S. pombe)
14	222039_at	KIF18B	kinesin family member 18B
15	213133_s_at	GCSH	glycine cleavage system protein H (aminomethyl carrier)
16	229442_at	C18orf54	chromosome 18 open reading frame 54
17	204165_at	WASF1	WAS protein family, member 1
18	224320_s_at	MCM8	minichromosome maintenance complex component 8
19	203119_at	CCDC86	coiled-coil domain containing 86
20	213427_at	RPP40	ribonuclease P/MRP 40kDa subunit
21	218586_at	C20orf20	chromosome 20 open reading frame 20
22	205024_s_at	RAD51	RAD51 homolog (S. cerevisiae)
23	212141_at	MCM4	minichromosome maintenance complex component 4
24	1555878_at	RPS24	Ribosomal protein S24
25	207508_at	ATP5G3	ATP synthase, H+ transporting, mitochondrial Fo complex, subunit
26	218695_at	EXOSC4	exosome component 4
27	203270_at	DTYMK	deoxythymidylate kinase (thymidylate kinase)
28	225943_at	NLN	neurolysin (metallopeptidase M3 family)
29	202591_s_at	MIR5096 /// SSBP1	microRNA 5096 /// single-stranded DNA binding protein 1, mitoch
30	229305_at	MLF1IP	MLF1 interacting protein
31	202296_s_at	RER1	RER1 retention in endoplasmic reticulum 1 homolog (S. cerevisiae)
32	221520_s_at	CDCA8	cell division cycle associated 8
33	204641_at	NEK2	NIMA (never in mitosis gene a)-related kinase 2
34	1553984_s_at	DTYMK	deoxythymidylate kinase (thymidylate kinase)
35	228868_x_at	CDT1	Chromatin licensing and DNA replication factor 1
36	228564_at	LOC375295	uncharacterized LOC375295
37	200975_at	PPT1	palmitoyl-protein thioesterase 1
38	201848_s_at	BNIP3	BCL2/adenovirus E1B 19kDa interacting protein 3
39	201263_at	TARS	threonyl-tRNA synthetase
40	212458_at	SPRED2	sprouty-related, EVH1 domain containing 2
41	222843_at	FIGNL1	fidgetin-like 1
42	204695_at	CDC25A	cell division cycle 25 homolog A (S. pombe)
43	201231_s_at	ENO1	enolase 1, (alpha)
44	205402_x_at	PRSS2	protease, serine, 2 (trypsin 2)
45	212789_at	NCAPD3	non-SMC condensin II complex, subunit D3
46	211762_s_at	KPNA2	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)
47	216470_x_at	PRSS2	protease, serine, 2 (trypsin 2)
48	200658_s_at	PHB	prohibitin
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

227942_s_at	CRIPT	cysteine-rich PDZ-binding protein
220011_at	C1orf135	chromosome 1 open reading frame 135
228931_at	COQ4	coenzyme Q4 homolog (<i>S. cerevisiae</i>)
223480_s_at	MRPL47	mitochondrial ribosomal protein L47
219544_at	BORA	bora, aurora kinase A activator
204610_s_at	CCDC85B	coiled-coil domain containing 85B
221692_s_at	MRPL34	mitochondrial ribosomal protein L34
205499_at	SRPX2	sushi-repeat containing protein, X-linked 2
238996_x_at	ALDOA	aldolase A, fructose-bisphosphate
223055_s_at	XPO5	exportin 5
202666_s_at	ACTL6A	actin-like 6A
205167_s_at	CDC25C	cell division cycle 25 homolog C (<i>S. pombe</i>)
225439_at	NUDCD1	NudC domain containing 1
213008_at	FANCI	Fanconi anemia, complementation group I
AFFX-HUMGAPDH/ GAPDH /// GAPDH		glyceraldehyde-3-phosphate dehydrogenase /// glyceraldehyde-3
224714_at	MKI67IP	MKI67 (FHA domain) interacting nucleolar phosphoprotein
203625_x_at	SKP2	S-phase kinase-associated protein 2, E3 ubiquitin protein ligase
212680_x_at	PPP1R14B	protein phosphatase 1, regulatory (inhibitor) subunit 14B
204162_at	NDC80	NDC80 kinetochore complex component homolog (<i>S. cerevisiae</i>)
202310_s_at	COL1A1	collagen, type I, alpha 1
203818_s_at	SF3A3	splicing factor 3a, subunit 3, 60kDa
225853_at	GNPNAT1	glucosamine-phosphate N-acetyltransferase 1
212816_s_at	CBS	cystathionine-beta-synthase
205122_at	MSANTD3-TMEFF1 /// MSANTD3-TMEFF1 readthrough /// transmembrane protein with	
228468_at	MASTL	microtubule associated serine/threonine kinase-like
205733_at	BLM	Bloom syndrome, RecQ helicase-like
214095_at	SHMT2	serine hydroxymethyltransferase 2 (mitochondrial)
200744_s_at	GNB1	guanine nucleotide binding protein (G protein), beta polypeptide
201664_at	SMC4	structural maintenance of chromosomes 4
224376_s_at	C20orf24 /// TGIF2-C2	chromosome 20 open reading frame 24 /// TGIF2-C20orf24 readt
213647_at	DNA2	DNA replication helicase 2 homolog (yeast)
219311_at	CEP76	centrosomal protein 76kDa
211980_at	COL4A1	collagen, type IV, alpha 1
200925_at	COX6A1	cytochrome c oxidase subunit VIa polypeptide 1
226943_at	C12orf73	chromosome 12 open reading frame 73
227477_at	ZMYND19	zinc finger, MYND-type containing 19
202107_s_at	MCM2	minichromosome maintenance complex component 2
218984_at	PUS7	pseudouridylate synthase 7 homolog (<i>S. cerevisiae</i>)
209781_s_at	KHDRBS3	KH domain containing, RNA binding, signal transduction associate
229742_at	C15orf61	chromosome 15 open reading frame 61
208875_s_at	PAK2	p21 protein (Cdc42/Rac)-activated kinase 2
224232_s_at	PRELID1	PRELI domain containing 1
224331_s_at	MRPL36	mitochondrial ribosomal protein L36
218187_s_at	C8orf33	chromosome 8 open reading frame 33
202839_s_at	NDUFB7	NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 7, 18kDa
202806_at	DBN1	drebrin 1
205449_at	SAC3D1	SAC3 domain containing 1

1			
2	204584_at	L1CAM	L1 cell adhesion molecule
3	225036_at	TOMM5	translocase of outer mitochondrial membrane 5 homolog (yeast)
4	203417_at	MFAP2	microfibrillar-associated protein 2
5	222702_x_at	CRIPT	cysteine-rich PDZ-binding protein
6	236075_s_at	LOC100506676	uncharacterized LOC100506676
7	212296_at	PSMD14	proteasome (prosome, macropain) 26S subunit, non-ATPase, 14
8	201564_s_at	FSCN1 /// LOC100653	fascin homolog 1, actin-bundling protein (Strongylocentrotus purpurus)
9	227165_at	SKA3	spindle and kinetochore associated complex subunit 3
10	229097_at	DIAPH3	diaphanous homolog 3 (Drosophila)
11	221676_s_at	CORO1C	coronin, actin binding protein, 1C
12	220060_s_at	PARPBP	PARP1 binding protein
13	232238_at	ASPM	asp (abnormal spindle) homolog, microcephaly associated (Drosophila)
14	202667_s_at	SLC39A7	solute carrier family 39 (zinc transporter), member 7
15	201774_s_at	NCAPD2	non-SMC condensin I complex, subunit D2
16	211456_x_at	MT1P2	metallothionein 1 pseudogene 2
17	202715_at	CAD	carbamoyl-phosphate synthetase 2, aspartate transcarbamylase, mitochondrial
18	218479_s_at	XPO4	exportin 4
19	223020_at	CLPTM1L	CLPTM1-like
20	223839_s_at	SCD	stearoyl-CoA desaturase (delta-9-desaturase)
21	203347_s_at	MTF2	metal response element binding transcription factor 2
22	217829_s_at	USP39	ubiquitin specific peptidase 39
23	223413_s_at	LYAR	Ly1 antibody reactive homolog (mouse)
24	211318_s_at	RAE1	RAE1 RNA export 1 homolog (S. pombe)
25	1558750_a_at	LOC100288637	OTU domain containing 7A pseudogene
26	225291_at	PNPT1	polynucleotide nucleotidyltransferase 1
27	217398_x_at	GAPDH	glyceraldehyde-3-phosphate dehydrogenase
28	203577_at	GTF2H4	general transcription factor IIH, polypeptide 4, 52kDa
29	202016_at	MEST	mesoderm specific transcript homolog (mouse)
30	234464_s_at	EME1	essential meiotic endonuclease 1 homolog 1 (S. pombe)
31	213088_s_at	DNAJC9	DnaJ (Hsp40) homolog, subfamily C, member 9
32	204033_at	TRIP13	thyroid hormone receptor interactor 13
33	223461_at	TBC1D7	TBC1 domain family, member 7
34	221436_s_at	CDCA3	cell division cycle associated 3
35	220094_s_at	CCDC90A	coiled-coil domain containing 90A
36	200770_s_at	LAMC1	laminin, gamma 1 (formerly LAMB2)
37	202311_s_at	COL1A1	collagen, type I, alpha 1
38	218982_s_at	MRPS17	mitochondrial ribosomal protein S17
39	228281_at	C11orf82	chromosome 11 open reading frame 82
40	201672_s_at	USP14	ubiquitin specific peptidase 14 (tRNA-guanine transglycosylase)
41	222497_x_at	NMD3	NMD3 homolog (S. cerevisiae)
42	221845_s_at	CLPB	ClpB caseinolytic peptidase B homolog (E. coli)
43	225788_at	RRP36	ribosomal RNA processing 36 homolog (S. cerevisiae)
44	218193_s_at	GOLT1B	golgi transport 1B
45	204724_s_at	COL9A3	collagen, type IX, alpha 3
46	218080_x_at	FAF1	Fas (TNFRSF6) associated factor 1
47	229886_at	C5orf34	chromosome 5 open reading frame 34
48	225593_at	LSM10	LSM10, U7 small nuclear RNA associated
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

200657_at	SLC25A5	solute carrier family 25 (mitochondrial carrier; adenine nucleotide
200910_at	CCT3	chaperonin containing TCP1, subunit 3 (gamma)
202706_s_at	UMPS	uridine monophosphate synthetase
205339_at	STIL	SCL/TAL1 interrupting locus
204728_s_at	WDHD1	WD repeat and HMG-box DNA binding protein 1
228990_at	SNHG12 /// SNORA16	small nucleolar RNA host gene 12 (non-protein coding) /// small n
200966_x_at	ALDOA	aldolase A, fructose-bisphosphate
224623_at	LOC728554 /// THOC3	THO complex 3 pseudogene /// THO complex 3
218399_s_at	CDCA4	cell division cycle associated 4
201074_at	SMARCC1	SWI/SNF related, matrix associated, actin dependent regulator of
201417_at	SOX4	SRY (sex determining region Y)-box 4
1554101_a_at	TMTC4	transmembrane and tetratricopeptide repeat containing 4
220789_s_at	SNORA5B /// TBRG4	small nucleolar RNA, H/ACA box 5B /// transforming growth facto
218308_at	TACC3	transforming, acidic coiled-coil containing protein 3
223880_x_at	C20orf24 /// TGIF2-C2	chromosome 20 open reading frame 24 /// TGIF2-C2orf24 readtl
206461_x_at	MT1H	metallothionein 1H
232065_x_at	CENPL	centromere protein L
241937_s_at	WDR4	WD repeat domain 4
204957_at	ORC5	origin recognition complex, subunit 5
211576_s_at	SLC19A1	solute carrier family 19 (folate transporter), member 1
222714_s_at	LACTB2	lactamase, beta 2
210766_s_at	CSE1L	CSE1 chromosome segregation 1-like (yeast)
211594_s_at	MRPL9	mitochondrial ribosomal protein L9
213523_at	CCNE1	cyclin E1
203502_at	BPGM	2,3-bisphosphoglycerate mutase
235509_at	LOC100506538 /// ND	uncharacterized LOC100506538 /// NADH dehydrogenase (ubiqui
210976_s_at	PFKM	phosphofructokinase, muscle
219510_at	POLQ	polymerase (DNA directed), theta
228733_at	PUSL1	pseudouridylate synthase-like 1
216237_s_at	MCM5	minichromosome maintenance complex component 5
204853_at	ORC2	origin recognition complex, subunit 2
217834_s_at	SYNCRIP	synaptotagmin binding, cytoplasmic RNA interacting protein
58696_at	EXOSC4	exosome component 4
1568873_at	ZNF519	zinc finger protein 519
235704_at	DAZAP2	DAZ associated protein 2
220607_x_at	TH1L	TH1-like (Drosophila)
225693_s_at	CAMTA1	calmodulin binding transcription activator 1
230954_at	C20orf112	chromosome 20 open reading frame 112
216222_s_at	MYO10	myosin X
200644_at	MARCKSL1	MARCKS-like 1
208308_s_at	GPI	glucose-6-phosphate isomerase
219420_s_at	SELRC1	Sel1 repeat containing 1
225657_at	LOC152217	uncharacterized LOC152217
225638_at	C1orf31	chromosome 1 open reading frame 31
201322_at	ATP5B	ATP synthase, H ⁺ transporting, mitochondrial F1 complex, beta pc
210933_s_at	FSCN1 /// LOC100653	fascin homolog 1, actin-bundling protein (Strongylocentrotus purp
200818_at	ATP5O	ATP synthase, H ⁺ transporting, mitochondrial F1 complex, O subu

1			
2	227896_at	BCCIP	BRCA2 and CDKN1A interacting protein
3	201757_at	NDUFS5	NADH dehydrogenase (ubiquinone) Fe-S protein 5, 15kDa (NADH-
4	224579_at	SLC38A1	solute carrier family 38, member 1
5	209482_at	POP7	processing of precursor 7, ribonuclease P/MRP subunit (S. cerevis
6	229139_at	JPH1	junctophilin 1
7	201976_s_at	MYO10	myosin X
8	200607_s_at	RAD21	RAD21 homolog (S. pombe)
9	1553956_at	TMEM237	transmembrane protein 237
10	217165_x_at	MT1F	metallothionein 1F
11	214687_x_at	ALDOA	aldolase A, fructose-bisphosphate
12	223452_s_at	ATL3	atlastin GTPase 3
13	202598_at	S100A13	S100 calcium binding protein A13
14	214086_s_at	PARP2	poly (ADP-ribose) polymerase 2
15	204767_s_at	FEN1	flap structure-specific endonuclease 1
16	219105_x_at	ORC6	origin recognition complex, subunit 6
17	227545_at	BARD1	BRCA1 associated RING domain 1
18	212023_s_at	MKI67	antigen identified by monoclonal antibody Ki-67
19	227587_at	KRI1	KRI1 homolog (S. cerevisiae)
20	224468_s_at	C19orf48	chromosome 19 open reading frame 48
21	226059_at	TOMM40L	translocase of outer mitochondrial membrane 40 homolog (yeast)
22	225933_at	CCDC137	coiled-coil domain containing 137
23	211042_x_at	MCAM	melanoma cell adhesion molecule
24	225261_x_at	TH1L	TH1-like (Drosophila)
25	202190_at	CSTF1	cleavage stimulation factor, 3' pre-RNA, subunit 1, 50kDa
26	213453_x_at	GAPDH	glyceraldehyde-3-phosphate dehydrogenase
27	218580_x_at	AURKAIP1	aurora kinase A interacting protein 1
28	222417_s_at	SNX5	sorting nexin 5
29	209172_s_at	CENPF	centromere protein F, 350/400kDa (mitosin)
30	202679_at	NPC1	Niemann-Pick disease, type C1
31	204315_s_at	GTSE1	G-2 and S-phase expressed 1
32	221535_at	LSG1	large subunit GTPase 1 homolog (S. cerevisiae)
33	226909_at	ZNF518B	zinc finger protein 518B
34	211960_s_at	RAB7A	RAB7A, member RAS oncogene family
35	52285_f_at	CEP76	centrosomal protein 76kDa
36	200783_s_at	STMN1	stathmin 1
37	1555501_s_at	RSRC1	arginine/serine-rich coiled-coil 1
38	223491_at	COMMD2	COMM domain containing 2
39	209836_x_at	BOLA2 /// BOLA2B	bolA homolog 2 (E. coli) /// bolA homolog 2B (E. coli)
40	212581_x_at	GAPDH	glyceraldehyde-3-phosphate dehydrogenase
41	219217_at	NARS2	asparaginyl-tRNA synthetase 2, mitochondrial (putative)
42	226006_at	PET100	PET100 homolog (S. cerevisiae)
43	226296_s_at	MRPS15	mitochondrial ribosomal protein S15
44	222989_s_at	UBQLN1	ubiquilin 1
45	200846_s_at	PPP1CA	protein phosphatase 1, catalytic subunit, alpha isozyme
46	235253_at	RAD1	RAD1 homolog (S. pombe)
47	222622_at	PGP	phosphoglycolate phosphatase
48	202514_at	DLG1	discs, large homolog 1 (Drosophila)
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	225100_at	FBXO45	F-box protein 45
3	213175_s_at	SNRPB	small nuclear ribonucleoprotein polypeptides B and B1
4	209609_s_at	MRPL9	mitochondrial ribosomal protein L9
5	208962_s_at	FADS1 /// MIR1908	fatty acid desaturase 1 /// microRNA 1908
6	201818_at	LPCAT1	lysophosphatidylcholine acyltransferase 1
7	233588_x_at	PFDN6	prefoldin subunit 6
8	203039_s_at	NDUFS1	NADH dehydrogenase (ubiquinone) Fe-S protein 1, 75kDa (NADH-
9	222593_s_at	SPATS2	spermatogenesis associated, serine-rich 2
10	225401_at	C1orf85	chromosome 1 open reading frame 85
11	213787_s_at	EBP	emopamil binding protein (sterol isomerase)
12	206316_s_at	KNTC1	kinetochore associated 1
13	221522_at	ANKRD27	ankyrin repeat domain 27 (VPS9 domain)
14	223234_at	MAD2L2	MAD2 mitotic arrest deficient-like 2 (yeast)
15	225841_at	HENMT1	HEN1 methyltransferase homolog 1 (Arabidopsis)
16	220642_x_at	GPR89A /// GPR89B //	G protein-coupled receptor 89A /// G protein-coupled receptor 89B
17	203209_at	RFC5	replication factor C (activator 1) 5, 36.5kDa
18	202183_s_at	KIF22	kinesin family member 22
19	222700_at	ATL2	atlastin GTPase 2
20	223231_at	TATDN1	TatD DNase domain containing 1
21	204326_x_at	MT1X	metallothionein 1X
22	218712_at	C1orf109	chromosome 1 open reading frame 109
23	201896_s_at	PSRC1	proline/serine-rich coiled-coil 1
24	204700_x_at	DIEXF	digestive organ expansion factor homolog (zebrafish)
25	200075_s_at	GUK1	guanylate kinase 1
26	235572_at	SPC24	SPC24, NDC80 kinetochore complex component, homolog (S. cerevisiae)
27	224521_s_at	CCDC77	coiled-coil domain containing 77
28	204173_at	MYL6B	myosin, light chain 6B, alkali, smooth muscle and non-muscle
29	227517_s_at	GAS5 /// SNORD44 ///	growth arrest-specific 5 (non-protein coding) /// small nucleolar RNA
30	38158_at	ESPL1	extra spindle pole bodies homolog 1 (S. cerevisiae)
31	217025_s_at	DBN1	drebrin 1
32	216088_s_at	PSMA7	proteasome (prosome, macropain) subunit, alpha type, 7
33	224439_x_at	RNF7	ring finger protein 7
34	208964_s_at	FADS1 /// MIR1908	fatty acid desaturase 1 /// microRNA 1908
35	215165_x_at	UMPS	uridine monophosphate synthetase
36	202737_s_at	LSM4	LSM4 homolog, U6 small nuclear RNA associated (S. cerevisiae)
37	225018_at	SPIRE1	spire homolog 1 (Drosophila)
38	202857_at	CNPY2	canopy 2 homolog (zebrafish)
39	201180_s_at	GNAI3	guanine nucleotide binding protein (G protein), alpha inhibiting activity
40	225552_x_at	AURKAIP1	aurora kinase A interacting protein 1
41	239413_at	CEP152	centrosomal protein 152kDa
42	228970_at	ZBTB8OS	zinc finger and BTB domain containing 8 opposite strand
43	202330_s_at	UNG	uracil-DNA glycosylase
44	201853_s_at	CDC25B	cell division cycle 25 homolog B (S. pombe)
45	222981_s_at	RAB10	RAB10, member RAS oncogene family
46	222029_x_at	PFDN6	prefoldin subunit 6
47	225880_at	TOR1AIP2	torsin A interacting protein 2
48	202128_at	KIAA0317	KIAA0317
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	201790_s_at	DHCR7	7-dehydrocholesterol reductase
3	212654_at	TPM2	tropomyosin 2 (beta)
4	201584_s_at	DDX39A	DEAD (Asp-Glu-Ala-Asp) box polypeptide 39A
5	230060_at	CDC47	cell division cycle associated 7
6			
7	1554390_s_at	ACTR2	ARP2 actin-related protein 2 homolog (yeast)
8	235463_s_at	CERS6	ceramide synthase 6
9	221538_s_at	PLXNA1	plexin A1
10	204558_at	RAD54L	RAD54-like (S. cerevisiae)
11	217943_s_at	MAP7D1	MAP7 domain containing 1
12	203190_at	MIR4691 /// NDUFS8	microRNA 4691 /// NADH dehydrogenase (ubiquinone) Fe-S prote
13	203105_s_at	DNM1L	dynammin 1-like
14	1555764_s_at	TIMM10	translocase of inner mitochondrial membrane 10 homolog (yeast)
15			
16	204752_x_at	PARP2	poly (ADP-ribose) polymerase 2
17	215227_x_at	ACP1	acid phosphatase 1, soluble
18	213334_x_at	HAUS7	HAUS augmin-like complex, subunit 7
19	206032_at	DSC3	desmocollin 3
20	203234_at	UPP1	uridine phosphorylase 1
21	202824_s_at	TCEB1	transcription elongation factor B (SIII), polypeptide 1 (15kDa, elon
22	201970_s_at	NASP	nuclear autoantigenic sperm protein (histone-binding)
23	212165_at	TMEM183A /// TMEM	transmembrane protein 183A /// transmembrane protein 183B
24	222992_s_at	NDUFB9	NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 9, 22kDa
25	201587_s_at	IRAK1	interleukin-1 receptor-associated kinase 1
26	219402_s_at	DERL1	derlin 1
27	223524_s_at	TMEM108	transmembrane protein 108
28	234311_s_at	GTPBP10	GTP-binding protein 10 (putative)
29	200980_s_at	PDHA1	pyruvate dehydrogenase (lipoamide) alpha 1
30	201433_s_at	PTDSS1	phosphatidylserine synthase 1
31	238964_at	FIGN	fidgetin
32			
33	228245_s_at	LOC100509445 /// LO	uncharacterized LOC100509445 /// ovostatin homolog 2-like /// c
34	208941_s_at	SEPHS1	selenophosphate synthetase 1
35	225006_x_at	TH1L	TH1-like (Drosophila)
36	218286_s_at	RNF7	ring finger protein 7
37	217733_s_at	TMSB10	thymosin beta 10
38	203228_at	PAFAH1B3	platelet-activating factor acetylhydrolase 1b, catalytic subunit 3 (2
39	226473_at	CBX2	chromobox homolog 2
40	202961_s_at	ATP5J2	ATP synthase, H+ transporting, mitochondrial Fo complex, subunit
41	209744_x_at	ITCH	itchy E3 ubiquitin protein ligase
42	224932_at	CHCHD10	coiled-coil-helix-coiled-coil-helix domain containing 10
43	221711_s_at	BABAM1	BRISC and BRCA1 A complex member 1
44	213843_x_at	SLC6A8	solute carrier family 6 (neurotransmitter transporter, creatine), m
45	235266_at	ATAD2	ATPase family, AAA domain containing 2
46	221909_at	RNFT2	ring finger protein, transmembrane 2
47	201114_x_at	PSMA7	proteasome (prosome, macropain) subunit, alpha type, 7
48	214096_s_at	SHMT2	serine hydroxymethyltransferase 2 (mitochondrial)
49	210115_at	RPL39L	ribosomal protein L39-like
50	209680_s_at	KIFC1	kinesin family member C1
51	201390_s_at	CSNK2B	casein kinase 2, beta polypeptide
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	209882_at	RIT1	Ras-like without CAAX 1
3	226616_s_at	NDUFV3	NADH dehydrogenase (ubiquinone) flavoprotein 3, 10kDa
4	226947_at	GUSBP1 /// GUSBP4	glucuronidase, beta pseudogene 1 /// glucuronidase, beta pseudoc
5	204839_at	POP5	processing of precursor 5, ribonuclease P/MRP subunit (S. cerevis
6	204745_x_at	MT1G	metallothionein 1G
7	201064_s_at	PABPC4	poly(A) binding protein, cytoplasmic 4 (inducible form)
8	225317_at	ACBD6	acyl-CoA binding domain containing 6
9	210854_x_at	SLC6A8	solute carrier family 6 (neurotransmitter transporter, creatine), m
10	218590_at	C10orf2	chromosome 10 open reading frame 2
11	239710_at	FIGN	fidgetin
12	202633_at	TOPBP1	topoisomerase (DNA) II binding protein 1
13	227455_at	C6orf136	chromosome 6 open reading frame 136
14	213906_at	MYBL1	v-myb myeloblastosis viral oncogene homolog (avian)-like 1
15	222894_x_at	NDUFAF5	NADH dehydrogenase (ubiquinone) complex I, assembly factor 5
16	201441_at	COX6B1	cytochrome c oxidase subunit VIb polypeptide 1 (ubiquitous)
17	206261_at	ZNF239	zinc finger protein 239
18	201379_s_at	TPD52L2	tumor protein D52-like 2
19	226161_at	SLC30A6	solute carrier family 30 (zinc transporter), member 6
20	201727_s_at	ELAVL1	ELAV (embryonic lethal, abnormal vision, Drosophila)-like 1 (Hu ar
21	235694_at	TCFL5	transcription factor-like 5 (basic helix-loop-helix)
22	221591_s_at	FAM64A	family with sequence similarity 64, member A
23	222640_at	DNMT3A	DNA (cytosine-5-)-methyltransferase 3 alpha
24	228049_x_at	LOC100507303	uncharacterized LOC100507303
25	203025_at	NAA10	N(alpha)-acetyltransferase 10, NatA catalytic subunit
26	210213_s_at	EIF6	eukaryotic translation initiation factor 6
27	225865_x_at	TH1L	TH1-like (Drosophila)
28	201310_s_at	NREP	neuronal regeneration related protein homolog (rat)
29	223374_s_at	B3GALNT1	beta-1,3-N-acetylgalactosaminyltransferase 1 (globoside blood gr
30	222763_s_at	SFT2D3 /// WDR33	SFT2 domain containing 3 /// WD repeat domain 33
31	223244_s_at	NDUFA12	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 12
32	202279_at	C14orf2	chromosome 14 open reading frame 2
33	204228_at	PPIH	peptidylprolyl isomerase H (cyclophilin H)
34	204256_at	ELOVL6	ELOVL fatty acid elongase 6
35	200625_s_at	CAP1	CAP, adenylate cyclase-associated protein 1 (yeast)
36	209015_s_at	DNAJB6	DnaJ (Hsp40) homolog, subfamily B, member 6
37	1555241_at	C8orf59	chromosome 8 open reading frame 59
38	225427_s_at	APOA1BP	apolipoprotein A-I binding protein
39	226452_at	PDK1	pyruvate dehydrogenase kinase, isozyme 1
40	218408_at	TIMM10	translocase of inner mitochondrial membrane 10 homolog (yeast)
41	209589_s_at	EPHB2	EPH receptor B2
42	208029_s_at	LAPTM4B	lysosomal protein transmembrane 4 beta
43	212175_s_at	AK2	adenylate kinase 2
44	218770_s_at	TMEM39B	transmembrane protein 39B
45	212791_at	C1orf216	chromosome 1 open reading frame 216
46	202059_s_at	KPNA1	karyopherin alpha 1 (importin alpha 5)
47	201091_s_at	CBX3	chromobox homolog 3
48	204348_s_at	AK4 /// LOC100507851	adenylate kinase 4 /// adenylate kinase isoenzyme 4, mitochondri
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	212058_at	U2SURP	U2 snRNP-associated SURP domain containing
3	212411_at	IMP4	IMP4, U3 small nucleolar ribonucleoprotein, homolog (yeast)
4	216026_s_at	POLE	polymerase (DNA directed), epsilon, catalytic subunit
5	208795_s_at	MCM7	minichromosome maintenance complex component 7
6	204817_at	ESPL1	extra spindle pole bodies homolog 1 (S. cerevisiae)
7	235029_at	GINS4	GINS complex subunit 4 (Sld5 homolog)
8	227852_at	RP9	retinitis pigmentosa 9 (autosomal dominant)
9	207714_s_at	SERPINH1	serpin peptidase inhibitor, clade H (heat shock protein 47), memb
10	222606_at	ZWILCH	Zwilch, kinetochore associated, homolog (Drosophila)
11	219119_at	NAA38	N(alpha)-acetyltransferase 38, NatC auxiliary subunit
12	208698_s_at	NONO	non-POU domain containing, octamer-binding
13	208743_s_at	YWHAB	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activat
14	221962_s_at	UBE2H	ubiquitin-conjugating enzyme E2H
15	225963_at	KLHDC5	kelch domain containing 5
16	223024_at	AP1M1	adaptor-related protein complex 1, mu 1 subunit
17	204766_s_at	NUDT1	nudix (nucleoside diphosphate linked moiety X)-type motif 1
18	218897_at	TMEM177	transmembrane protein 177
19	218481_at	EXOSC5	exosome component 5
20	200771_at	LAMC1	laminin, gamma 1 (formerly LAMB2)
21	220864_s_at	NDUFA13	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 13
22	40148_at	APBB2	amyloid beta (A4) precursor protein-binding, family B, member 2
23	217835_x_at	C20orf24 /// TGIF2-C2	chromosome 20 open reading frame 24 /// TGIF2-C20orf24 readtl
24	229666_s_at	CSTF3	cleavage stimulation factor, 3' pre-RNA, subunit 3, 77kDa
25	224578_at	RCC2	regulator of chromosome condensation 2
26	204668_at	RNF24	ring finger protein 24
27	201770_at	SNRPA	small nuclear ribonucleoprotein polypeptide A
28	214005_at	GGCX	gamma-glutamyl carboxylase
29	223560_s_at	C2orf56	chromosome 2 open reading frame 56
30	202475_at	TMEM147	transmembrane protein 147
31	1558692_at	C1orf85	chromosome 1 open reading frame 85
32	228252_at	PIF1	PIF1 5'-to-3' DNA helicase homolog (S. cerevisiae)
33	200692_s_at	HSPA9	heat shock 70kDa protein 9 (mortalin)
34	220942_x_at	FAM162A	family with sequence similarity 162, member A
35	219522_at	FJX1	four jointed box 1 (Drosophila)
36	1557945_at	TCTE3	T-complex-associated-testis-expressed 3
37	232398_at	CCDC150	coiled-coil domain containing 150
38	208821_at	SNRPB	small nuclear ribonucleoprotein polypeptides B and B1
39	200862_at	DHCR24	24-dehydrocholesterol reductase
40	220223_at	ATAD5	ATPase family, AAA domain containing 5
41	218507_at	HILPDA	hypoxia inducible lipid droplet-associated
42	1553972_a_at	CBS	cystathionine-beta-synthase
43	202219_at	SLC6A8	solute carrier family 6 (neurotransmitter transporter, creatine), m
44	212621_at	TMEM194A	transmembrane protein 194A
45	236718_at	MYO10	myosin X
46	203736_s_at	PPFIBP1	PTPRF interacting protein, binding protein 1 (liprin beta 1)
47	223690_at	LTBP2	latent transforming growth factor beta binding protein 2
48	200608_s_at	RAD21	RAD21 homolog (S. pombe)
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	209104_s_at	NHP2	NHP2 ribonucleoprotein homolog (yeast)
3	213696_s_at	MED8	mediator complex subunit 8
4	214804_at	CENPI	centromere protein I
5	234926_s_at	C20orf43	chromosome 20 open reading frame 43
6	228671_at	TMEM201	transmembrane protein 201
7	212877_at	KLC1	kinesin light chain 1
8	228401_at	ATAD2	ATPase family, AAA domain containing 2
9	201111_at	CSE1L	CSE1 chromosome segregation 1-like (yeast)
10	215812_s_at	LOC653562	LOC653562 /// SLC6A1 sodium- and chloride-dependent creatine transporter 1-like /// sc
11	227997_at	IL17RD	interleukin 17 receptor D
12	231517_at	ZYG11A	zyg-11 homolog A (C. elegans)
13	1554020_at	BICD1	bicaudal D homolog 1 (Drosophila)
14	222514_at	RRAGC	Ras-related GTP binding C
15	213671_s_at	MARS	methionyl-tRNA synthetase
16	225991_at	TMEM41A	transmembrane protein 41A
17	201264_at	COPE	coatamer protein complex, subunit epsilon
18	224448_s_at	MNF1	mitochondrial nucleoid factor 1
19	201692_at	SIGMAR1	sigma non-opioid intracellular receptor 1
20	214321_at	NOV	nephroblastoma overexpressed
21	212625_at	STX10	syntaxin 10
22	235384_at	NUDT19	nudix (nucleoside diphosphate linked moiety X)-type motif 19
23	224610_at	SNHG1	SNHG1 /// SNORD22 / small nucleolar RNA host gene 1 (non-protein coding) /// small nu
24	224791_at	ASAP1	ArfGAP with SH3 domain, ankyrin repeat and PH domain 1
25	201521_s_at	NCBP2	nuclear cap binding protein subunit 2, 20kDa
26	214073_at	CTTN	cortactin
27	230424_at	NREP	neuronal regeneration related protein homolog (rat)
28	225540_at	MAP2	microtubule-associated protein 2
29	210811_s_at	DDX49	DEAD (Asp-Glu-Ala-Asp) box polypeptide 49
30	212985_at	APBB2	amyloid beta (A4) precursor protein-binding, family B, member 2
31	202208_s_at	ARL4C	ADP-ribosylation factor-like 4C
32	203578_s_at	SLC7A6	solute carrier family 7 (amino acid transporter light chain, y+L syst
33	218237_s_at	SLC38A1	solute carrier family 38, member 1
34	225676_s_at	DCAF13	DDB1 and CUL4 associated factor 13
35	203536_s_at	CIAO1	cytosolic iron-sulfur protein assembly 1
36	214039_s_at	LAPTM4B	lysosomal protein transmembrane 4 beta
37	236565_s_at	LARP6	La ribonucleoprotein domain family, member 6
38	226255_at	ZBTB33	zinc finger and BTB domain containing 33
39	207746_at	POLQ	polymerase (DNA directed), theta
40	201298_s_at	MOB1A	MOB kinase activator 1A
41	204649_at	TROAP	trophinin associated protein (tastin)
42	210416_s_at	CHEK2	checkpoint kinase 2
43	226847_at	FST	follicle-stimulating hormone receptor
44	224564_s_at	RTN3	reticulon 3
45	225424_at	GPAM	glycerol-3-phosphate acyltransferase, mitochondrial
46	230696_at	LOC100289092	uncharacterized LOC100289092
47	217861_s_at	PREB	prolactin regulatory element binding
48	244427_at	KIF23	Kinesin family member 23
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	212800_at	STX6	syntaxin 6
3	241453_at	LOC100653024 /// LOC100653024	uncharacterized LOC100653024 /// uncharacterized LOC1006531
4	217094_s_at	ITCH	itchy E3 ubiquitin protein ligase
5	227651_at	NACC1	nucleus accumbens associated 1, BEN and BTB (POZ) domain cont
6	203422_at	POLD1	polymerase (DNA directed), delta 1, catalytic subunit
7	224684_at	SNX12	sorting nexin 12
8	228238_at	GAS5 /// SNORD44 ///	growth arrest-specific 5 (non-protein coding) /// small nucleolar R
9	229647_at	NDUFS1	NADH dehydrogenase (ubiquinone) Fe-S protein 1, 75kDa (NADH-
10	220051_at	PRSS21	protease, serine, 21 (testisin)
11	212405_s_at	METTL13	methyltransferase like 13
12	225143_at	SFXN4	sideroflexin 4
13	218133_s_at	NIF3L1	NIF3 NGG1 interacting factor 3-like 1 (S. cerevisiae)
14	213310_at	EIF2C2 /// LOC286109	Eukaryotic translation initiation factor 2C, 2 /// Uncharacterized L
15	204480_s_at	C9orf16	chromosome 9 open reading frame 16
16	204608_at	ASL	argininosuccinate lyase
17	217926_at	C19orf53	chromosome 19 open reading frame 53
18	225081_s_at	CDCA7L	cell division cycle associated 7-like
19	201250_s_at	SLC2A1	solute carrier family 2 (facilitated glucose transporter), member 1
20	200827_at	PLOD1	procollagen-lysine, 2-oxoglutarate 5-dioxygenase 1
21	226938_at	DCAF4	DDB1 and CUL4 associated factor 4
22	202918_s_at	HSPE1-MOB4 /// MOB	HSPE1-MOB4 readthrough /// MOB family member 4, phocein
23	225468_at	PATL1	protein associated with topoisomerase II homolog 1 (yeast)
24	202804_at	ABCC1	ATP-binding cassette, sub-family C (CFTR/MRP), member 1
25	226355_at	POC1A	POC1 centriolar protein homolog A (Chlamydomonas)
26	222530_s_at	MKKS	McKusick-Kaufman syndrome
27	224598_at	MGAT4B	mannosyl (alpha-1,3-)-glycoprotein beta-1,4-N-acetylglucosamin
28	217784_at	YKT6	YKT6 v-SNARE homolog (S. cerevisiae)
29	229671_s_at	MIS18A	MIS18 kinetochore protein homolog A (S. pombe)
30	219348_at	USE1	unconventional SNARE in the ER 1 homolog (S. cerevisiae)
31	217860_at	NDUFA10	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 10, 42kD
32	223389_s_at	ZNF581	zinc finger protein 581
33	225864_at	FAM84B	family with sequence similarity 84, member B
34	200868_s_at	RNF114	ring finger protein 114
35	231784_s_at	DCAF13	DDB1 and CUL4 associated factor 13
36	203588_s_at	TFDP2	transcription factor Dp-2 (E2F dimerization partner 2)
37	227103_s_at	ECE2	endothelin converting enzyme 2
38	218388_at	PGLS	6-phosphogluconolactonase
39	204407_at	TTF2	transcription termination factor, RNA polymerase II
40	201791_s_at	DHCR7	7-dehydrocholesterol reductase
41	232596_at	DIAPH3	diaphanous homolog 3 (Drosophila)
42	224615_x_at	HM13	histocompatibility (minor) 13
43	224890_s_at	C7orf59	chromosome 7 open reading frame 59
44	222451_s_at	ZDHHC9	zinc finger, DHHC-type containing 9
45	201066_at	CYC1	cytochrome c-1
46	202888_s_at	ANPEP	alanyl (membrane) aminopeptidase
47	200979_at	PDHA1	pyruvate dehydrogenase (lipoamide) alpha 1
48	230032_at	OSGEPL1	O-sialoglycoprotein endopeptidase-like 1
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

211964_at	COL4A2	collagen, type IV, alpha 2
204717_s_at	SLC29A2	solute carrier family 29 (nucleoside transporters), member 2
212020_s_at	MKI67	antigen identified by monoclonal antibody Ki-67
218003_s_at	FKBP3 /// LOC1006528	FK506 binding protein 3, 25kDa /// uncharacterized LOC1006528
220189_s_at	MGAT4B	mannosyl (alpha-1,3-)-glycoprotein beta-1,4-N-acetylglucosaminyl
201690_s_at	TPD52	tumor protein D52
219531_at	CEP72	centrosomal protein 72kDa
242828_at	FIGN	fidgetin
201710_at	MYBL2	v-myb myeloblastosis viral oncogene homolog (avian)-like 2
211031_s_at	CLIP2	CAP-GLY domain containing linker protein 2
229268_at	FAM105B	family with sequence similarity 105, member B
235648_at	ZNF567	zinc finger protein 567
218343_s_at	GTF3C3	general transcription factor IIIC, polypeptide 3, 102kDa
212541_at	FLAD1	FAD1 flavin adenine dinucleotide synthetase homolog (S. cerevisiae)
226032_at	CASP2	caspase 2, apoptosis-related cysteine peptidase
201754_at	COX6C	cytochrome c oxidase subunit VIc
222155_s_at	SLC52A2	solute carrier family 52, riboflavin transporter, member 2
230249_at	KHDRBS3	KH domain containing, RNA binding, signal transduction associate
213127_s_at	MED8	mediator complex subunit 8
241908_at	BROX	BRO1 domain and CAAX motif containing
229665_at	CSTF3	cleavage stimulation factor, 3' pre-RNA, subunit 3, 77kDa
201479_at	DKC1 /// SNORA56	dyskeratosis congenita 1, dyskerin /// small nucleolar RNA, H/ACA
201275_at	FDPS	farnesyl diphosphate synthase
238273_at	C7orf73 /// LOC10028	chromosome 7 open reading frame 73 /// chromosome 7 open re
243531_at	ORAOV1	oral cancer overexpressed 1
222987_s_at	TMEM9	transmembrane protein 9
209054_s_at	WHSC1	Wolf-Hirschhorn syndrome candidate 1
226649_at	PANK1	pantothenate kinase 1
205395_s_at	MRE11A	MRE11 meiotic recombination 11 homolog A (S. cerevisiae)
39729_at	PRDX2	peroxiredoxin 2
208934_s_at	LGALS8	lectin, galactoside-binding, soluble, 8
203167_at	TIMP2	TIMP metalloproteinase inhibitor 2
210290_at	ZNF174	zinc finger protein 174
224185_at	WRAP53	WD repeat containing, antisense to TP53
226630_at	MIS18BP1	MIS18 binding protein 1
228972_at	PITPNA-AS1	PITPNA antisense RNA 1 (non-protein coding)
210685_s_at	UBE4B	ubiquitination factor E4B
213754_s_at	PAIP1	poly(A) binding protein interacting protein 1
225196_s_at	MRPS26	mitochondrial ribosomal protein S26
202847_at	PCK2	phosphoenolpyruvate carboxykinase 2 (mitochondrial)
219004_s_at	MIS18A	MIS18 kinetochore protein homolog A (S. pombe)
227160_s_at	NDUFAF5	NADH dehydrogenase (ubiquinone) complex I, assembly factor 5
200734_s_at	ARF3	ADP-ribosylation factor 3
210418_s_at	IDH3B	isocitrate dehydrogenase 3 (NAD+) beta
210470_x_at	NONO	non-POU domain containing, octamer-binding
65588_at	LOC388796	uncharacterized LOC388796
206273_at	SLMO1	slowmo homolog 1 (Drosophila)

1			
2	222018_at	NACA	nascent polypeptide-associated complex alpha subunit
3	212072_s_at	CSNK2A1 /// CSNK2A1	casein kinase 2, alpha 1 polypeptide /// casein kinase 2, alpha 1 p
4	201068_s_at	PSMC2	proteasome (prosome, macropain) 26S subunit, ATPase, 2
5	213419_at	APBB2	amyloid beta (A4) precursor protein-binding, family B, member 2
6	32723_at	CSTF1	cleavage stimulation factor, 3' pre-RNA, subunit 1, 50kDa
7	211056_s_at	SRD5A1	steroid-5-alpha-reductase, alpha polypeptide 1 (3-oxo-5 alpha-ste
8	225303_at	KIRREL	kin of IRRE like (Drosophila)
9	218829_s_at	CHD7	chromodomain helicase DNA binding protein 7
10	203728_at	BAK1	BCL2-antagonist/killer 1
11	202554_s_at	GSTM3	glutathione S-transferase mu 3 (brain)
12	1555760_a_at	RBM15	RNA binding motif protein 15
13	213610_s_at	KLHL23 /// PHOSPHO2	kelch-like 23 (Drosophila) /// PHOSPHO2-KLHL23 readthrough
14	219345_at	BOLA1	bolA homolog 1 (E. coli)
15	233058_at	GPSM2	G-protein signaling modulator 2
16	232881_at	GNAS-AS1	GNAS antisense RNA 1 (non-protein coding)
17	224580_at	SLC38A1	solute carrier family 38, member 1
18	225925_s_at	USP48	ubiquitin specific peptidase 48
19	209171_at	ITPA	inosine triphosphatase (nucleoside triphosphate pyrophosphatase
20	218497_s_at	RNASEH1	ribonuclease H1
21	1553099_at	TIGD1	tigger transposable element derived 1
22	225777_at	SAPCD2	suppressor APC domain containing 2
23	227385_at	PPAPDC2	phosphatidic acid phosphatase type 2 domain containing 2
24	57703_at	SENP5	SUMO1/sentrin specific peptidase 5
25	217895_at	PTCD3	pentatricopeptide repeat domain 3
26	1558508_a_at	C1orf53	chromosome 1 open reading frame 53
27	214173_x_at	URI1	URI1, prefoldin-like chaperone
28	204514_at	DPH2	DPH2 homolog (S. cerevisiae)
29	219880_at	LOC100507619	uncharacterized LOC100507619
30	203550_s_at	FAM189B	family with sequence similarity 189, member B
31	202382_s_at	GNPDA1	glucosamine-6-phosphate deaminase 1
32	218538_s_at	MRS2	MRS2 magnesium homeostasis factor homolog (S. cerevisiae)
33	220525_s_at	AUP1	ancient ubiquitous protein 1
34	220399_at	LINC00115	long intergenic non-protein coding RNA 115
35	219491_at	LRFN4	leucine rich repeat and fibronectin type III domain containing 4
36	222233_s_at	DCLRE1C	DNA cross-link repair 1C
37	214700_x_at	RIF1	RAP1 interacting factor homolog (yeast)
38	220160_s_at	KPTN	kaptin (actin binding protein)
39	223513_at	CENPJ	centromere protein J
40	1554408_a_at	TK1	thymidine kinase 1, soluble
41	212832_s_at	CKAP5	cytoskeleton associated protein 5
42	213571_s_at	EIF4E2 /// LOC100507	eukaryotic translation initiation factor 4E family member 2 /// unc
43	212008_at	UBXN4	UBX domain protein 4
44	1554063_at	ZHX1-C8ORF76	ZHX1-C8ORF76 readthrough
45	204849_at	DPH3P1 /// TCFL5	DPH3, KTI11 homolog (S. cerevisiae) pseudogene 1 /// transcriptic
46	219002_at	FASTKD1	FAST kinase domains 1
47	219061_s_at	LAGE3	L antigen family, member 3
48	201509_at	IDH3B	isocitrate dehydrogenase 3 (NAD+) beta
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	237005_at	LOC442075	uncharacterized LOC442075
3	225861_at	FAM195A	family with sequence similarity 195, member A
4	204871_at	MTERF	mitochondrial transcription termination factor
5	203390_s_at	KIF3C	kinesin family member 3C
6	223811_s_at	GET4 /// SUN1	golgi to ER traffic protein 4 homolog (S. cerevisiae) /// Sad1 and U
7	222654_at	IMPAD1	inositol monophosphatase domain containing 1
8	202528_at	GALE	UDP-galactose-4-epimerase
9	202645_s_at	MEN1	multiple endocrine neoplasia I
10	225692_at	CAMTA1	calmodulin binding transcription activator 1
11	1554026_a_at	MYO10	myosin X
12	227094_at	DHTKD1	dehydrogenase E1 and transketolase domain containing 1
13	209797_at	CNPY2	canopy 2 homolog (zebrafish)
14	228987_at	FAM49B	family with sequence similarity 49, member B
15	217950_at	NOSIP	nitric oxide synthase interacting protein
16	201558_at	RAE1	RAE1 RNA export 1 homolog (S. pombe)
17	230521_at	C9orf100	chromosome 9 open reading frame 100
18	217208_s_at	DLG1	discs, large homolog 1 (Drosophila)
19	218617_at	TRIT1	tRNA isopentenyltransferase 1
20	227724_at	LOC728190	uncharacterized LOC728190
21	212012_at	PXDN	peroxidasin homolog (Drosophila)
22	228543_at	PET117	PET117 homolog (S. cerevisiae)
23	209899_s_at	PUF60	poly-U binding splicing factor 60KDa
24	203706_s_at	FZD7	frizzled family receptor 7
25	226346_at	MEX3A	mex-3 homolog A (C. elegans)
26	208952_s_at	LARP4B	La ribonucleoprotein domain family, member 4B
27	227818_at	CEP85	centrosomal protein 85kDa
28	229981_at	SNX5	sorting nexin 5
29	211527_x_at	VEGFA	vascular endothelial growth factor A
30	229538_s_at	IQGAP3	IQ motif containing GTPase activating protein 3
31	202338_at	TK1	thymidine kinase 1, soluble
32	221908_at	RNFT2	ring finger protein, transmembrane 2
33	217043_s_at	MFN1	mitofusin 1
34	45714_at	HCFC1R1	host cell factor C1 regulator 1 (XPO1 dependent)
35	1553715_s_at	FAM195A	family with sequence similarity 195, member A
36	242592_at	GPR137C	G protein-coupled receptor 137C
37	228066_at	C17orf96	chromosome 17 open reading frame 96
38	213668_s_at	SOX4	SRY (sex determining region Y)-box 4
39	226086_at	SYT13	synaptotagmin XIII
40	224790_at	ASAP1	ArfGAP with SH3 domain, ankyrin repeat and PH domain 1
41	211165_x_at	EPHB2	EPH receptor B2
42	238768_at	C2orf68	chromosome 2 open reading frame 68
43	212757_s_at	CAMK2G	calcium/calmodulin-dependent protein kinase II gamma
44	218567_x_at	DPP3	dipeptidyl-peptidase 3
45	31807_at	DDX49	DEAD (Asp-Glu-Ala-Asp) box polypeptide 49
46	1555274_a_at	EPT1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
47	202261_at	VPS72	vacuolar protein sorting 72 homolog (S. cerevisiae)
48	207098_s_at	MFN1	mitofusin 1
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	214264_s_at	EFCAB11	EF-hand calcium binding domain 11
3	223530_at	TDRKH	tudor and KH domain containing
4	221649_s_at	PPAN /// PPAN-P2RY1	peter pan homolog (Drosophila) /// PPAN-P2RY11 readthrough
5	209588_at	EPHB2	EPH receptor B2
6	210014_x_at	IDH3B	isocitrate dehydrogenase 3 (NAD+) beta
7	202486_at	AFG3L2	AFG3 ATPase family gene 3-like 2 (S. cerevisiae)
8	229980_s_at	SNX5	sorting nexin 5
9	212858_at	PAQR4	progesterin and adipoQ receptor family member IV
10	210785_s_at	C1orf38	chromosome 1 open reading frame 38
11	202758_s_at	RFXANK	regulatory factor X-associated ankyrin-containing protein
12	218522_s_at	MAP1S	microtubule-associated protein 1S
13	231967_at	PHF20L1	PHD finger protein 20-like 1
14	227456_s_at	C6orf136	chromosome 6 open reading frame 136
15	218016_s_at	POLR3E	polymerase (RNA) III (DNA directed) polypeptide E (80kD)
16	222759_at	SUV420H1	suppressor of variegation 4-20 homolog 1 (Drosophila)
17	200778_s_at	SEPT2	septin 2
18	232740_at	MCM3AP-AS1	MCM3AP antisense RNA 1 (non-protein coding)
19	217310_s_at	FOXJ3	forkhead box J3
20	219984_s_at	HRASLS	HRAS-like suppressor
21	203805_s_at	FANCA	Fanconi anemia, complementation group A
22	203438_at	STC2	stanniocalcin 2
23	202735_at	EBP	emopamil binding protein (sterol isomerase)
24	201341_at	ENC1	ectodermal-neural cortex 1 (with BTB-like domain)
25	225150_s_at	RTKN	rhotekin
26	213526_s_at	LIN37	lin-37 homolog (C. elegans)
27	201548_s_at	KDM5B	lysine (K)-specific demethylase 5B
28	221082_s_at	NDRG3	NDRG family member 3
29	228499_at	PFKFB4	6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 4
30	232652_x_at	SCAND1	SCAN domain containing 1
31	207571_x_at	C1orf38	chromosome 1 open reading frame 38
32	1555500_s_at	SLC2A4RG	SLC2A4 regulator
33	1554348_s_at	CDKN2AIPNL	CDKN2A interacting protein N-terminal like
34	213378_s_at	DDX11 /// DDX12P ///	DEAD/H (Asp-Glu-Ala-Asp/His) box helicase 11 /// DEAD/H (Asp-G
35	1555797_a_at	ARPC5	actin related protein 2/3 complex, subunit 5, 16kDa
36	219556_at	C16orf59	chromosome 16 open reading frame 59
37	203806_s_at	FANCA	Fanconi anemia, complementation group A
38	206949_s_at	RUSC1	RUN and SH3 domain containing 1
39	226569_s_at	CTHF18	CTF18, chromosome transmission fidelity factor 18 homolog (S. ce
40	204078_at	LEPREL4	leprecan-like 4
41	1558329_at	TONSL	tonsoku-like, DNA repair protein
42	200709_at	FKBP1A	FK506 binding protein 1A, 12kDa
43	223528_s_at	METTL17	methyltransferase like 17
44	210463_x_at	TRMT1	tRNA methyltransferase 1 homolog (S. cerevisiae)
45	231146_at	FAM24B	family with sequence similarity 24, member B
46	204432_at	SOX12	SRY (sex determining region Y)-box 12
47	218206_x_at	SCAND1	SCAN domain containing 1
48	209705_at	MTF2	metal response element binding transcription factor 2
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	227348_at	PARS2	prolyl-tRNA synthetase 2, mitochondrial (putative)
3	226775_at	ENY2	enhancer of yellow 2 homolog (Drosophila)
4	1553015_a_at	RECQL4	RecQ protein-like 4
5	225362_at	FAM122B	family with sequence similarity 122B
6	228906_at	TET1	tet methylcytosine dioxygenase 1
7	1558143_a_at	BCL2L11	BCL2-like 11 (apoptosis facilitator)
8	238333_s_at	MTG1	Mitochondrial GTPase 1 homolog (S. cerevisiae)
9	34868_at	SMG5	smg-5 homolog, nonsense mediated mRNA decay factor (C. elegans)
10	200990_at	TRIM28	tripartite motif containing 28
11	219080_s_at	CTPS2	CTP synthase 2
12	223255_at	G2E3	G2/M-phase specific E3 ubiquitin protein ligase
13	210656_at	EED	embryonic ectoderm development
14	219615_s_at	KCNK5	potassium channel, subfamily K, member 5
15	221004_s_at	ITM2C	integral membrane protein 2C
16	209205_s_at	LMO4	LIM domain only 4
17	214185_at	KHDRBS1	KH domain containing, RNA binding, signal transduction associate
18	221906_at	TXNRD3 /// TXNRD3N	thioredoxin reductase 3 /// thioredoxin reductase 3 neighbor
19	217714_x_at	MIR3917 /// STMN1	microRNA 3917 /// stathmin 1
20	207812_s_at	GORASP2	golgi reassembly stacking protein 2, 55kDa
21	203262_s_at	FAM50A	family with sequence similarity 50, member A
22	212809_at	NFATC2IP	nuclear factor of activated T-cells, cytoplasmic, calcineurin-depen
23	201948_at	GNL2	guanine nucleotide binding protein-like 2 (nucleolar)
24	44669_at	SDHAF1	succinate dehydrogenase complex assembly factor 1
25	200661_at	CTSA	cathepsin A
26	242560_at	FANCD2	Fanconi anemia, complementation group D2
27	202282_at	HSD17B10	hydroxysteroid (17-beta) dehydrogenase 10
28	212276_at	LPIN1	lipin 1
29	1553220_at	FAM117B	family with sequence similarity 117, member B
30	224652_at	CCNY	cyclin Y
31	41047_at	C9orf16	chromosome 9 open reading frame 16
32	222343_at	BCL2L11	BCL2-like 11 (apoptosis facilitator)
33	231895_at	SASS6	spindle assembly 6 homolog (C. elegans)
34	229099_at	C11orf83	chromosome 11 open reading frame 83
35	229672_at	UQCC	ubiquinol-cytochrome c reductase complex chaperone
36	61732_r_at	IFT74	intraflagellar transport 74 homolog (Chlamydomonas)
37	228259_s_at	EPB41L4A-AS1	EPB41L4A antisense RNA 1 (non-protein coding)
38	240228_at	CSMD3	CUB and Sushi multiple domains 3
39	204301_at	KBTBD11	kelch repeat and BTB (POZ) domain containing 11
40	210791_s_at	ARHGAP32	Rho GTPase activating protein 32
41	1563502_at	ZDHHC2	Zinc finger, DHHC-type containing 2
42	1569262_x_at	UBE3D	ubiquitin protein ligase E3D
43	206030_at	ASPA	aspartoacylase
44	1564372_s_at	CASC2	cancer susceptibility candidate 2 (non-protein coding)
45	1555352_at	FOXP2	forkhead box P2
46	205116_at	LAMA2	laminin, alpha 2
47	219332_at	MICAL2	MICAL-like 2
48	218483_s_at	IFT46	intraflagellar transport 46 homolog (Chlamydomonas)
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	225539_at	ZNF295	zinc finger protein 295
3	219415_at	TTYH1	tweety homolog 1 (Drosophila)
4	213519_s_at	LAMA2	laminin, alpha 2
5	203233_at	IL4R	interleukin 4 receptor
6	225999_at	RIMKLB	ribosomal modification protein rimK-like family member B
7	238484_s_at	SSBP2	single-stranded DNA binding protein 2
8	213228_at	PDE8B	phosphodiesterase 8B
9	1557132_at	WDR17	WD repeat domain 17
10	200704_at	LITAF	lipopolysaccharide-induced TNF factor
11	235335_at	ABCA9	ATP-binding cassette, sub-family A (ABC1), member 9
12	219954_s_at	GBA3	glucosidase, beta, acid 3 (cytosolic)
13	1554117_at	CCDC60	coiled-coil domain containing 60
14	205241_at	SCO2	SCO cytochrome oxidase deficient homolog 2 (yeast)
15	202972_s_at	FAM13A	family with sequence similarity 13, member A
16	205632_s_at	PIP5K1B	phosphatidylinositol-4-phosphate 5-kinase, type I, beta
17	201042_at	TGM2	transglutaminase 2 (C polypeptide, protein-glutamine-gamma-glu
18	203151_at	MAP1A	microtubule-associated protein 1A
19	231434_at	LOC100505841	zinc finger protein 474-like
20	224648_at	GPBP1	GC-rich promoter binding protein 1
21	1561928_s_at	ANKUB1	ankyrin repeat and ubiquitin domain containing 1
22	238810_at	RFX3	regulatory factor X, 3 (influences HLA class II expression)
23	201924_at	AFF1	AF4/FMR2 family, member 1
24	1553798_a_at	FBXL13	F-box and leucine-rich repeat protein 13
25	242323_at	PLA2G12A	phospholipase A2, group XIA
26	234605_at	CDC14B	CDC14 cell division cycle 14 homolog B (S. cerevisiae)
27	229956_at	NR2C1	nuclear receptor subfamily 2, group C, member 1
28	220500_s_at	RABL2A /// RABL2B	RAB, member of RAS oncogene family-like 2A /// RAB, member of
29	1552993_at	DYDC1	DPY30 domain containing 1
30	208866_at	CSNK1A1	casein kinase 1, alpha 1
31	1559067_a_at	LOC158402	Uncharacterized LOC158402
32	230351_at	LOC283481	uncharacterized LOC283481
33	1557285_at	AREGB	Amphiregulin B
34	238483_at	SSBP2	single-stranded DNA binding protein 2
35	202284_s_at	CDKN1A	cyclin-dependent kinase inhibitor 1A (p21, Cip1)
36	1562301_at	C8orf34	chromosome 8 open reading frame 34
37	208070_s_at	REV3L	REV3-like, polymerase (DNA directed), zeta, catalytic subunit
38	204497_at	ADCY9	adenylate cyclase 9
39	209612_s_at	ADH1B	alcohol dehydrogenase 1B (class I), beta polypeptide
40	1553228_at	CCDC89	coiled-coil domain containing 89
41	219970_at	GIPC2	GIPC PDZ domain containing family, member 2
42	204874_x_at	BAIAP3	BAI1-associated protein 3
43	202552_s_at	CRIM1	cysteine rich transmembrane BMP regulator 1 (chordin-like)
44	231961_at	RBPM5	RNA binding protein with multiple splicing
45	210176_at	TLR1	toll-like receptor 1
46	235328_at	PLXNC1	Plexin C1
47	45288_at	ABHD6	abhydrolase domain containing 6
48	240303_at	TMC5	transmembrane channel-like 5
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	224165_s_at	IQCH	IQ motif containing H
3	215321_at	RUNDC3B	RUN domain containing 3B
4	218730_s_at	OGN	osteoglycin
5	202588_at	AK1	adenylate kinase 1
6	201983_s_at	EGFR	epidermal growth factor receptor
7	229064_s_at	RCAN3	RCAN family member 3
8	220050_at	C9orf9	chromosome 9 open reading frame 9
9	229573_at	USP9X	ubiquitin specific peptidase 9, X-linked
10	206914_at	CRTAM	cytotoxic and regulatory T cell molecule
11	225747_at	COQ10A	coenzyme Q10 homolog A (S. cerevisiae)
12	237298_at	FLJ26850	FLJ26850 protein
13	1559097_at	C14orf64	chromosome 14 open reading frame 64
14	1553211_at	ANKFN1	ankyrin-repeat and fibronectin type III domain containing 1
15	230824_at	MARCH10	membrane-associated ring finger (C3HC4) 10, E3 ubiquitin protein
16	1554708_s_at	SPATA6L	spermatogenesis associated 6-like
17	242009_at	SLC6A4	solute carrier family 6 (neurotransmitter transporter, serotonin), 1
18	35846_at	THRA	thyroid hormone receptor, alpha
19	242669_at	UFM1	Ubiquitin-fold modifier 1
20	226646_at	KLF2	Kruppel-like factor 2 (lung)
21	224175_s_at	TRIM34 /// TRIM6-TRI	tripartite motif containing 34 /// TRIM6-TRIM34 readthrough
22	217047_s_at	FAM13A	family with sequence similarity 13, member A
23	202035_s_at	SFRP1	secreted frizzled-related protein 1
24	221766_s_at	FAM46A	family with sequence similarity 46, member A
25	204526_s_at	TBC1D8	TBC1 domain family, member 8 (with GRAM domain)
26	238854_at	LOC100506668	uncharacterized LOC100506668
27	205583_s_at	ALG13	asparagine-linked glycosylation 13 homolog (S. cerevisiae)
28	227415_at	LOC283508	uncharacterized LOC283508
29	1562640_at	HOXA-AS2	HOXA cluster antisense RNA 2 (non-protein coding)
30	228748_at	CD59	CD59 molecule, complement regulatory protein
31	226717_at	LRTOMT	leucine rich transmembrane and O-methyltransferase domain con
32	212993_at	NACC2	NACC family member 2, BEN and BTB (POZ) domain containing
33	208707_at	EIF5	eukaryotic translation initiation factor 5
34	217437_s_at	TACC1	transforming, acidic coiled-coil containing protein 1
35	204713_s_at	F5	coagulation factor V (proaccelerin, labile factor)
36	202962_at	KIF13B	kinesin family member 13B
37	224588_at	XIST	X (inactive)-specific transcript (non-protein coding)
38	236016_at	SMARCE1	SWI/SNF related, matrix associated, actin dependent regulator of
39	224391_s_at	SIAE	sialic acid acetyltransferase
40	1557122_s_at	GABRB2	gamma-aminobutyric acid (GABA) A receptor, beta 2
41	231300_at	C16orf93	chromosome 16 open reading frame 93
42	213558_at	PCLO	piccolo (presynaptic cytomatrix protein)
43	219795_at	SLC6A14	solute carrier family 6 (amino acid transporter), member 14
44	202663_at	WIPF1	WAS/WASL interacting protein family, member 1
45	1563961_at	FHAD1	forkhead-associated (FHA) phosphopeptide binding domain 1
46	243413_at	TTC30B	tetratricopeptide repeat domain 30B
47	1560458_s_at	CAPS2	calcyphosine 2
48	231051_at	M1	uncharacterized LOC100507027
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	220218_at	SPATA6L	spermatogenesis associated 6-like
3	209977_at	PLG	plasminogen
4	202551_s_at	CRIM1	cysteine rich transmembrane BMP regulator 1 (chordin-like)
5	220272_at	BNC2	basonuclein 2
6	228905_at	PCM1	pericentriolar material 1
7	215806_x_at	TARP /// TRGC2	TCR gamma alternate reading frame protein /// T cell receptor gamma
8	230964_at	FREM2	FRAS1 related extracellular matrix protein 2
9	1556907_at	ZNF474	zinc finger protein 474
10	231136_at	MIR30C2	microRNA 30c-2
11	206010_at	HABP2	hyaluronan binding protein 2
12	1556325_at	FILIP1	filamin A interacting protein 1
13	241705_at	ABCA5	ATP-binding cassette, sub-family A (ABC1), member 5
14	214607_at	PAK3	p21 protein (Cdc42/Rac)-activated kinase 3
15	205337_at	DCT	dopachrome tautomerase (dopachrome delta-isomerase, tyrosine
16	1562321_at	PDK4	pyruvate dehydrogenase kinase, isozyme 4
17	202995_s_at	FBLN1	fibulin 1
18	233915_at	KIAA0825	KIAA0825
19	205198_s_at	ATP7A	ATPase, Cu++ transporting, alpha polypeptide
20	226228_at	AQP4	aquaporin 4
21	243423_at	TNIP1	TNFAIP3 interacting protein 1
22	231103_at	KCNN3	potassium intermediate/small conductance calcium-activated cha
23	227478_at	SETBP1	SET binding protein 1
24	212225_at	EIF1	eukaryotic translation initiation factor 1
25	206834_at	HBD	hemoglobin, delta
26	225102_at	MGLL	monoglyceride lipase
27	225250_at	STIM2	stromal interaction molecule 2
28	223905_at	CCDC135	coiled-coil domain containing 135
29	203787_at	SSBP2	single-stranded DNA binding protein 2
30	214438_at	HLX	H2.0-like homeobox
31	1565544_at	RNF141	ring finger protein 141
32	204674_at	LRMP	lymphoid-restricted membrane protein
33	225212_at	SLC25A25	solute carrier family 25 (mitochondrial carrier; phosphate carrier),
34	1556607_at	EHD4	EH-domain containing 4
35	227934_at	KPNA5	karyopherin alpha 5 (importin alpha 6)
36	205798_at	IL7R	interleukin 7 receptor
37	1558815_at	SORBS2	sorbin and SH3 domain containing 2
38	222892_s_at	TMEM40	transmembrane protein 40
39	233326_at	CCDC39	coiled-coil domain containing 39
40	235723_at	BNC2	basonuclein 2
41	205291_at	IL2RB	interleukin 2 receptor, beta
42	236745_at	CCDC78	coiled-coil domain containing 78
43	226956_at	MTMR3	myotubularin related protein 3
44	202393_s_at	KLF10	Kruppel-like factor 10
45	230891_at	TUBE1	Tubulin, epsilon 1
46	200911_s_at	TACC1	transforming, acidic coiled-coil containing protein 1
47	226992_at	NOSTRIN	nitric oxide synthase trafficker
48	226576_at	ARHGAP26	Rho GTPase activating protein 26
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	1553202_at	STOX1	storkhead box 1
3	223348_x_at	MUM1	melanoma associated antigen (mutated) 1
4	225624_at	SNX29	sorting nexin 29
5	219093_at	PID1	phosphotyrosine interaction domain containing 1
6	1553134_s_at	C9orf72	chromosome 9 open reading frame 72
7	214681_at	GK	glycerol kinase
8	230772_at	HNF4A	hepatocyte nuclear factor 4, alpha
9	228442_at	NFATC2	nuclear factor of activated T-cells, cytoplasmic, calcineurin-depen
10	213527_s_at	ZNF688	zinc finger protein 688
11	202747_s_at	ITM2A	integral membrane protein 2A
12	203508_at	TNFRSF1B	tumor necrosis factor receptor superfamily, member 1B
13	201288_at	ARHGDI1B	Rho GDP dissociation inhibitor (GDI) beta
14	229994_at	NFIA	Nuclear factor I/A
15	236833_at	TTC16	tetratricopeptide repeat domain 16
16	230976_at	AK8	adenylate kinase 8
17	215046_at	KANSL1L	KAT8 regulatory NSL complex subunit 1-like
18	203845_at	KAT2B	K(lysine) acetyltransferase 2B
19	237420_at	ODF2L	outer dense fiber of sperm tails 2-like
20	229313_at	ANO5	anoctamin 5
21	228425_at	LOC654433	uncharacterized LOC654433
22	1558334_a_at	C22orf15	chromosome 22 open reading frame 15
23	202973_x_at	FAM13A	family with sequence similarity 13, member A
24	223322_at	RASSF5	Ras association (RalGDS/AF-6) domain family member 5
25	216109_at	MED13L	Mediator complex subunit 13-like
26	1552459_a_at	MBD3L1	methyl-CpG binding domain protein 3-like 1
27	225564_at	SPATA13	spermatogenesis associated 13
28	226430_at	RELL1	RELT-like 1
29	226991_at	NFATC2	nuclear factor of activated T-cells, cytoplasmic, calcineurin-depen
30	235561_at	TXNL1	thioredoxin-like 1
31	213271_s_at	DOPEY1	dopey family member 1
32	224999_at	EGFR	epidermal growth factor receptor
33	227627_at	C8orf44-SGK3 /// SGK: C8orf44-SGK3 readthrough ///	serum/glucocorticoid regulated kir
34	216840_s_at	LAMA2	laminin, alpha 2
35	219252_s_at	GEMIN8	gem (nuclear organelle) associated protein 8
36	213572_s_at	SERPINB1	serpin peptidase inhibitor, clade B (ovalbumin), member 1
37	1563845_at	FAM153B /// LOC1005	family with sequence similarity 153, member B /// uncharacterize
38	244289_at	ZNF300P1	zinc finger protein 300 pseudogene 1
39	243539_at	KIAA1841	KIAA1841
40	235465_at	FAM123A	family with sequence similarity 123A
41	240771_at	C1orf101	chromosome 1 open reading frame 101
42	221569_at	AHI1	Abelson helper integration site 1
43	221029_s_at	WNT5B	wingless-type MMTV integration site family, member 5B
44	231178_at	SPATA4	spermatogenesis associated 4
45	1552320_a_at	CCDC65	coiled-coil domain containing 65
46	228256_s_at	EPB41L4A	erythrocyte membrane protein band 4.1 like 4A
47	215232_at	ARHGAP44	Rho GTPase activating protein 44
48	209613_s_at	ADH1B	alcohol dehydrogenase 1B (class I), beta polypeptide
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	209960_at	HGF	hepatocyte growth factor (hepapoietin A; scatter factor)
3	230511_at	CREM	cAMP responsive element modulator
4	213003_s_at	KIAA0146	KIAA0146
5	237282_s_at	AKAP14	A kinase (PRKA) anchor protein 14
6	213908_at	WHAMMP2 /// WHAN	WAS protein homolog associated with actin, golgi membranes and
7	220324_at	LINC00472	long intergenic non-protein coding RNA 472
8	37547_at	BBS9	Bardet-Biedl syndrome 9
9	1553905_at	CXorf22	chromosome X open reading frame 22
10	212268_at	SERPINB1	serpin peptidase inhibitor, clade B (ovalbumin), member 1
11	205419_at	GPR183	G protein-coupled receptor 183
12	212463_at	CD59	CD59 molecule, complement regulatory protein
13	213832_at	KCND3	potassium voltage-gated channel, Shal-related subfamily, member
14	1569225_a_at	SCML4	sex comb on midleg-like 4 (Drosophila)
15	213400_s_at	TBL1X	transducin (beta)-like 1X-linked
16	220150_s_at	FAM184A	family with sequence similarity 184, member A
17	209723_at	SERPINB9	serpin peptidase inhibitor, clade B (ovalbumin), member 9
18	227747_at	MPZL3	myelin protein zero-like 3
19	207546_at	ATP4B	ATPase, H+/K+ exchanging, beta polypeptide
20	1555197_a_at	C21orf58	chromosome 21 open reading frame 58
21	208305_at	PGR	progesterone receptor
22	236009_at	PERP	PERP, TP53 apoptosis effector
23	225656_at	EFHC1	EF-hand domain (C-terminal) containing 1
24	239468_at	MKX	mohawk homeobox
25	231223_at	CSMD1	CUB and Sushi multiple domains 1
26	1555007_s_at	WDR66	WD repeat domain 66
27	229266_at	SHISA6	shisa homolog 6 (Xenopus laevis)
28	204037_at	LPAR1	lysophosphatidic acid receptor 1
29	238840_at	LRRFIP1	leucine rich repeat (in FLII) interacting protein 1
30	235256_s_at	GALM	galactose mutarotase (aldose 1-epimerase)
31	223572_at	HHATL	hedgehog acyltransferase-like
32	205406_s_at	SPA17	sperm autoantigenic protein 17
33	1554545_at	APOBEC4	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like
34	242013_at	BCL2L15	BCL2-like 15
35	209539_at	ARHGEF6	Rac/Cdc42 guanine nucleotide exchange factor (GEF) 6
36	223753_s_at	CFC1 /// CFC1B	cripto, FRL-1, cryptic family 1 /// cripto, FRL-1, cryptic family 1B
37	224110_at	PRO1804	uncharacterized LOC100133319
38	220648_at	ADARB2	adenosine deaminase, RNA-specific, B2
39	235764_at	PRDM5	PR domain containing 5
40	232311_at	B2M	Beta-2-microglobulin
41	209442_x_at	ANK3	ankyrin 3, node of Ranvier (ankyrin G)
42	209487_at	RBPMS	RNA binding protein with multiple splicing
43	1554072_s_at	CCDC67	coiled-coil domain containing 67
44	215239_x_at	ZNF273	zinc finger protein 273
45	205298_s_at	BTN2A2	butyrophilin, subfamily 2, member A2
46	220330_s_at	SAMSN1	SAM domain, SH3 domain and nuclear localization signals 1
47	235672_at	MAP6	microtubule-associated protein 6
48	205338_s_at	DCT	dopachrome tautomerase (dopachrome delta-isomerase, tyrosine
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	222520_s_at	IFT57	intraflagellar transport 57 homolog (Chlamydomonas)
3	244485_at	HLA-DPB1	major histocompatibility complex, class II, DP beta 1
4	213684_s_at	PDLIM5	PDZ and LIM domain 5
5	230839_at	PRMT8	protein arginine methyltransferase 8
6	201525_at	APOD	apolipoprotein D
7	230744_at	FSTL1	folliculin-like 1
8	204202_at	IQCE	IQ motif containing E
9	223706_at	C22orf23	chromosome 22 open reading frame 23
10	235048_at	FAM169A	family with sequence similarity 169, member A
11	229941_at	FAM166B	family with sequence similarity 166, member B
12	1556630_at	CASC2	cancer susceptibility candidate 2 (non-protein coding)
13	202902_s_at	CTSS	cathepsin S
14	1565149_at	DYNC2H1	dynein, cytoplasmic 2, heavy chain 1
15	211696_x_at	HBB	hemoglobin, beta
16	209655_s_at	TMEM47	transmembrane protein 47
17	202727_s_at	IFNGR1	interferon gamma receptor 1
18	206465_at	ACSBG1	acyl-CoA synthetase bubblegum family member 1
19	203969_at	PEX3	peroxisomal biogenesis factor 3
20	215342_s_at	RABGAP1L	RAB GTPase activating protein 1-like
21	206932_at	CH25H	cholesterol 25-hydroxylase
22	223059_s_at	FAM107B	family with sequence similarity 107, member B
23	232262_at	PIGL	phosphatidylinositol glycan anchor biosynthesis, class L
24	1556579_s_at	IGSF10	immunoglobulin superfamily, member 10
25	236098_at	C17orf110	chromosome 17 open reading frame 110
26	206194_at	HOXC4	homeobox C4
27	227337_at	ANKRD37	ankyrin repeat domain 37
28	1553423_a_at	SLFN13	schlafen family member 13
29	202157_s_at	CELF2	CUGBP, Elav-like family member 2
30	229430_at	C8orf46	chromosome 8 open reading frame 46
31	206335_at	GALNS	galactosamine (N-acetyl)-6-sulfate sulfatase
32	212486_s_at	FYN	FYN oncogene related to SRC, FGR, YES
33	210390_s_at	CCL14 /// CCL14-CCL15	chemokine (C-C motif) ligand 14 /// CCL14-CCL15 readthrough ///
34	209978_s_at	LPA /// PLG	lipoprotein, Lp(a) /// plasminogen
35	201694_s_at	EGR1	early growth response 1
36	1556950_s_at	SERPINB6	serpin peptidase inhibitor, clade B (ovalbumin), member 6
37	230552_at	LOC100134317 /// LOC100134317	uncharacterized LOC100134317 /// uncharacterized LOC284412
38	211776_s_at	EPB41L3	erythrocyte membrane protein band 4.1-like 3
39	1559496_at	PPA2	pyrophosphatase (inorganic) 2
40	236029_at	FAT3	FAT tumor suppressor homolog 3 (Drosophila)
41	232109_at	UBXN10	UBX domain protein 10
42	203074_at	ANXA8 /// ANXA8L1 /// ANXA8L1	annexin A8 /// annexin A8-like 1 /// annexin A8-like 2
43	226653_at	MARK1	MAP/microtubule affinity-regulating kinase 1
44	236031_x_at	FREM1	FRAS1 related extracellular matrix 1
45	1552705_at	DUSP19	dual specificity phosphatase 19
46	223047_at	CMTM6	CKLF-like MARVEL transmembrane domain containing 6
47	241843_at	EIF5 /// SNORA28	eukaryotic translation initiation factor 5 /// small nucleolar RNA, host
48	219864_s_at	RCAN3	RCAN family member 3
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	212779_at	KIAA1109	KIAA1109
3	219736_at	TRIM36	tripartite motif containing 36
4	231930_at	ELMOD1 /// LOC64392	ELMO/CED-12 domain containing 1 /// uncharacterized LOC64392
5	210345_s_at	DNAH9	dynein, axonemal, heavy chain 9
6	204179_at	MB	myoglobin
7	1562336_at	CASC2	cancer susceptibility candidate 2 (non-protein coding)
8	205651_x_at	RAPGEF4	Rap guanine nucleotide exchange factor (GEF) 4
9	231909_x_at	ODF2L	outer dense fiber of sperm tails 2-like
10	230722_at	BNC2	basonuclin 2
11	215092_s_at	NFAT5	nuclear factor of activated T-cells 5, tonicity-responsive
12	223786_at	CHST6	carbohydrate (N-acetylglucosamine 6-O) sulfotransferase 6
13	209823_x_at	HLA-DQB1 /// LOC100	major histocompatibility complex, class II, DQ beta 1 /// HLA class
14	239151_at	LOC399753	uncharacterized LOC399753
15	1564474_at	ZBED3-AS1	ZBED3 antisense RNA 1 (non-protein coding)
16	205251_at	PER2	period homolog 2 (Drosophila)
17	220539_at	TTC40	tetratricopeptide repeat domain 40
18	218694_at	ARMCX1	armadillo repeat containing, X-linked 1
19	242482_at	PRKAR1A	protein kinase, cAMP-dependent, regulatory, type I, alpha (tissue
20	225283_at	ARRDC4	arrestin domain containing 4
21	201496_x_at	MYH11	myosin, heavy chain 11, smooth muscle
22	238158_at	MEIG1	meiosis expressed gene 1 homolog (mouse)
23	243649_at	FBXO7	F-box protein 7
24	218764_at	PRKCH	protein kinase C, eta
25	221207_s_at	NBEA	neurobeachin
26	241808_at	ZC2HC1A	zinc finger, C2HC-type containing 1A
27	201739_at	SGK1	serum/glucocorticoid regulated kinase 1
28	242344_at	GABRB2	gamma-aminobutyric acid (GABA) A receptor, beta 2
29	201721_s_at	LAPTM5	lysosomal protein transmembrane 5
30	1555112_a_at	C1orf114	chromosome 1 open reading frame 114
31	202018_s_at	LTF	lactotransferrin
32	216663_s_at	ZMYND10	zinc finger, MYND-type containing 10
33	205597_at	SLC44A4	solute carrier family 44, member 4
34	220908_at	CCDC33	coiled-coil domain containing 33
35	210538_s_at	BIRC3	baculoviral IAP repeat containing 3
36	205831_at	CD2	CD2 molecule
37	237755_s_at	WDR16	WD repeat domain 16
38	231875_at	KIF21A	kinesin family member 21A
39	241950_at	WWC1	WW and C2 domain containing 1
40	232731_x_at	LOC100190938	uncharacterized LOC100190938
41	212651_at	RHOBTB1	Rho-related BTB domain containing 1
42	234072_at	SEMA4A	sema domain, immunoglobulin domain (Ig), transmembrane dom
43	227830_at	GABRB3	gamma-aminobutyric acid (GABA) A receptor, beta 3
44	232461_at	AHI1	Abelson helper integration site 1
45	228577_x_at	ODF2L	outer dense fiber of sperm tails 2-like
46	220105_at	RTDR1	rhabdoid tumor deletion region gene 1
47	213910_at	IGFBP7	insulin-like growth factor binding protein 7
48	206693_at	IL7	interleukin 7
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	1556493_a_at	KDM4C	lysine (K)-specific demethylase 4C
3	236083_at	BCL2L15	BCL2-like 15
4	1559322_at	LOC727916	uncharacterized LOC727916
5	36711_at	MAFF	v-maf musculoaponeurotic fibrosarcoma oncogene homolog F (av
6	241745_at	LOC100507557	uncharacterized LOC100507557
7	225939_at	EIF4E3	eukaryotic translation initiation factor 4E family member 3
8	219222_at	RBKS	ribokinase
9	207624_s_at	RPGR	retinitis pigmentosa GTPase regulator
10	237690_at	GPR115	G protein-coupled receptor 115
11	241731_x_at	ZNF440	zinc finger protein 440
12	1552448_a_at	C8orf12	chromosome 8 open reading frame 12
13	227098_at	DUSP18	dual specificity phosphatase 18
14	201693_s_at	EGR1	early growth response 1
15	204249_s_at	LMO2	LIM domain only 2 (rhombotin-like 1)
16	221180_at	YSK4	YSK4 Sps1/Ste20-related kinase homolog (S. cerevisiae)
17	1552950_at	C15orf26	chromosome 15 open reading frame 26
18	243582_at	SH3RF2	SH3 domain containing ring finger 2
19	223608_at	EFCAB2	EF-hand calcium binding domain 2
20	220003_at	LRR36	leucine rich repeat containing 36
21	228476_at	KIAA1407	KIAA1407
22	210650_s_at	PCLO	piccolo (presynaptic cytomatrix protein)
23	213888_s_at	TRAF3IP3	TRAF3 interacting protein 3
24	228448_at	MAP6	microtubule-associated protein 6
25	212441_at	KIAA0232	KIAA0232
26	209970_x_at	CASP1	caspase 1, apoptosis-related cysteine peptidase
27	1556378_a_at	LOC440896	uncharacterized LOC440896
28	216979_at	NR4A3	nuclear receptor subfamily 4, group A, member 3
29	231026_at	EFHC1	EF-hand domain (C-terminal) containing 1
30	35974_at	LRMP	lymphoid-restricted membrane protein
31	205308_at	ZC2HC1A	zinc finger, C2HC-type containing 1A
32	212291_at	HIPK1	homeodomain interacting protein kinase 1
33	230561_s_at	KANSL1L	KAT8 regulatory NSL complex subunit 1-like
34	207789_s_at	DPP6	dipeptidyl-peptidase 6
35	1557207_s_at	LOC283177	uncharacterized LOC283177
36	222486_s_at	ADAMTS1	ADAM metallopeptidase with thrombospondin type 1 motif, 1
37	238778_at	MPP7	membrane protein, palmitoylated 7 (MAGUK p55 subfamily mem
38	1552384_a_at	FAM71A	family with sequence similarity 71, member A
39	220769_s_at	WDR78	WD repeat domain 78
40	1559756_at	DKFZp667F0711	uncharacterized protein DKFZp667F0711
41	228642_at	HOTAIRM1	HOXA transcript antisense RNA, myeloid-specific 1 (non-protein c
42	217671_at	DSERG1	Down syndrome encephalopathy related protein 1
43	205650_s_at	FGA	fibrinogen alpha chain
44	205366_s_at	HOXB6	homeobox B6
45	216356_x_at	BAIAP3	BAI1-associated protein 3
46	217995_at	SQRDL	sulfide quinone reductase-like (yeast)
47	232639_at	C3orf25	chromosome 3 open reading frame 25
48	221185_s_at	IQCG	IQ motif containing G
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	219777_at	GIMAP6	GTPase, IMAP family member 6
3	210839_s_at	ENPP2	ectonucleotide pyrophosphatase/phosphodiesterase 2
4	206363_at	MAF	v-maf musculoaponeurotic fibrosarcoma oncogene homolog (avia
5	1554980_a_at	ATF3	activating transcription factor 3
6	218584_at	TCTN1	tectonic family member 1
8	204057_at	IRF8	interferon regulatory factor 8
9	1557570_a_at	LOC285084	uncharacterized LOC285084
10	219563_at	LINC00341	long intergenic non-protein coding RNA 341
12	219584_at	PLA1A	phospholipase A1 member A
13	207797_s_at	LRP2BP	LRP2 binding protein
14	204703_at	IFT88	intraflagellar transport 88 homolog (Chlamydomonas)
15	1555564_a_at	CFI	complement factor I
17	220088_at	C5AR1	complement component 5a receptor 1
18	220271_x_at	EFCAB6	EF-hand calcium binding domain 6
19	219597_s_at	DUOX1	dual oxidase 1
20	223611_s_at	LNX1	ligand of numb-protein X 1, E3 ubiquitin protein ligase
22	238326_at	ODF3B	outer dense fiber of sperm tails 3B
23	204731_at	TGFB3	transforming growth factor, beta receptor III
24	221290_s_at	MUM1	melanoma associated antigen (mutated) 1
25	230763_at	SPATA17	spermatogenesis associated 17
26	206974_at	CXCR6	chemokine (C-X-C motif) receptor 6
28	223731_at	MYCBPAP	MYCBP associated protein
29	226066_at	MITF	microphthalmia-associated transcription factor
30	213006_at	CEBPD	CCAAT/enhancer binding protein (C/EBP), delta
31	242268_at	CELF2	CUGBP, Elav-like family member 2
33	209616_s_at	CES1 /// LOC10065305	carboxylesterase 1 /// liver carboxylesterase 1-like
34	1564238_a_at	WDR49	WD repeat domain 49
35	226553_at	TMPRSS2	transmembrane protease, serine 2
36	205302_at	IGFBP1	insulin-like growth factor binding protein 1
37	230261_at	ST8SIA4	ST8 alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase 4
38	1553630_at	C10orf107	chromosome 10 open reading frame 107
39	236674_at	LOC388780	uncharacterized LOC388780
40	223940_x_at	LOC100507645 /// MA	uncharacterized LOC100507645 /// metastasis associated lung ad
41	217752_s_at	CNDP2	CNDP dipeptidase 2 (metallopeptidase M20 family)
42	212331_at	RBL2	retinoblastoma-like 2 (p130)
43	1559584_a_at	C16orf54	chromosome 16 open reading frame 54
44	223882_at	FAM172A	family with sequence similarity 172, member A
45	241495_at	CCNL1	cyclin L1
46	224021_at	RP1	retinitis pigmentosa 1 (autosomal dominant)
47	242979_at	IRS1	insulin receptor substrate 1
48	213784_at	IFT27	intraflagellar transport 27 homolog (Chlamydomonas)
49	225557_at	CSRNP1	cysteine-serine-rich nuclear protein 1
50	214734_at	EXPH5	exophilin 5
51	240033_at	PLG	plasminogen
52	236965_at	UBQLNL	ubiquilin-like
53	213186_at	DZIP3	DAZ interacting protein 3, zinc finger
54	231029_at	F5	coagulation factor V (proaccelerin, labile factor)
55			
56			
57			
58			
59			
60			

1			
2	233057_at	HSPB8	heat shock 22kDa protein 8
3	221491_x_at	HLA-DRB1 /// HLA-DRI	major histocompatibility complex, class II, DR beta 1 /// major hist
4	231081_at	C2orf73	chromosome 2 open reading frame 73
5	230903_s_at	C8orf42	chromosome 8 open reading frame 42
6	214211_at	FTH1	ferritin, heavy polypeptide 1
7	228850_s_at	SLIT2	slit homolog 2 (Drosophila)
8	228316_at	C2orf63	chromosome 2 open reading frame 63
9	205011_at	VWA5A	von Willebrand factor A domain containing 5A
10	238909_at	S100A10	S100 calcium binding protein A10
11	242661_x_at	ALS2CR12	amyotrophic lateral sclerosis 2 (juvenile) chromosome region, can
12	213998_s_at	DDX17	DEAD (Asp-Glu-Ala-Asp) box helicase 17
13	235352_at	MR1	major histocompatibility complex, class I-related
14	227250_at	KREMEN1	kringle containing transmembrane protein 1
15	228496_s_at	CRIM1	Cysteine rich transmembrane BMP regulator 1 (chordin-like)
16	1557432_at	RASAL2	RAS protein activator like 2
17	205568_at	AQP9	aquaporin 9
18	1566079_at	RPS16P5	ribosomal protein S16 pseudogene 5
19	236166_at	LOC285147	uncharacterized LOC285147
20	214043_at	PTPRD	protein tyrosine phosphatase, receptor type, D
21	215133_s_at	FAM153A /// FAM153	family with sequence similarity 153, member A /// family with sec
22	229953_x_at	LCA5	Leber congenital amaurosis 5
23	211795_s_at	FYB	FYN binding protein
24	213142_x_at	PION	pigeon homolog (Drosophila)
25	209821_at	IL33	interleukin 33
26	229378_at	STOX1	storkhead box 1
27	227265_at	FGL2	fibrinogen-like 2
28	238900_at	HLA-DRB1 /// HLA-DRI	major histocompatibility complex, class II, DR beta 1 /// major hist
29	209194_at	CETN2	centrin, EF-hand protein, 2
30	204749_at	NAP1L3	nucleosome assembly protein 1-like 3
31	227210_at	SFMBT2	Scm-like with four mbt domains 2
32	237328_at	C14orf105	chromosome 14 open reading frame 105
33	214748_at	N4BP2L2	NEDD4 binding protein 2-like 2
34	239458_at	ALS2CR12	amyotrophic lateral sclerosis 2 (juvenile) chromosome region, can
35	204783_at	MLF1	myeloid leukemia factor 1
36	228461_at	SH3RF3	SH3 domain containing ring finger 3
37	1553674_at	LRRIQ3	leucine-rich repeats and IQ motif containing 3
38	1557261_at	WHAMMP2 /// WHAN	WAS protein homolog associated with actin, golgi membranes and
39	238494_at	TRAF3IP1	TNF receptor-associated factor 3 interacting protein 1
40	212192_at	KCTD12	potassium channel tetramerisation domain containing 12
41	220141_at	C11orf63	chromosome 11 open reading frame 63
42	229254_at	MFSD4	major facilitator superfamily domain containing 4
43	203881_s_at	DMD	dystrophin
44	213954_at	FAM169A	family with sequence similarity 169, member A
45	204686_at	IRS1	insulin receptor substrate 1
46	242586_at	FSD1L	fibronectin type III and SPRY domain containing 1-like
47	217623_at	MYLK3	myosin light chain kinase 3
48	226226_at	TMEM45B	transmembrane protein 45B
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	230496_at	FAM123A	family with sequence similarity 123A
3	201843_s_at	EFEMP1	EGF containing fibulin-like extracellular matrix protein 1
4	242086_at	SPATA6	spermatogenesis associated 6
5	237285_at	SORBS2	sorbin and SH3 domain containing 2
6	219182_at	TMEM231	transmembrane protein 231
8	1563475_s_at	METTL20	methyltransferase like 20
9	236981_at	C17orf99	chromosome 17 open reading frame 99
10	219197_s_at	SCUBE2	signal peptide, CUB domain, EGF-like 2
11	1553765_a_at	KLHL32	kelch-like 32 (Drosophila)
12	235298_at	WDR27	WD repeat domain 27
13	1564093_at	NEK1	NIMA (never in mitosis gene a)-related kinase 1
14	204759_at	RCBTB2	regulator of chromosome condensation (RCC1) and BTB (POZ) do
15	1556608_a_at	EHD4	EH-domain containing 4
16	219578_s_at	CPEB1	cytoplasmic polyadenylation element binding protein 1
17	238447_at	RBMS3	RNA binding motif, single stranded interacting protein 3
18	1560119_at	LOC389634	uncharacterized LOC389634
19	236175_at	TRIM55	tripartite motif containing 55
20	214633_at	SOX3	SRY (sex determining region Y)-box 3
21	209897_s_at	SLIT2	slit homolog 2 (Drosophila)
22	244710_at	LRGUK	leucine-rich repeats and guanylate kinase domain containing
23	220244_at	LINC00312	long intergenic non-protein coding RNA 312
24	207961_x_at	MYH11	myosin, heavy chain 11, smooth muscle
25	232366_at	KIAA0232	KIAA0232
26	239870_at	SPATS1 /// TMEM151	spermatogenesis associated, serine-rich 1 /// transmembrane pro
27	236325_at	KIAA1377	KIAA1377
28	206076_at	LRRC23	leucine rich repeat containing 23
29	203518_at	LYST	lysosomal trafficking regulator
30	210800_at	TIMM8A	translocase of inner mitochondrial membrane 8 homolog A (yeast
31	208078_s_at	SIK1	salt-inducible kinase 1
32	1561200_at	VWA3B	von Willebrand factor A domain containing 3B
33	201328_at	ETS2	v-ets erythroblastosis virus E26 oncogene homolog 2 (avian)
34	220252_x_at	CXorf21	chromosome X open reading frame 21
35	201301_s_at	ANXA4	annexin A4
36	1556477_a_at	LOC283485	uncharacterized LOC283485
37	231549_at	C1orf158	chromosome 1 open reading frame 158
38	205529_s_at	RUNX1T1	runt-related transcription factor 1; translocated to, 1 (cyclin D-rel;
39	225502_at	DOCK8	dedicator of cytokinesis 8
40	242345_at	COL28A1	collagen, type XXVIII, alpha 1
41	201466_s_at	JUN	jun proto-oncogene
42	210222_s_at	RTN1	reticulon 1
43	220072_at	CSPP1	centrosome and spindle pole associated protein 1
44	1568924_a_at	IQUB	IQ motif and ubiquitin domain containing
45	211143_x_at	NR4A1	nuclear receptor subfamily 4, group A, member 1
46	241368_at	PLIN5	perilipin 5
47	203758_at	CTSO	cathepsin O
48	203474_at	IQGAP2	IQ motif containing GTPase activating protein 2
49	202587_s_at	AK1	adenylate kinase 1
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	207231_at	DZIP3	DAZ interacting protein 3, zinc finger
3	240282_at	WDR1	WD repeat domain 1
4	205948_at	PTPRT	protein tyrosine phosphatase, receptor type, T
5	222253_s_at	POM121L9P	POM121 transmembrane nucleoporin-like 9, pseudogene
6	227081_at	DNALI1	dynein, axonemal, light intermediate chain 1
7	243896_at	WDR96	WD repeat domain 96
8	233971_at	FAM166A	family with sequence similarity 166, member A
9	243758_at	CCDC37	coiled-coil domain containing 37
10	206938_at	SRD5A2	steroid-5-alpha-reductase, alpha polypeptide 2 (3-oxo-5 alpha-ste
11	226856_at	MUSTN1 /// TMEM111	musculoskeletal, embryonic nuclear protein 1 /// TMEM110-MUS
12	237585_at	C4orf47	chromosome 4 open reading frame 47
13	242907_at	GBP2	guanylate binding protein 2, interferon-inducible
14	225344_at	NCOA7	nuclear receptor coactivator 7
15	214192_at	NUP88	nucleoporin 88kDa
16	205476_at	CCL20	chemokine (C-C motif) ligand 20
17	222150_s_at	PION	pigeon homolog (Drosophila)
18	228600_x_at	FAM221A	family with sequence similarity 221, member A
19	201473_at	JUNB	jun B proto-oncogene
20	227690_at	GABRB3	gamma-aminobutyric acid (GABA) A receptor, beta 3
21	213922_at	TTBK2	tau tubulin kinase 2
22	206526_at	RIBC2	RIB43A domain with coiled-coils 2
23	213934_s_at	ZNF23	zinc finger protein 23 (KOX 16)
24	228056_s_at	NAPSB	napsin B aspartic peptidase pseudogene
25	240898_at	SPAG16	sperm associated antigen 16
26	57540_at	RBKS	ribokinase
27	206115_at	EGR3	early growth response 3
28	203543_s_at	KLF9	Kruppel-like factor 9
29	219049_at	CSGALNACT1	chondroitin sulfate N-acetylgalactosaminyltransferase 1
30	214811_at	RIMBP2	RIMS binding protein 2
31	242036_x_at	ATP2B3	ATPase, Ca++ transporting, plasma membrane 3
32	200904_at	HLA-E	major histocompatibility complex, class I, E
33	230142_s_at	CIRBP	cold inducible RNA binding protein
34	236519_at	C9orf135	chromosome 9 open reading frame 135
35	207075_at	NLRP3	NLR family, pyrin domain containing 3
36	238127_at	GAS6-AS1	GAS6 antisense RNA 1 (non-protein coding)
37	232777_s_at	C6orf118	chromosome 6 open reading frame 118
38	238430_x_at	SLFN5	schlafen family member 5
39	231043_at	PCDP1	primary ciliary dyskinesia protein 1
40	239043_at	ZNF404	zinc finger protein 404
41	205528_s_at	RUNX1T1	runt-related transcription factor 1; translocated to, 1 (cyclin D-rel
42	206811_at	ADCY8	adenylate cyclase 8 (brain)
43	210032_s_at	SPAG6	sperm associated antigen 6
44	40284_at	FOXA2	forkhead box A2
45	218687_s_at	MUC13	mucin 13, cell surface associated
46	209116_x_at	HBB	hemoglobin, beta
47	221524_s_at	RRAGD	Ras-related GTP binding D
48	1559333_at	SRGAP3-AS2	SRGAP3 antisense RNA 2 (non-protein coding)
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	211200_s_at	EFCAB2	EF-hand calcium binding domain 2
3	239785_at	DZIP1L	DAZ interacting protein 1-like
4	1553684_at	PPIL6	peptidylprolyl isomerase (cyclophilin)-like 6
5	225328_at	FBXO32	F-box protein 32
6	209619_at	CD74	CD74 molecule, major histocompatibility complex, class II invarian
7	205068_s_at	ARHGAP26	Rho GTPase activating protein 26
8	220344_at	C11orf16	chromosome 11 open reading frame 16
9	204863_s_at	IL6ST	interleukin 6 signal transducer (gp130, oncostatin M receptor)
10	209921_at	SLC7A11	solute carrier family 7 (anionic amino acid transporter light chain,
11	229369_at	VSIG2	V-set and immunoglobulin domain containing 2
12	236421_at	ANKRD45	ankyrin repeat domain 45
13	231073_at	C1orf168	chromosome 1 open reading frame 168
14	222904_s_at	TMC5	transmembrane channel-like 5
15	220293_at	CATSPERB	catsper channel auxiliary subunit beta
16	1561096_at	LOC285419	uncharacterized LOC285419
17	224400_s_at	CHST9	carbohydrate (N-acetylgalactosamine 4-0) sulfotransferase 9
18	204002_s_at	ICA1	islet cell autoantigen 1, 69kDa
19	205860_x_at	FOLH1 /// FOLH1B	folate hydrolase (prostate-specific membrane antigen) 1 /// folate
20	1555246_a_at	SCN1A	sodium channel, voltage-gated, type I, alpha subunit
21	222314_x_at	EGOT	eosinophil granule ontogeny transcript (non-protein coding)
22	220581_at	CCDC170	coiled-coil domain containing 170
23	242807_at	FSD1L	fibronectin type III and SPRY domain containing 1-like
24	207072_at	IL18RAP	interleukin 18 receptor accessory protein
25	1556666_a_at	LOC100652860 /// LOC100652860	tetratricopeptide repeat protein 6-like /// tetratricopeptide repea
26	209966_x_at	ESRRG	estrogen-related receptor gamma
27	228969_at	AGR2	anterior gradient 2 homolog (Xenopus laevis)
28	222220_s_at	TSNAXIP1	translin-associated factor X interacting protein 1
29	240830_at	SCARNA17	small Cajal body-specific RNA 17
30	1552325_at	CCDC11	coiled-coil domain containing 11
31	211471_s_at	RAB36	RAB36, member RAS oncogene family
32	221886_at	DENND2A	DENN/MADD domain containing 2A
33	205488_at	GZMA	granzyme A (granzyme 1, cytotoxic T-lymphocyte-associated serin
34	225516_at	SLC7A2	solute carrier family 7 (cationic amino acid transporter, y+ system
35	243352_at	ALPK1	alpha-kinase 1
36	238581_at	GBP5	guanylate binding protein 5
37	203675_at	NUCB2	nucleobindin 2
38	202341_s_at	TRIM2	tripartite motif containing 2
39	205518_s_at	CMAHP	cytidine monophospho-N-acetylneuraminic acid hydroxylase, pse
40	1560396_at	KLHL6	kelch-like 6 (Drosophila)
41	230180_at	DDX17	DEAD (Asp-Glu-Ala-Asp) box helicase 17
42	205016_at	TGFA	transforming growth factor, alpha
43	219583_s_at	SPATA7	spermatogenesis associated 7
44	232027_at	SYNE1	spectrin repeat containing, nuclear envelope 1
45	211105_s_at	NFATC1	nuclear factor of activated T-cells, cytoplasmic, calcineurin-depen
46	213217_at	ADCY2	adenylate cyclase 2 (brain)
47	225061_at	DNAJA4	DnaJ (Hsp40) homolog, subfamily A, member 4
48	200811_at	CIRBP	cold inducible RNA binding protein
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

211654_x_at	HLA-DQB1	major histocompatibility complex, class II, DQ beta 1
205101_at	CIITA	class II, major histocompatibility complex, transactivator
226187_at	CDS1	CDP-diacylglycerol synthase (phosphatidate cytidyltransferase) :
1557718_at	PPP2R5C	protein phosphatase 2, regulatory subunit B', gamma
1560426_at	C12orf55 /// C12orf63	chromosome 12 open reading frame 55 /// chromosome 12 open
205821_at	KLRC4-KLRK1 /// KLRK	KLRC4-KLRK1 readthrough /// killer cell lectin-like receptor subfan
230931_at	PLG	plasminogen
220084_at	C14orf105	chromosome 14 open reading frame 105
229724_at	GABRB3	gamma-aminobutyric acid (GABA) A receptor, beta 3
210943_s_at	LYST	lysosomal trafficking regulator
227865_at	IDNK	idnK, gluconokinase homolog (E. coli)
227438_at	ALPK1	alpha-kinase 1
227727_at	MRGPRF	MAS-related GPR, member F
204363_at	F3	coagulation factor III (thromboplastin, tissue factor)
202036_s_at	SFRP1	secreted frizzled-related protein 1
215692_s_at	MPPED2	metallophosphoesterase domain containing 2
207584_at	LPA	lipoprotein, Lp(a)
206552_s_at	TAC1	tachykinin, precursor 1
229723_at	TAGAP	T-cell activation RhoGTPase activating protein
1553159_at	DNAH11	dynein, axonemal, heavy chain 11
205399_at	DCLK1	doublecortin-like kinase 1
216920_s_at	TARP /// TRGC2	TCR gamma alternate reading frame protein /// T cell receptor ga
202191_s_at	GAS7	growth arrest-specific 7
1570289_at	LOC646736	uncharacterized LOC646736
203896_s_at	PLCB4	phospholipase C, beta 4
206169_x_at	ZC3H7B	zinc finger CCCH-type containing 7B
1555993_at	CACNA1D	calcium channel, voltage-dependent, L type, alpha 1D subunit
204813_at	MAPK10	mitogen-activated protein kinase 10
221523_s_at	RRAGD	Ras-related GTP binding D
1552825_at	ZNF396	zinc finger protein 396
222336_at	C4orf34	chromosome 4 open reading frame 34
235350_at	C4orf19	chromosome 4 open reading frame 19
213451_x_at	TNXA /// TNXB	tenascin XA (pseudogene) /// tenascin XB
242162_at	WDR69	WD repeat domain 69
242814_at	SERPINB9	serpin peptidase inhibitor, clade B (ovalbumin), member 9
1569652_at	MLLT3	myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog,
228071_at	GIMAP7	GTPase, IMAP family member 7
211656_x_at	HLA-DQB1 /// LOC100	major histocompatibility complex, class II, DQ beta 1 /// HLA class
1562255_at	SYTL3	synaptotagmin-like 3
203996_s_at	C21orf2	chromosome 21 open reading frame 2
206011_at	CASP1	caspase 1, apoptosis-related cysteine peptidase
209785_s_at	PLA2G4C	phospholipase A2, group IVC (cytosolic, calcium-independent)
1559413_at	TCP11L2	t-complex 11 (mouse)-like 2
204103_at	CCL4	chemokine (C-C motif) ligand 4
214696_at	MIR22 /// MIR22HG	microRNA 22 /// MIR22 host gene (non-protein coding)
223504_at	DNAJC27	DnaJ (Hsp40) homolog, subfamily C, member 27
242916_at	CNTRL	centriolin

1			
2	228903_at	CES4A	carboxylesterase 4A
3	212249_at	PIK3R1	phosphoinositide-3-kinase, regulatory subunit 1 (alpha)
4	229740_at	C17orf109	chromosome 17 open reading frame 109
5	220361_at	IQCH	IQ motif containing H
6	220102_at	FOXL2	forkhead box L2
7	206721_at	C1orf114	chromosome 1 open reading frame 114
8	213988_s_at	SAT1	spermidine/spermine N1-acetyltransferase 1
9	227148_at	PLEKHH2	pleckstrin homology domain containing, family H (with MyTH4 do
10	215078_at	LOC100129518 /// SO	uncharacterized LOC100129518 /// superoxide dismutase 2, mito
11	207330_at	PZP	pregnancy-zone protein
12	206496_at	FMO3	flavin containing monooxygenase 3
13	205902_at	KCNN3	potassium intermediate/small conductance calcium-activated cha
14	203973_s_at	CEBPD	CCAAT/enhancer binding protein (C/EBP), delta
15	201952_at	ALCAM	activated leukocyte cell adhesion molecule
16	211006_s_at	KCNB1	potassium voltage-gated channel, Shab-related subfamily, membe
17	206417_at	CNGA1	cyclic nucleotide gated channel alpha 1
18	222549_at	CLDN1	claudin 1
19	203868_s_at	VCAM1	vascular cell adhesion molecule 1
20	213802_at	PRSS12	protease, serine, 12 (neurotrypsin, motopsin)
21	206785_s_at	KLRC1 /// KLRC2	killer cell lectin-like receptor subfamily C, member 1 /// killer cell l
22	230359_at	KNDC1	kinase non-catalytic C-lobe domain (KIND) containing 1
23	206374_at	DUSP8	dual specificity phosphatase 8
24	213568_at	OSR2	odd-skipped related 2 (Drosophila)
25	224590_at	XIST	X (inactive)-specific transcript (non-protein coding)
26	204440_at	CD83	CD83 molecule
27	221874_at	KIAA1324	KIAA1324
28	1554988_at	SLC9C2	solute carrier family 9, member C2 (putative)
29	206325_at	SERPINA6	serpin peptidase inhibitor, clade A (alpha-1 antiproteinase, antitry
30	206541_at	KLKB1	kallikrein B, plasma (Fletcher factor) 1
31	228097_at	MYLIP	myosin regulatory light chain interacting protein
32	209304_x_at	GADD45B	growth arrest and DNA-damage-inducible, beta
33	235946_at	RIBC1	RIB43A domain with coiled-coils 1
34	234732_s_at	EFCAB6	EF-hand calcium binding domain 6
35	227359_at	OSCP1	organic solute carrier partner 1
36	239213_at	SERPINB1	serpin peptidase inhibitor, clade B (ovalbumin), member 1
37	215363_x_at	FOLH1 /// FOLH1B	folate hydrolase (prostate-specific membrane antigen) 1 /// folate
38	205922_at	VNN2	vanin 2
39	224568_x_at	LOC100507645 /// MA	uncharacterized LOC100507645 /// metastasis associated lung ad
40	1553605_a_at	ABCA13	ATP-binding cassette, sub-family A (ABC1), member 13
41	209687_at	CXCL12	chemokine (C-X-C motif) ligand 12
42	244144_at	SYNE1	spectrin repeat containing, nuclear envelope 1
43	1555298_a_at	VWA3B	von Willebrand factor A domain containing 3B
44	235649_at	ADAMTS8	ADAM metallopeptidase with thrombospondin type 1 motif, 8
45	229530_at	GUCY1A3	guanylate cyclase 1, soluble, alpha 3
46	224215_s_at	DLL1	delta-like 1 (Drosophila)
47	228128_x_at	PAPPA	pregnancy-associated plasma protein A, pappalysin 1
48	223794_at	ARMC4	armadillo repeat containing 4
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	213900_at	FAM189A2	family with sequence similarity 189, member A2
3	219290_x_at	DAPP1	dual adaptor of phosphotyrosine and 3-phosphoinositides
4	235638_at	RASSF6	Ras association (RalGDS/AF-6) domain family member 6
5	228882_at	TUB	tubby homolog (mouse)
6			
7	221834_at	LOC100507577 /// LOI	uncharacterized LOC100507577 /// lon peptidase 2, peroxisomal
8	1566480_x_at	C17orf104	Chromosome 17 open reading frame 104
9	244401_at	LCA5	Leber congenital amaurosis 5
10	239123_at	TSC22D1	TSC22 domain family, member 1
11	228532_at	C1orf162	chromosome 1 open reading frame 162
12	241359_at	TLCD2	TLC domain containing 2
13	213537_at	HLA-DPA1	major histocompatibility complex, class II, DP alpha 1
14	219396_s_at	MIR631 /// NEIL1	microRNA 631 /// nei endonuclease VIII-like 1 (E. coli)
15	209879_at	SELPLG	selectin P ligand
16	215266_at	DNAH3	dynein, axonemal, heavy chain 3
17	201162_at	IGFBP7	insulin-like growth factor binding protein 7
18	213397_x_at	RNASE4	ribonuclease, RNase A family, 4
19	219014_at	PLAC8	placenta-specific 8
20	206093_x_at	TNXA /// TNXB	tenascin XA (pseudogene) /// tenascin XB
21	1562743_at	ZNF33B	zinc finger protein 33B
22	206710_s_at	EPB41L3	erythrocyte membrane protein band 4.1-like 3
23	236710_at	C1orf87	chromosome 1 open reading frame 87
24	1558792_x_at	AP2A1	Adaptor-related protein complex 2, alpha 1 subunit
25	243087_at	WDR63	WD repeat domain 63
26	230924_at	TTLL6	tubulin tyrosine ligase-like family, member 6
27	205383_s_at	ZBTB20	zinc finger and BTB domain containing 20
28	242290_at	TACC1	transforming, acidic coiled-coil containing protein 1
29	230378_at	SCGB3A1	secretoglobin, family 3A, member 1
30	230391_at	CD84	CD84 molecule
31	207808_s_at	PROS1	protein S (alpha)
32	237227_at	NEK10	NIMA (never in mitosis gene a)- related kinase 10
33	215322_at	LONRF1	LON peptidase N-terminal domain and ring finger 1
34	229233_at	NRG3	neuregulin 3
35	209447_at	SYNE1	spectrin repeat containing, nuclear envelope 1
36	1559400_s_at	PAPPA	pregnancy-associated plasma protein A, pappalysin 1
37	236331_at	CDKL2	cyclin-dependent kinase-like 2 (CDC2-related kinase)
38	1553183_at	UMODL1	uromodulin-like 1
39	218532_s_at	FAM134B	family with sequence similarity 134, member B
40	213309_at	PLCL2	phospholipase C-like 2
41	241193_at	ETS2	V-ets erythroblastosis virus E26 oncogene homolog 2 (avian)
42	1552321_a_at	CCDC65	coiled-coil domain containing 65
43	204487_s_at	KCNQ1	potassium voltage-gated channel, KQT-like subfamily, member 1
44	206017_at	KIAA0319	KIAA0319
45	219687_at	HHAT	hedgehog acyltransferase
46	229041_s_at	LOC100505746	uncharacterized LOC100505746
47	203924_at	GSTA1	glutathione S-transferase alpha 1
48	237719_x_at	RGS7BP	regulator of G-protein signaling 7 binding protein
49	223737_x_at	CHST9	carbohydrate (N-acetylgalactosamine 4-O) sulfotransferase 9
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	226917_s_at	ANAPC4	anaphase promoting complex subunit 4
3	216333_x_at	TNXA /// TNXB	tenascin XA (pseudogene) /// tenascin XB
4	227346_at	IKZF1	IKAROS family zinc finger 1 (Ikaros)
5	204894_s_at	AOC3	amine oxidase, copper containing 3 (vascular adhesion protein 1)
6	64900_at	TMEM231	transmembrane protein 231
7			
8	216119_s_at	SPEF1	sperm flagellar 1
9	1552296_at	BEST4	bestrophin 4
10			
11	221698_s_at	CLEC7A	C-type lectin domain family 7, member A
12	206483_at	LRRC6	leucine rich repeat containing 6
13	206101_at	ECM2	extracellular matrix protein 2, female organ and adipocyte specific
14	211621_at	AR	androgen receptor
15	204655_at	CCL5	chemokine (C-C motif) ligand 5
16			
17	1554919_s_at	C7orf63	chromosome 7 open reading frame 63
18	239336_at	THBS1	thrombospondin 1
19	213185_at	KIAA0556	KIAA0556
20			
21	230287_at	SGSM1	small G protein signaling modulator 1
22	231728_at	CAPS	calcyphosine
23	223732_at	SLC23A1	solute carrier family 23 (nucleobase transporters), member 1
24	217362_x_at	HLA-DRB6	major histocompatibility complex, class II, DR beta 6 (pseudogene)
25	238423_at	SYTL3	synaptotagmin-like 3
26			
27	209606_at	CYTIP	cytohesin 1 interacting protein
28	243868_at	RFX3	regulatory factor X, 3 (influences HLA class II expression)
29	226872_at	RFX2	regulatory factor X, 2 (influences HLA class II expression)
30	232617_at	CTSS	cathepsin S
31			
32	224916_at	TMEM173	transmembrane protein 173
33	219371_s_at	KLF2	Kruppel-like factor 2 (lung)
34	233312_at	ROPN1L	rophilin associated tail protein 1-like
35	209114_at	TSPAN1	tetraspanin 1
36			
37	219734_at	SIDT1	SID1 transmembrane family, member 1
38	219455_at	C7orf63	chromosome 7 open reading frame 63
39	215418_at	PARVA	parvin, alpha
40	1405_i_at	CCL5	chemokine (C-C motif) ligand 5
41			
42	234476_at	DNAH7	dynein, axonemal, heavy chain 7
43	1552957_at	DNAH6	dynein, axonemal, heavy chain 6
44	202158_s_at	CELF2	CUGBP, Elav-like family member 2
45	243334_at	CACNA1D	calcium channel, voltage-dependent, L type, alpha 1D subunit
46	209173_at	AGR2	anterior gradient 2 homolog (Xenopus laevis)
47			
48	1553789_a_at	C21orf58	chromosome 21 open reading frame 58
49	237238_at	WWC1	WW and C2 domain containing 1
50	225941_at	EIF4E3	eukaryotic translation initiation factor 4E family member 3
51	205114_s_at	CCL3 /// CCL3L1 /// CC	chemokine (C-C motif) ligand 3 /// chemokine (C-C motif) ligand 3
52			
53	1560397_s_at	KLHL6	kelch-like 6 (Drosophila)
54	242342_at	GUCY1A2	guanylate cyclase 1, soluble, alpha 2
55	238763_at	RBM20	RNA binding motif protein 20
56			
57	1568906_at	LOC728196	uncharacterized LOC728196
58	237251_at	LRRC71	leucine rich repeat containing 71
59	242286_at	GRIN2A	glutamate receptor, ionotropic, N-methyl D-aspartate 2A
60			

205890_s_at	GABBR1 /// UBD	gamma-aminobutyric acid (GABA) B receptor, 1 /// ubiquitin D
211726_s_at	FMO2	flavin containing monooxygenase 2 (non-functional)
222102_at	GSTA3	glutathione S-transferase alpha 3
228086_at	STK33	serine/threonine kinase 33
210136_at	MBP	myelin basic protein
228111_s_at	DNAH1	dynein, axonemal, heavy chain 1
220173_at	C14orf45	chromosome 14 open reading frame 45
213385_at	CHN2	chimerin (chimaerin) 2
222858_s_at	DAPP1	dual adaptor of phosphotyrosine and 3-phosphoinositides
220308_at	CCDC19	coiled-coil domain containing 19
207651_at	GPR171	G protein-coupled receptor 171
243495_s_at	ZNF652	Zinc finger protein 652
230807_at	CCDC151	coiled-coil domain containing 151
211896_s_at	DCN	decorin
226218_at	IL7R	interleukin 7 receptor
233463_at	RASSF6	Ras association (RalGDS/AF-6) domain family member 6
206043_s_at	ATP2C2	ATPase, Ca++ transporting, type 2C, member 2
220475_at	SLC28A3	solute carrier family 28 (sodium-coupled nucleoside transporter),
219508_at	GCNT3	glucosaminyl (N-acetyl) transferase 3, mucin type
226248_s_at	KIAA1324	KIAA1324
232099_at	PCDHB16	protocadherin beta 16
228885_at	MAMDC2	MAM domain containing 2
219106_s_at	KBTBD10	kelch repeat and BTB (POZ) domain containing 10
219147_s_at	NMRK1	nicotinamide riboside kinase 1
220064_at	LOC100506124 /// TT	uncharacterized LOC100506124 /// tetratricopeptide repeat dom
223343_at	MS4A7	membrane-spanning 4-domains, subfamily A, member 7
226878_at	HLA-DOA	major histocompatibility complex, class II, DO alpha
205896_at	SLC22A4	solute carrier family 22 (organic cation/ergothioneine transporter
1562815_at	EFCAB6	EF-hand calcium binding domain 6
1568377_x_at	DEFB124	defensin, beta 124
222943_at	GBA3	glucosidase, beta, acid 3 (cytosolic)
203542_s_at	KLF9	Kruppel-like factor 9
1553729_s_at	LRRC43	leucine rich repeat containing 43
223636_at	ZMYND12	zinc finger, MYND-type containing 12
201951_at	ALCAM	activated leukocyte cell adhesion molecule
225299_at	MYO5B	myosin VB
1563814_at	C2orf50	chromosome 2 open reading frame 50
1557417_s_at	RSPH10B /// RSPH10B	radial spoke head 10 homolog B (Chlamydomonas) /// radial spok
205656_at	PCDH17	protocadherin 17
213464_at	SHC2	SHC (Src homology 2 domain containing) transforming protein 2
214798_at	ATP2C2	ATPase, Ca++ transporting, type 2C, member 2
228943_at	MAP6	microtubule-associated protein 6
1553133_at	C9orf72	chromosome 9 open reading frame 72
202376_at	SERPINA3	serpin peptidase inhibitor, clade A (alpha-1 antiproteinase, antitry
229245_at	PLEKHA6	pleckstrin homology domain containing, family A member 6
230033_at	DNAAF3	dynein, axonemal, assembly factor 3
220528_at	VNN3	vanin 3

1			
2	233198_at	GOLGA2P5	golgin A2 pseudogene 5
3	237439_at	USP43	ubiquitin specific peptidase 43
4	224941_at	PAPPA	pregnancy-associated plasma protein A, pappalysin 1
5	219857_at	PLEKHS1	pleckstrin homology domain containing, family S member 1
6			
7	210592_s_at	SAT1	spermidine/spermine N1-acetyltransferase 1
8	205654_at	C4BPA	complement component 4 binding protein, alpha
9	234974_at	GALM	galactose mutarotase (aldose 1-epimerase)
10	225207_at	PDK4	pyruvate dehydrogenase kinase, isozyme 4
11	227775_at	CELF6	CUGBP, Elav-like family member 6
12	236407_at	KCNE1	potassium voltage-gated channel, Isk-related family, member 1
13	227474_at	LOC654433	uncharacterized LOC654433
14	1560147_at	WDR86-AS1	WDR86 antisense RNA 1 (non-protein coding)
15			
16	212451_at	SECISBP2L	SECIS binding protein 2-like
17	227226_at	MRAP2	melanocortin 2 receptor accessory protein 2
18	230499_at	BIRC3	baculoviral IAP repeat containing 3
19			
20	238720_at	LOC100506582	uncharacterized LOC100506582
21	201743_at	CD14	CD14 molecule
22			
23	1552540_s_at	IQCD	IQ motif containing D
24	237363_at	SPATA6L	spermatogenesis associated 6-like
25	214735_at	IPCEF1	interaction protein for cytohesin exchange factors 1
26			
27	212188_at	KCTD12	potassium channel tetramerisation domain containing 12
28	202643_s_at	TNFAIP3	tumor necrosis factor, alpha-induced protein 3
29	227812_at	TNFRSF19	tumor necrosis factor receptor superfamily, member 19
30	201497_x_at	MYH11	myosin, heavy chain 11, smooth muscle
31	220724_at	CWH43	cell wall biogenesis 43 C-terminal homolog (S. cerevisiae)
32	231149_s_at	ULK4	unc-51-like kinase 4 (C. elegans)
33	205945_at	IL6R	interleukin 6 receptor
34			
35	201289_at	CYR61	cysteine-rich, angiogenic inducer, 61
36	235308_at	ZBTB20	zinc finger and BTB domain containing 20
37	228946_at	INTU	inturned planar cell polarity effector homolog (Drosophila)
38	205714_s_at	ZMYND10	zinc finger, MYND-type containing 10
39	212327_at	LIMCH1	LIM and calponin homology domains 1
40	205044_at	GABRP	gamma-aminobutyric acid (GABA) A receptor, pi
41	230828_at	GRAMD2	GRAM domain containing 2
42	202435_s_at	CYP1B1	cytochrome P450, family 1, subfamily B, polypeptide 1
43	1564160_at	DTHD1	death domain containing 1
44	238721_at	MDH1B	malate dehydrogenase 1B, NAD (soluble)
45			
46	236293_at	RHOH	ras homolog family member H
47	230451_at	LOC100506974	uncharacterized LOC100506974
48	242287_at	CLIP1	CAP-GLY domain containing linker protein 1
49	228221_at	SLC44A3	solute carrier family 44, member 3
50	235213_at	ITPKB	Inositol-trisphosphate 3-kinase B
51	232449_at	BCO2	beta-carotene oxygenase 2
52	207992_s_at	AMPD3	adenosine monophosphate deaminase 3
53	226822_at	STOX2	storkhead box 2
54	226690_at	ADCYAP1R1	adenylate cyclase activating polypeptide 1 (pituitary) receptor typ
55	230505_at	LOC145474	uncharacterized LOC145474
56			
57			
58			
59			
60			

1			
2	232972_at	C17orf72	chromosome 17 open reading frame 72
3	220920_at	ATP10B	ATPase, class V, type 10B
4	224209_s_at	GDA	guanine deaminase
5	205898_at	CX3CR1	chemokine (C-X3-C motif) receptor 1
6	205288_at	CDC14A	CDC14 cell division cycle 14 homolog A (S. cerevisiae)
7	214261_s_at	ADH6	alcohol dehydrogenase 6 (class V)
8	229849_at	WIPF3	WAS/WASL interacting protein family, member 3
9	230273_at	C6orf165	chromosome 6 open reading frame 165
10	224559_at	LOC100507645	uncharacterized LOC100507645
11	223217_s_at	NFKBIZ	nuclear factor of kappa light polypeptide gene enhancer in B-cells
12	204793_at	GPRASP1	G protein-coupled receptor associated sorting protein 1
13	233375_at	EFCAB2	EF-hand calcium binding domain 2
14	223623_at	C2orf40	chromosome 2 open reading frame 40
15	200810_s_at	CIRBP	cold inducible RNA binding protein
16	232417_x_at	ZDHHC11	zinc finger, DHHC-type containing 11
17	230092_at	UBXN10	UBX domain protein 10
18	232611_at	GOLGA2P5	golgin A2 pseudogene 5
19	228214_at	SOX6	SRY (sex determining region Y)-box 6
20	1556474_a_at	FLJ38379	uncharacterized FLJ38379
21	238008_at	PRR18	proline rich 18
22	1556421_at	LOC286189	uncharacterized LOC286189
23	238657_at	UBXN10	UBX domain protein 10
24	228338_at	C11orf93	chromosome 11 open reading frame 93
25	204714_s_at	F5	coagulation factor V (proaccelerin, labile factor)
26	204070_at	RARRES3	retinoic acid receptor responder (tazarotene induced) 3
27	235945_at	SRD5A2	Steroid-5-alpha-reductase, alpha polypeptide 2 (3-oxo-5 alpha-ste
28	230132_at	LOC100505495	uncharacterized LOC100505495
29	210742_at	CDC14A	CDC14 cell division cycle 14 homolog A (S. cerevisiae)
30	205923_at	RELN	reelin
31	202746_at	ITM2A	integral membrane protein 2A
32	207981_s_at	ESRRG	estrogen-related receptor gamma
33	227289_at	PCDH17	protocadherin 17
34	208131_s_at	PTGIS	prostaglandin I2 (prostacyclin) synthase
35	244655_at	LOC100507311	uncharacterized LOC100507311
36	203932_at	HLA-DMB	major histocompatibility complex, class II, DM beta
37	204365_s_at	REEP1	receptor accessory protein 1
38	223218_s_at	NFKBIZ	nuclear factor of kappa light polypeptide gene enhancer in B-cells
39	211368_s_at	CASP1	caspase 1, apoptosis-related cysteine peptidase
40	220184_at	NANOG	Nanog homeobox
41	235421_at	MAP3K8	mitogen-activated protein kinase kinase kinase 8
42	205249_at	EGR2	early growth response 2
43	231133_at	CCDC164	coiled-coil domain containing 164
44	238513_at	PRRG4	proline rich Gla (G-carboxyglutamic acid) 4 (transmembrane)
45	215341_at	DNAH6	dynein, axonemal, heavy chain 6
46	235746_s_at	PLA2R1	phospholipase A2 receptor 1, 180kDa
47	214414_x_at	HBA1	hemoglobin, alpha 1
48	232196_at	LCA5L	Leber congenital amaurosis 5-like
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	217478_s_at	HLA-DMA	major histocompatibility complex, class II, DM alpha
3	214889_at	FAM149A	family with sequence similarity 149, member A
4	223866_at	ARMC2	armadillo repeat containing 2
5	218510_x_at	FAM134B	family with sequence similarity 134, member B
6	205269_at	LCP2	lymphocyte cytosolic protein 2 (SH2 domain containing leukocyte
7	40665_at	FMO3	flavin containing monooxygenase 3
8	228325_at	KIAA0146	KIAA0146
9	224940_s_at	PAPPA	pregnancy-associated plasma protein A, pappalysin 1
10	1568606_at	C11orf88	chromosome 11 open reading frame 88
11	228503_at	RPS6KA6	ribosomal protein S6 kinase, 90kDa, polypeptide 6
12	211458_s_at	GABARAPL1 /// GABA	GABA(A) receptor-associated protein like 1 /// GABA(A) receptors
13	226358_at	APH1B	anterior pharynx defective 1 homolog B (C. elegans)
14	202156_s_at	CELF2	CUGBP, Elav-like family member 2
15	212914_at	CBX7	chromobox homolog 7
16	1568698_at	TMEM232	transmembrane protein 232
17	227404_s_at	LOC100653132	uncharacterized LOC100653132
18	229918_at	CCDC40	coiled-coil domain containing 40
19	239722_at	C5orf49	chromosome 5 open reading frame 49
20	228035_at	STK33	serine/threonine kinase 33
21	225345_s_at	FBXO32	F-box protein 32
22	229147_at	RASSF6	Ras association (RalGDS/AF-6) domain family member 6
23	220232_at	SCD5	stearoyl-CoA desaturase 5
24	203131_at	PDGFRA	platelet-derived growth factor receptor, alpha polypeptide
25	239098_at	KCNRG	potassium channel regulator
26	205997_at	ADAM28	ADAM metallopeptidase domain 28
27	219833_s_at	EFHC1	EF-hand domain (C-terminal) containing 1
28	214890_s_at	FAM149A	family with sequence similarity 149, member A
29	236575_at	ARHGEF26-AS1	ARHGEF26 antisense RNA 1 (non-protein coding)
30	231044_at	C1orf194	chromosome 1 open reading frame 194
31	239921_at	COL28A1	collagen, type XXVIII, alpha 1
32	239185_at	ABCA9	ATP-binding cassette, sub-family A (ABC1), member 9
33	231565_at	C4orf22	chromosome 4 open reading frame 22
34	203455_s_at	SAT1	spermidine/spermine N1-acetyltransferase 1
35	240288_at	KCNRG /// TRIM13	potassium channel regulator /// tripartite motif containing 13
36	1554141_s_at	WDR78	WD repeat domain 78
37	227420_at	TNFAIP8L1	tumor necrosis factor, alpha-induced protein 8-like 1
38	225009_at	CMTM4	CKLF-like MARVEL transmembrane domain containing 4
39	230104_s_at	TPPP	tubulin polymerization promoting protein
40	241600_at	WIPF3	WAS/WASL interacting protein family, member 3
41	226439_s_at	NBEA	neurobeachin
42	228195_at	C2orf88	chromosome 2 open reading frame 88
43	226333_at	IL6R	interleukin 6 receptor
44	226778_at	C8orf42	chromosome 8 open reading frame 42
45	228546_at	DPP6	dipeptidyl-peptidase 6
46	223609_at	ROPN1L	rhophilin associated tail protein 1-like
47	236335_at	GUCY1A2	guanylate cyclase 1, soluble, alpha 2
48	239828_at	AKD1	adenylate kinase domain containing 1
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	209959_at	NR4A3	nuclear receptor subfamily 4, group A, member 3
3	205363_at	BBOX1	butyrobetaine (gamma), 2-oxoglutarate dioxygenase (gamma-but
4	220156_at	EFCAB1	EF-hand calcium binding domain 1
5	231710_at	CAPS	calcyphosine
6	209160_at	AKR1C3	aldo-keto reductase family 1, member C3 (3-alpha hydroxysteroid
7	243296_at	NAMPT	Nicotinamide phosphoribosyltransferase
8	233071_at	RSPH4A	radial spoke head 4 homolog A (Chlamydomonas)
9	1552365_at	SCIN	scinderin
10	202901_x_at	CTSS	cathepsin S
11	230792_at	FAAH2	fatty acid amide hydrolase 2
12	227088_at	PDE5A	phosphodiesterase 5A, cGMP-specific
13	1553794_at	STOML3	stomatin (EPB72)-like 3
14	230206_at	DOCK5	Dedicator of cytokinesis 5
15	238864_at	VWA3A	von Willebrand factor A domain containing 3A
16	225286_at	ARSD	arylsulfatase D
17	220125_at	DNAI1	dynein, axonemal, intermediate chain 1
18	220030_at	STYK1	serine/threonine/tyrosine kinase 1
19	200974_at	ACTA2	actin, alpha 2, smooth muscle, aorta
20	202340_x_at	NR4A1	nuclear receptor subfamily 4, group A, member 1
21	219511_s_at	SNCAIP	synuclein, alpha interacting protein
22	209795_at	CD69	CD69 molecule
23	1569675_at	POU2AF1	POU class 2 associating factor 1
24	1555804_a_at	YSK4	YSK4 Sps1/Ste20-related kinase homolog (S. cerevisiae)
25	209071_s_at	RGS5	regulator of G-protein signaling 5
26	213172_at	TTC9	tetratricopeptide repeat domain 9
27	227758_at	RERG	RAS-like, estrogen-regulated, growth inhibitor
28	239500_at	EFCAB1	EF-hand calcium binding domain 1
29	207996_s_at	C18orf1	chromosome 18 open reading frame 1
30	220389_at	CCDC81	coiled-coil domain containing 81
31	240809_at	ZNF295-AS1	ZNF295 antisense RNA 1 (non-protein coding)
32	215085_x_at	DLEC1	deleted in lung and esophageal cancer 1
33	207655_s_at	BLNK	B-cell linker
34	243036_at	CCDC30	coiled-coil domain containing 30
35	219681_s_at	RAB11FIP1	RAB11 family interacting protein 1 (class I)
36	219747_at	NDNF	neuron-derived neurotrophic factor
37	229628_s_at	C9orf174 /// LOC1004	chromosome 9 open reading frame 174 /// LOC100499484-C9orf:
38	209074_s_at	FAM107A /// LOC1005	family with sequence similarity 107, member A /// uncharacterize
39	224227_s_at	BDP1	B double prime 1, subunit of RNA polymerase III transcription initi
40	221103_s_at	WDR52	WD repeat domain 52
41	1557544_at	CCDC147	coiled-coil domain containing 147
42	1552733_at	KLHDC1	kelch domain containing 1
43	212999_x_at	HLA-DQB1 /// LOC100	major histocompatibility complex, class II, DQ beta 1 /// HLA class
44	224929_at	TMEM173	transmembrane protein 173
45	203029_s_at	PTPRN2	protein tyrosine phosphatase, receptor type, N polypeptide 2
46	237131_at	RIIAD1	regulatory subunit of type II PKA R-subunit (RIIa) domain containi
47	231389_at	CXorf41	chromosome X open reading frame 41
48	206385_s_at	ANK3	ankyrin 3, node of Ranvier (ankyrin G)
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	1554528_at	C3orf15 /// LOC10065	chromosome 3 open reading frame 15 /// uncharacterized LOC10
3	204621_s_at	NR4A2	nuclear receptor subfamily 4, group A, member 2
4	223867_at	TEKT3	tektin 3
5	210108_at	CACNA1D	calcium channel, voltage-dependent, L type, alpha 1D subunit
6	241365_at	SATB1	SATB homeobox 1
7	220623_s_at	TSGA10	testis specific, 10
8	237151_s_at	PCDP1	primary ciliary dyskinesia protein 1
9	205768_s_at	SLC27A2	solute carrier family 27 (fatty acid transporter), member 2
10	214234_s_at	CYP3A5	cytochrome P450, family 3, subfamily A, polypeptide 5
11	212587_s_at	PTPRC	protein tyrosine phosphatase, receptor type, C
12	202994_s_at	FBLN1	fibulin 1
13	1554547_at	FAM13C	family with sequence similarity 13, member C
14	1552594_at	TMEM190	transmembrane protein 190
15	207850_at	CXCL3	chemokine (C-X-C motif) ligand 3
16	213375_s_at	N4BP2L1	NEDD4 binding protein 2-like 1
17	229021_at	MCTP2	multiple C2 domains, transmembrane 2
18	210033_s_at	SPAG6	sperm associated antigen 6
19	203408_s_at	SATB1	SATB homeobox 1
20	214070_s_at	ATP10B	ATPase, class V, type 10B
21	214719_at	SLC46A3	solute carrier family 46, member 3
22	201859_at	SRGN	serglycin
23	1553734_at	AK7	adenylate kinase 7
24	232357_at	TTLL9	tubulin tyrosine ligase-like family, member 9
25	214823_at	ZNF204P	zinc finger protein 204, pseudogene
26	223695_s_at	ARSD	arylsulfatase D
27	220351_at	CCRL1	chemokine (C-C motif) receptor-like 1
28	207636_at	SERPINI2	serpin peptidase inhibitor, clade I (pancpin), member 2
29	239776_at	TMEM232	transmembrane protein 232
30	1567627_at	CD74	CD74 molecule, major histocompatibility complex, class II invariant
31	214222_at	DNAH7	dynein, axonemal, heavy chain 7
32	228806_at	RORC	RAR-related orphan receptor C
33	237314_at	ENKUR	enkurin, TRPC channel interacting protein
34	243900_at	WDR38	WD repeat domain 38
35	222592_s_at	ACSL5	acyl-CoA synthetase long-chain family member 5
36	219542_at	NEK11	NIMA (never in mitosis gene a)- related kinase 11
37	207547_s_at	FAM107A /// LOC1005	family with sequence similarity 107, member A /// uncharacterize
38	203240_at	FCGBP	Fc fragment of IgG binding protein
39	230454_at	ICA1L	islet cell autoantigen 1,69kDa-like
40	212224_at	ALDH1A1	aldehyde dehydrogenase 1 family, member A1
41	1556711_at	FAM216B	family with sequence similarity 216, member B
42	204748_at	PTGS2	prostaglandin-endoperoxide synthase 2 (prostaglandin G/H synthase)
43	205769_at	SLC27A2	solute carrier family 27 (fatty acid transporter), member 2
44	227497_at	SOX6	SRY (sex determining region Y)-box 6
45	236915_at	C4orf47	chromosome 4 open reading frame 47
46	221841_s_at	KLF4	Kruppel-like factor 4 (gut)
47	235956_at	KIAA1377	KIAA1377
48	1557275_a_at	TLCD2	TLC domain containing 2
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	230131_x_at	ARSD	arylsulfatase D
3	201236_s_at	BTG2	BTG family, member 2
4	225919_s_at	C9orf72	chromosome 9 open reading frame 72
5	238049_at	GRAMD3	GRAM domain containing 3
6	223691_at	RGS22	regulator of G-protein signaling 22
7	1557867_s_at	C9orf117	chromosome 9 open reading frame 117
8	203824_at	TSPAN8	tetraspanin 8
9	230997_at	TTC21A	tetratricopeptide repeat domain 21A
10	232568_at	MGC24103	uncharacterized MGC24103
11	1558077_s_at	MDH1B	malate dehydrogenase 1B, NAD (soluble)
12	223823_at	KCNMB2	potassium large conductance calcium-activated channel, subfamil
13	224370_s_at	CAPS2	calcyphosine 2
14	201041_s_at	DUSP1	dual specificity phosphatase 1
15	1559640_at	ANKFN1	Ankyrin-repeat and fibronectin type III domain containing 1
16	223467_at	RASD1	RAS, dexamethasone-induced 1
17	212067_s_at	C1R	complement component 1, r subcomponent
18	206197_at	NME5	NME/NM23 family member 5
19	213661_at	PAMR1	peptidase domain containing associated with muscle regeneratio
20	206798_x_at	DLEC1	deleted in lung and esophageal cancer 1
21	210982_s_at	HLA-DRA	major histocompatibility complex, class II, DR alpha
22	218380_at	LOC728392	uncharacterized LOC728392
23	205844_at	VNN1	vanin 1
24	222722_at	OGN	osteoglycin
25	201893_x_at	DCN	decorin
26	220302_at	MAK	male germ cell-associated kinase
27	242904_x_at	LOC100653229	uncharacterized LOC100653229
28	228731_at	GUCY1A2	guanylate cyclase 1, soluble, alpha 2
29	241538_at	CXorf30	chromosome X open reading frame 30
30	230695_s_at	RSPH9	radial spoke head 9 homolog (Chlamydomonas)
31	217757_at	A2M	alpha-2-macroglobulin
32	210809_s_at	POSTN	periostin, osteoblast specific factor
33	208894_at	HLA-DRA	major histocompatibility complex, class II, DR alpha
34	201137_s_at	HLA-DPB1	major histocompatibility complex, class II, DP beta 1
35	228827_at	RUNX1T1	runt-related transcription factor 1; translocated to, 1 (cyclin D-rel
36	223475_at	CRISPLD1	cysteine-rich secretory protein LCCL domain containing 1
37	1556003_a_at	LOC100506777	uncharacterized LOC100506777
38	200878_at	EPAS1 /// LOC100652	endothelial PAS domain protein 1 /// uncharacterized LOC100652
39	205590_at	RASGRP1	RAS guanyl releasing protein 1 (calcium and DAG-regulated)
40	236430_at	TMED6	transmembrane emp24 protein transport domain containing 6
41	221646_s_at	ZDHHC11	zinc finger, DHHC-type containing 11
42	221667_s_at	HSPB8	heat shock 22kDa protein 8
43	225280_x_at	ARSD	arylsulfatase D
44	233011_at	ANXA1	Annexin A1
45	237020_at	CATSPERD	catsper channel auxiliary subunit delta
46	202437_s_at	CYP1B1	cytochrome P450, family 1, subfamily B, polypeptide 1
47	226164_x_at	RIMKLB	ribosomal modification protein rimK-like family member B
48	205414_s_at	ARHGAP44	Rho GTPase activating protein 44
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	242903_at	IFNGR1	interferon gamma receptor 1
3	232166_at	KIAA1377	KIAA1377
4	239216_at	TEKT1	tektin 1
5	212671_s_at	HLA-DQA1	HLA-DQ major histocompatibility complex, class II, DQ alpha 1
6	204041_at	MAOB	monoamine oxidase B
7	216248_s_at	NR4A2	nuclear receptor subfamily 4, group A, member 2
8	206228_at	PAX2	paired box 2
9	212998_x_at	HLA-DQB1	HLA class II, DQ beta 1
10	219505_at	CECR1	cat eye syndrome chromosome region, candidate 1
11	240293_at	CCDC153	coiled-coil domain containing 153
12	229096_at	LIMS3	LIM and senescent cell antigen-like domains 3
13	227194_at	FAM3B	family with sequence similarity 3, member B
14	230193_at	WDR66	WD repeat domain 66
15	243109_at	MCTP2	multiple C2 domains, transmembrane 2
16	230152_at	WDR52	WD repeat domain 52
17	202295_s_at	CTSH	cathepsin H
18	207959_s_at	DNAH9	dynein, axonemal, heavy chain 9
19	213849_s_at	PPP2R2B	protein phosphatase 2, regulatory subunit B, beta
20	207574_s_at	GADD45B	growth arrest and DNA-damage-inducible, beta
21	228648_at	LRG1	leucine-rich alpha-2-glycoprotein 1
22	228482_at	CDRT4	FAM18B2-CMT1A duplicated region transcript 4
23	235086_at	THBS1	thrombospondin 1
24	230130_at	SLIT2	Slit homolog 2 (Drosophila)
25	205043_at	CFTR	cystic fibrosis transmembrane conductance regulator (ATP-binding)
26	236666_s_at	LRR10B	leucine rich repeat containing 10B
27	204622_x_at	NR4A2	nuclear receptor subfamily 4, group A, member 2
28	227917_at	LOC100506990	uncharacterized LOC100506990
29	220168_at	CASC1	cancer susceptibility candidate 1
30	209550_at	NDN	necdin homolog (mouse)
31	204803_s_at	RRAD	Ras-related associated with diabetes
32	226682_at	RORA	RAR-related orphan receptor A
33	239499_at	DNAH2	dynein, axonemal, heavy chain 2
34	222068_s_at	DNAAF1	dynein, axonemal, assembly factor 1
35	225895_at	SYNPO2	synaptopodin 2
36	214204_at	PACRG	PARK2 co-regulated
37	212681_at	EPB41L3	erythrocyte membrane protein band 4.1-like 3
38	238327_at	ODF3B	outer dense fiber of sperm tails 3B
39	1554140_at	WDR78	WD repeat domain 78
40	239733_at	DYDC2	DPY30 domain containing 2
41	213975_s_at	LYZ	lysozyme
42	222162_s_at	ADAMTS1	ADAM metalloproteinase with thrombospondin type 1 motif, 1
43	235527_at	DLGAP1	discs, large (Drosophila) homolog-associated protein 1
44	229976_at	MORN5	MORN repeat containing 5
45	243803_at	LOC643037	uncharacterized LOC643037
46	207896_s_at	DLEC1	deleted in lung and esophageal cancer 1
47	219564_at	KCNJ16	potassium inwardly-rectifying channel, subfamily J, member 16
48	222291_at	FAM149A	family with sequence similarity 149, member A
49			

1			
2	204072_s_at	FRY	furry homolog (Drosophila)
3	236118_at	LOC100128893	uncharacterized LOC100128893
4	226197_at	AR	androgen receptor
5	220591_s_at	EFHC2	EF-hand domain (C-terminal) containing 2
6	229802_at	WISP1	WNT1 inducible signaling pathway protein 1
7	238805_at	C11orf52 /// HSPB2 //	chromosome 11 open reading frame 52 /// heat shock 27kDa protein
8	221541_at	CRISPLD2	cysteine-rich secretory protein LCCL domain containing 2
9	1556026_at	LOC100131434	uncharacterized LOC100131434
10	231172_at	C9orf117	chromosome 9 open reading frame 117
11	202644_s_at	TNFAIP3	tumor necrosis factor, alpha-induced protein 3
12	238682_at	CCDC96	coiled-coil domain containing 96
13	203685_at	BCL2	B-cell CLL/lymphoma 2
14	234970_at	TC2N	tandem C2 domains, nuclear
15	243386_at	CASZ1	castor zinc finger 1
16	208147_s_at	CYP2C8	cytochrome P450, family 2, subfamily C, polypeptide 8
17	232968_at	FANK1	fibronectin type III and ankyrin repeat domains 1
18	218353_at	RGS5	regulator of G-protein signaling 5
19	236203_at	HLA-DQA1 /// LOC100	major histocompatibility complex, class II, DQ alpha 1 /// HLA class II
20	219871_at	FLJ13197	uncharacterized FLJ13197
21	237654_at	PPP1R36	protein phosphatase 1, regulatory subunit 36
22	204364_s_at	REEP1	receptor accessory protein 1
23	229738_at	DNAH10	dynein, axonemal, heavy chain 10
24	208323_s_at	ANXA13	annexin A13
25	231380_at	C8orf34	chromosome 8 open reading frame 34
26	232603_at	DCDC5	doublecortin domain containing 5
27	230624_at	SLC25A27	solute carrier family 25, member 27
28	208140_s_at	LRRC48	leucine rich repeat containing 48
29	205765_at	CYP3A5	cytochrome P450, family 3, subfamily A, polypeptide 5
30	1569040_s_at	ANKRD36BP2	ankyrin repeat domain 36B pseudogene 2
31	228726_at	SERPINB1	serpin peptidase inhibitor, clade B (ovalbumin), member 1
32	207490_at	TUBA4B	tubulin, alpha 4b (pseudogene)
33	212805_at	PRUNE2	prune homolog 2 (Drosophila)
34	201531_at	ZFP36	zinc finger protein 36, C3H type, homolog (mouse)
35	231729_s_at	CAPS	calcyphosine
36	230323_s_at	TMEM45B	transmembrane protein 45B
37	219932_at	SLC27A6	solute carrier family 27 (fatty acid transporter), member 6
38	227091_at	CCDC146	coiled-coil domain containing 146
39	210002_at	GATA6	GATA binding protein 6
40	205432_at	OVGP1	oviductal glycoprotein 1, 120kDa
41	226147_s_at	PIGR	polymeric immunoglobulin receptor
42	220723_s_at	CWH43	cell wall biogenesis 43 C-terminal homolog (S. cerevisiae)
43	203413_at	LOC100653018 /// LOC100	uncharacterized LOC100653018 /// uncharacterized LOC100653018
44	232381_s_at	DNAH5	dynein, axonemal, heavy chain 5
45	227697_at	SOCS3	suppressor of cytokine signaling 3
46	227498_at	SOX6	SRY (sex determining region Y)-box 6
47	227742_at	CLIC6	chloride intracellular channel 6
48	218876_at	TPPP3	tubulin polymerization-promoting protein family member 3
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	229616_s_at	GRAMD2	GRAM domain containing 2
3	204051_s_at	SFRP4	secreted frizzled-related protein 4
4	208306_x_at	HLA-DRB1 /// LOC100	major histocompatibility complex, class II, DR beta 1 /// HLA class
5	213293_s_at	TRIM22	tripartite motif containing 22
6	1552390_a_at	C8orf47	chromosome 8 open reading frame 47
8	232984_at	HYDIN	HYDIN, axonemal central pair apparatus protein
9	214235_at	CYP3A5	cytochrome P450, family 3, subfamily A, polypeptide 5
10	1557636_a_at	C7orf57	chromosome 7 open reading frame 57
12	226192_at	AR	androgen receptor
13	208791_at	CLU	clusterin
14	239297_at	KIAA1456	KIAA1456
15	1554298_a_at	WDR49	WD repeat domain 49
17	218322_s_at	ACSL5	acyl-CoA synthetase long-chain family member 5
18	240857_at	DNAH9	dynein, axonemal, heavy chain 9
19	203780_at	MPZL2	myelin protein zero-like 2
20	223962_at	TTC29	tetratricopeptide repeat domain 29
22	39248_at	AQP3	aquaporin 3 (Gill blood group)
23	1552283_s_at	ZDHHC11	zinc finger, DHHC-type containing 11
24	223235_s_at	SMOC2	SPARC related modular calcium binding 2
25	204802_at	RRAD	Ras-related associated with diabetes
26	213308_at	SHANK2	SH3 and multiple ankyrin repeat domains 2
27	236909_at	C2orf77	chromosome 2 open reading frame 77
29	235650_at	CDHR3 /// LOC100652	cadherin-related family member 3 /// uncharacterized LOC100652
30	210323_at	TEKT2	tektin 2 (testicular)
31	237281_at	AKAP14	A kinase (PRKA) anchor protein 14
32	206815_at	SPAG8	sperm associated antigen 8
33	236320_at	CCDC17	coiled-coil domain containing 17
34	220636_at	DNAI2	dynein, axonemal, intermediate chain 2
35	200986_at	SERPING1	serpin peptidase inhibitor, clade G (C1 inhibitor), member 1
36	209189_at	FOS	FBJ murine osteosarcoma viral oncogene homolog
37	230601_s_at	LRRC46	leucine rich repeat containing 46
38	228167_at	KLHL6	kelch-like 6 (Drosophila)
39	227238_at	MUC15	mucin 15, cell surface associated
40	239477_at	EFHB	EF-hand domain family, member B
41	204670_x_at	HLA-DRB1 /// HLA-DRI	major histocompatibility complex, class II, DR beta 1 /// major hist
42	208096_s_at	COL21A1	collagen, type XXI, alpha 1
43	209335_at	DCN	decorin
44	230600_at	LRRC46	leucine rich repeat containing 46
45	213307_at	SHANK2	SH3 and multiple ankyrin repeat domains 2
46	209774_x_at	CXCL2	chemokine (C-X-C motif) ligand 2
47	231582_at	CDHR3 /// LOC100652	cadherin-related family member 3 /// uncharacterized LOC100652
48	224355_s_at	MS4A8B	membrane-spanning 4-domains, subfamily A, member 8B
49	207016_s_at	ALDH1A2	aldehyde dehydrogenase 1 family, member A2
50	209312_x_at	HLA-DRB1 /// HLA-DRI	major histocompatibility complex, class II, DR beta 1 /// major hist
51	222043_at	CLU	clusterin
52	232277_at	SLC28A3	solute carrier family 28 (sodium-coupled nucleoside transporter),
53	209392_at	ENPP2	ectonucleotide pyrophosphatase/phosphodiesterase 2
54			
55			
56			
57			
58			
59			
60			

1			
2	228067_at	C2orf55	chromosome 2 open reading frame 55
3	208268_at	ADAM28	ADAM metallopeptidase domain 28
4	231969_at	STOX2	storkhead box 2
5	236717_at	FAM179A	family with sequence similarity 179, member A
6	205709_s_at	CDS1	CDP-diacylglycerol synthase (phosphatidate cytidylyltransferase) :
7	228100_at	C1orf88	chromosome 1 open reading frame 88
8	219580_s_at	TMC5	transmembrane channel-like 5
9	226424_at	CAPS	calcyphosine
10	203485_at	RTN1	reticulon 1
11	1553635_s_at	TCTEX1D1	Tctex1 domain containing 1
12	226185_at	CDS1	CDP-diacylglycerol synthase (phosphatidate cytidylyltransferase) :
13	243681_at	SHANK2	SH3 and multiple ankyrin repeat domains 2
14	235004_at	RBM24	RNA binding motif protein 24
15	208451_s_at	C4A /// C4B /// LOC10	complement component 4A (Rodgers blood group) /// compleme
16	212328_at	LIMCH1	LIM and calponin homology domains 1
17	231472_at	FBXO15	F-box protein 15
18	238983_at	NSUN7	NOP2/Sun domain family, member 7
19	240275_at	ARMC3	armadillo repeat containing 3
20	1552439_s_at	MEGF11	multiple EGF-like-domains 11
21	215193_x_at	HLA-DRB1 /// HLA-DRI	major histocompatibility complex, class II, DR beta 1 /// major hist
22	223838_at	TSGA10	testis specific, 10
23	231077_at	C1orf192	chromosome 1 open reading frame 192
24	208792_s_at	CLU	clusterin
25	204052_s_at	SFRP4	secreted frizzled-related protein 4
26	204719_at	ABCA8	ATP-binding cassette, sub-family A (ABC1), member 8
27	212588_at	PTPRC	protein tyrosine phosphatase, receptor type, C
28	203397_s_at	GALNT3	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalacto
29	229095_s_at	LIMS3 /// LIMS3-LOC4	LIM and senescent cell antigen-like domains 3 /// LIMS3-LOC4408
30	211991_s_at	HLA-DPA1	major histocompatibility complex, class II, DP alpha 1
31	233516_s_at	SPAG17	sperm associated antigen 17
32	227188_at	FAM176C	family with sequence similarity 176, member C
33	228554_at	PGR	progesterone receptor
34	215695_s_at	GYG2	glycogenin 2
35	228771_at	ADRBK2	adrenergic, beta, receptor kinase 2
36	1562371_s_at	VWA3B	von Willebrand factor A domain containing 3B
37	222890_at	CCDC113	coiled-coil domain containing 113
38	205027_s_at	MAP3K8	mitogen-activated protein kinase kinase kinase 8
39	202436_s_at	CYP1B1	cytochrome P450, family 1, subfamily B, polypeptide 1
40	227662_at	SYNPO2	synaptopodin 2
41	229331_at	SPATA18	spermatogenesis associated 18
42	229012_at	C9orf24	chromosome 9 open reading frame 24
43	229816_at	WDR78	WD repeat domain 78
44	203854_at	CFI	complement factor I
45	219313_at	GRAMD1C	GRAM domain containing 1C
46	210168_at	C6	complement component 6
47	229169_at	TTC18	tetratricopeptide repeat domain 18
48	205413_at	MPPED2	metallophosphoesterase domain containing 2
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			

1			
2	240304_s_at	TMC5	transmembrane channel-like 5
3	223924_at	TTC25	tetratricopeptide repeat domain 25
4	209829_at	FAM65B	family with sequence similarity 65, member B
5	210445_at	FABP6	fatty acid binding protein 6, ileal
6			
7	220614_s_at	ADGB	androglobin
8	202768_at	FOSB	FBJ murine osteosarcoma viral oncogene homolog B
9			
10	202672_s_at	ATF3	activating transcription factor 3
11	227099_s_at	C11orf96	chromosome 11 open reading frame 96
12	214428_x_at	C4A /// C4B /// LOC10	complement component 4A (Rodgers blood group) /// compleme
13	1552326_a_at	CCDC11	coiled-coil domain containing 11
14	239150_at	SNTN	sentan, cilia apical structure protein
15	236222_at	C3orf15 /// LOC10065	chromosome 3 open reading frame 15 /// uncharacterized LOC10
16			
17	220269_at	ZBBX	zinc finger, B-box domain containing
18	226863_at	FAM110C	family with sequence similarity 110, member C
19	220110_s_at	NXF3	nuclear RNA export factor 3
20			
21	218901_at	PLSCR4	phospholipid scramblase 4
22	213792_s_at	INSR	insulin receptor
23	243610_at	C9orf135	chromosome 9 open reading frame 135
24	1556158_at	FAM154B	family with sequence similarity 154, member B
25	223315_at	NTN4	netrin 4
26			
27	228692_at	PREX2	phosphatidylinositol-3,4,5-trisphosphate-dependent Rac exchange
28	228241_at	AGR3	factor 2 anterior gradient 3 homolog (Xenopus laevis)
29	201163_s_at	IGFBP7	insulin-like growth factor binding protein 7
30	220390_at	AGBL2	ATP/GTP binding protein-like 2
31			
32	229542_at	C20orf85	chromosome 20 open reading frame 85
33	238116_at	DYNLRB2	dynein, light chain, roadblock-type 2
34	233157_x_at	CCDC114	coiled-coil domain containing 114
35	232745_x_at	SPEF2	sperm flagellar 2
36			
37	217767_at	C3	complement component 3
38	226344_at	ZMAT1	zinc finger, matrin-type 1
39	229831_at	CNTN3	contactin 3 (plasmacytoma associated)
40	210383_at	SCN1A	sodium channel, voltage-gated, type I, alpha subunit
41	236085_at	CAPSL	calcyphosine-like
42	227450_at	ERP27	endoplasmic reticulum protein 27
43	239916_at	WDR16	WD repeat domain 16
44			
45	243802_at	DNAH12	dynein, axonemal, heavy chain 12
46	202948_at	IL1R1	interleukin 1 receptor, type I
47			
48	238625_at	C1orf168	chromosome 1 open reading frame 168
49	240065_at	FAM81B	family with sequence similarity 81, member B
50	231084_at	WDR96	WD repeat domain 96
51	210262_at	CRISP2	cysteine-rich secretory protein 2
52			
53	229170_s_at	TTC18	tetratricopeptide repeat domain 18
54	208498_s_at	ACTG1P4 /// AMY1A /	actin, gamma 1 pseudogene 4 /// amylase, alpha 1A (salivary) ///
55	230093_at	RSPH1	radial spoke head 1 homolog (Chlamydomonas)
56	214945_at	FAM153A /// FAM153	family with sequence similarity 153, member A /// family with sec
57			
58	200795_at	SPARCL1	SPARC-like 1 (hevin)
59	211990_at	HLA-DPA1	major histocompatibility complex, class II, DP alpha 1
60			

223044_at	SLC40A1	solute carrier family 40 (iron-regulated transporter), member 1
207802_at	CRISP3	cysteine-rich secretory protein 3

1				
2	genes)			
3			Xenografted tumor vs. Normal oviduct	
4			Serous cancer vs	
5	RefSeq Transcript ID	p-value	Fold-Change	p-value
6	NM_004004	5.87E-07	194.15	0.0446097
7	NM_002026 /// NM_05403	1.82E-07	150.943	0.0001132
8	NM_000077 /// NM_00119	2.20E-09	146.365	2.63E-06
9	NM_001256099 /// NM_13	1.41E-06	136.964	1.65E-05
10	NM_002026 /// NM_05403	2.58E-07	129.223	0.000228229
11	NM_002026 /// NM_05403	1.11E-07	122.519	0.000212078
12	NM_005978	1.97E-06	111.322	0.000336779
13	NM_002026 /// NM_05403	5.67E-08	102.878	0.000180865
14	NM_001206846 /// NM_01	4.07E-10	86.748	1.19E-07
15	NM_002961 /// NM_01955	5.57E-07	86.1008	0.000314175
16	NM_001185056 /// NM_00	7.77E-08	84.8932	0.000783687
17	NM_018685	4.17E-07	82.5849	2.17E-06
18	NM_004181	4.39E-07	79.0854	0.0176215
19	NM_001015886 /// NM_00	3.20E-08	76.9694	0.00244253
20	NM_001034 /// NM_00116	8.27E-08	73.2436	9.71E-06
21	NM_018492	7.62E-07	71.9627	4.81E-05
22	NM_001444	6.05E-11	70.4237	1.20E-07
23	NM_002160	7.24E-06	67.1956	0.0413871
24	NM_022346	1.06E-09	63.5059	6.73E-08
25	NM_001146015 /// NM_01	5.23E-09	62.5462	4.50E-08
26	NM_001827	1.07E-08	59.8806	3.97E-06
27	NM_021107 /// NM_03336	1.42E-10	58.6994	7.24E-05
28	NM_016448	6.18E-11	55.1857	1.36E-08
29	NM_001114120 /// NM_01	3.66E-08	54.8264	2.75E-05
30	NM_001256799 /// NM_00	8.01E-09	54.8252	0.00313461
31	NM_001166691 /// NM_00	2.20E-12	53.1695	2.02E-11
32	NM_022346	4.94E-10	53.1519	2.04E-05
33	NM_001034 /// NM_00116	3.02E-05	52.5865	0.00140245
34	NM_001067	7.37E-09	52.3716	9.75E-10
35	NM_001130829 /// NM_00	3.71E-09	51.1075	8.02E-06
36	NM_004936 /// NM_07848	7.46E-10	50.3667	0.00496907
37	NM_001207042 /// NM_00	8.29E-16	47.9748	5.91E-06
38	NM_001067	2.56E-08	47.6484	1.61E-07
39	NM_001029989 /// NM_01	4.21E-07	46.8959	9.42E-06
40	NM_001002269 /// NM_01	3.63E-09	45.9372	0.0134098
41	NM_001130851 /// NM_00	9.15E-11	45.0968	8.25E-07
42	NM_018304	6.11E-09	44.7991	2.18E-06
43	NM_004219	7.83E-12	44.0016	7.45E-08
44	NM_006818	2.38E-12	43.8789	0.000328096
45	NM_001255	2.84E-06	43.7721	6.30E-06
46	NM_024745	7.16E-13	42.6672	5.67E-07
47	NM_001012270 /// NM_00	3.35E-08	42.0438	2.00E-05
48	NM_031966	7.24E-08	41.3069	4.42E-06
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001114120 /// NM_01	6.40E-09	40.6658	4.96E-05
3	NM_001001790 /// NM_00	4.47E-09	40.4379	0.000971516
4	NM_001127182 /// NM_01	9.34E-08	40.3811	1.95E-07
5	NM_001267580 /// NM_00	1.99E-08	40.1021	1.97E-08
6	NM_004336	3.89E-09	39.5809	8.46E-08
7	NM_000077 /// NM_00119	1.83E-11	39.4114	1.06E-05
8	NM_031423 /// NM_14569	2.02E-11	39.2024	4.90E-12
9	NM_031942 /// NM_14581	3.29E-06	38.0567	0.000915955
10	NM_016448	3.02E-12	37.4461	2.27E-07
11	NM_001198557 /// NM_00	9.62E-09	37.416	2.96E-05
12	NM_005914 /// NM_18274	2.02E-12	37.0746	2.03E-06
13	NM_001129897 /// NM_00	2.86E-08	36.6682	9.65E-09
14	NM_013363	1.18E-08	36.1554	0.00474735
15	NM_001142556 /// NM_00	3.19E-07	35.3182	9.70E-06
16	NM_001813	5.33E-14	34.727	1.20E-06
17	NM_001160706 /// NM_00	6.52E-07	34.0245	0.00658233
18	NM_014176	1.09E-11	33.933	8.95E-05
19	NM_005733	6.54E-10	33.0866	1.87E-10
20	NM_002305	2.75E-10	32.4713	0.0008352
21	NM_002291	2.63E-06	32.3716	0.0311721
22	NM_007019 /// NM_18179	1.29E-10	32.3393	5.21E-10
23	NM_024629	3.85E-10	32.1917	6.61E-08
24	NM_001166356 /// NM_00	1.40E-08	32.095	0.00011338
25	NM_001130829 /// NM_00	1.60E-08	32.0495	3.35E-05
26	NM_001142556 /// NM_00	1.16E-07	32.0253	0.0032725
27	NM_018518 /// NM_18275	3.75E-07	31.5499	0.0160453
28	NM_007274 /// NM_18186	1.37E-10	31.3961	5.81E-05
29	NM_016343	7.88E-10	31.0042	6.16E-09
30	NM_003600 /// NM_19843	5.10E-10	30.9649	5.60E-12
31	NM_174942	1.14E-08	30.7088	1.24E-08
32	NM_012474 /// NR_03743:	1.64E-10	30.3586	3.09E-05
33	NM_003878	1.69E-06	30.2673	1.37E-06
34	NM_032756	2.97E-10	30.2069	0.000433131
35	NM_001005413 /// NM_00	6.99E-07	30.1462	2.97E-07
36	NM_007280	7.48E-11	29.4258	0.000273079
37	NM_001114120 /// NM_01	2.03E-09	29.2812	0.00113718
38	NM_001199261 /// NM_00	2.50E-12	28.7377	0.000110883
39	NM_001048201 /// NM_01	3.96E-07	28.549	0.00232417
40	NM_001100910 /// NM_00	4.01E-07	28.5277	5.61E-05
41	NM_001114121 /// NM_00	1.37E-08	28.0585	5.47E-05
42	NM_003600 /// NM_19843	5.43E-11	28.0358	2.02E-10
43	NM_001130829 /// NM_00	8.16E-06	27.4298	2.37E-05
44	NM_030919	7.86E-06	27.3062	1.31E-06
45	NM_001031628 /// NM_00	2.76E-09	27.2913	0.000736861
46	NM_173567	4.29E-09	27.0949	0.000395683
47	NM_001160033 /// NM_00	7.74E-10	26.9468	5.10E-05
48	NM_004298 /// NM_15348	7.69E-08	26.9426	0.000149792
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_000269 /// NM_19817	3.63E-09	26.9322	0.000135352
3	NM_001113378 /// NM_01	6.21E-11	26.6319	4.80E-09
4	NM_014875	2.47E-08	25.8864	1.88E-08
5	NM_001070	7.31E-10	25.7397	2.19E-05
6	NM_001145208 /// NM_01	1.69E-09	25.2949	6.04E-05
7	NM_014096 /// NM_01761	8.44E-10	25.2498	1.46E-05
8	NM_001166496 /// NM_00	8.86E-07	25.105	0.00371699
9	NM_001002799 /// NM_00	6.76E-07	24.856	4.87E-05
10	NM_001168551 /// NM_01	1.01E-13	24.8376	1.34E-08
11	NM_017915	2.45E-11	24.7816	5.54E-05
12	NM_016095	2.53E-10	24.7519	9.86E-07
13	NM_000597	2.69E-05	24.5338	0.000196035
14	NM_001042426 /// NM_00	2.44E-06	24.3145	3.35E-06
15	NM_002703	9.13E-08	24.1661	0.016957
16	NM_012394	2.89E-11	24.1376	1.71E-05
17	NM_001126103 /// NM_00	7.42E-08	23.9965	2.53E-07
18	NM_004701	2.06E-08	23.9216	2.23E-08
19	NM_004702 /// NM_05773	3.81E-09	23.6354	9.74E-05
20	NM_001211	1.79E-06	23.536	4.08E-07
21	NM_001015051 /// NM_00	5.99E-05	23.5275	0.0275818
22	NM_004523	1.37E-07	23.4655	1.38E-07
23	NM_016401 /// NR_024596	2.69E-08	23.4505	0.00973226
24	NM_020675	8.28E-08	23.1727	0.00090201
25	NM_001002032 /// NM_00	3.93E-12	23.0821	1.32E-05
26	NM_006993	8.56E-13	22.6309	3.16E-05
27	NM_001130862 /// NM_00	3.27E-07	22.4118	2.47E-07
28	NM_032043	1.75E-10	22.2716	1.48E-07
29	NM_012112	1.01E-08	22.0444	4.57E-08
30	NM_001166496 /// NM_00	8.99E-06	21.9351	0.0150149
31	NM_001160706 /// NM_00	1.62E-06	21.8339	0.0190539
32	NM_000393	2.96E-06	21.0731	0.00302529
33	NM_020242	2.49E-07	20.9965	2.29E-07
34	NM_004856 /// NM_13855	1.31E-06	20.7476	4.18E-07
35	NM_005914 /// NM_18274	1.05E-09	20.6468	1.07E-06
36	NM_001100624 /// NM_00	5.47E-11	20.4814	2.73E-05
37	NM_001850 /// NM_02035	0.000880386	20.4601	6.14E-05
38	NM_144508 /// NM_17058	3.88E-08	20.1857	0.000110029
39	NM_001256685 /// NM_00	9.76E-06	20.0948	1.34E-06
40	NM_001099286 /// NM_13	1.34E-10	20.0666	6.90E-08
41	NR_024031	6.39E-09	20.059	0.00119736
42	NM_001078166 /// NM_00	8.54E-08	19.9533	0.00791754
43	NM_002623	5.11E-12	19.8218	6.53E-07
44	NM_001098801 /// NM_15	7.14E-08	19.7903	0.00104351
45	NM_001098525 /// NM_01	1.29E-05	19.5518	0.0112875
46	NM_052871 /// NR_015396	2.08E-09	19.5471	0.000430063
47	NM_018004	5.17E-06	19.3835	0.000980456
48	NM_001237	4.02E-07	19.3134	0.00679371
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001789 /// NM_20156	1.09E-11	19.2628	3.18E-05
3	NM_002592 /// NM_18264	4.53E-07	18.8156	0.000115791
4	NM_005737	6.60E-07	18.7673	9.58E-05
5	NM_018518 /// NM_18275	3.46E-07	18.7542	1.77E-05
6	NM_001009936 /// NM_01	3.10E-08	18.653	7.99E-05
7	NM_001098616 /// NM_01	2.79E-09	18.6266	0.0016783
8	NM_005022	5.24E-07	18.4364	0.0110857
9	NM_152562	2.38E-09	18.3738	1.65E-05
10	NM_001190799 /// NM_00	5.06E-08	18.2961	0.000671851
11	NM_018410	2.13E-09	18.1974	1.72E-08
12	NM_001001563	2.11E-10	18.0096	3.16E-06
13	NM_016037	4.08E-13	17.9771	6.73E-06
14	NM_001193424 /// NM_00	8.83E-09	17.9541	0.000703176
15	NM_080748	1.06E-10	17.7752	1.45E-05
16	NM_001190991 /// NM_01	7.34E-10	17.6389	1.83E-07
17	NM_005105	9.79E-08	17.6105	0.000230946
18	NM_001137604 /// NM_01	6.23E-08	17.3881	0.000295671
19	NM_001009936 /// NM_01	8.28E-08	17.3775	0.00128462
20	NM_001845	6.97E-08	17.3746	0.000269278
21	NM_014317	1.31E-09	17.1415	1.23E-05
22	NM_001130158 /// NM_00	9.23E-08	17.1188	0.000107932
23	NM_018128	2.90E-10	17.1172	0.000402458
24	NM_001002258 /// NM_00	3.20E-06	17.0082	0.00480524
25	NM_031299	7.19E-10	16.983	2.36E-10
26	NM_000075 /// NM_05298	2.16E-07	16.9684	0.000317706
27	NM_000365 /// NM_00115	9.12E-07	16.8595	0.000575207
28	NM_000170	1.17E-05	16.8509	1.20E-05
29	NM_014875	1.96E-11	16.8499	1.83E-07
30	NM_014624	5.41E-08	16.8	0.00135819
31	NM_015341	3.64E-09	16.7458	1.06E-05
32	NM_002318	2.15E-08	16.7454	0.000458976
33	NM_001012507	4.81E-08	16.6607	0.000166421
34	NM_153695	3.45E-06	16.4385	0.00105107
35	NM_014109	3.24E-06	16.4375	4.00E-07
36	NM_001018067 /// NM_00	1.21E-08	16.4358	0.000556296
37	NM_020200	3.18E-05	16.4146	0.0238651
38	NM_006397	3.67E-08	16.3791	1.50E-05
39	NM_014109	6.72E-08	16.2747	0.000150378
40	NM_001905	1.22E-06	16.2653	0.000494056
41	NM_001129897 /// NM_00	1.36E-08	16.2319	9.28E-08
42	NM_001040152 /// NM_00	4.71E-06	16.0033	0.000524252
43	NM_013237	8.13E-11	15.9216	6.79E-06
44	NM_006713	9.97E-12	15.8889	1.36E-05
45	XR_040503	2.12E-06	15.8533	0.00269906
46	NM_001079524 /// NM_00	8.87E-05	15.7932	0.0454423
47	NM_031966	4.68E-08	15.7874	1.83E-07
48	NM_018063	7.39E-10	15.6299	7.06E-06
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001145966 /// NM_00	1.64E-06	15.6074	0.000354249
3	NM_017785	2.19E-09	15.5705	9.00E-06
4	NM_005916 /// NM_18277	1.45E-06	15.552	7.44E-05
5	NM_001197330 /// NM_00	1.16E-12	15.5076	1.56E-07
6	NM_004559	1.20E-07	15.4581	0.000587199
7	NM_021067	3.76E-10	15.2466	3.13E-11
8	NM_024996	5.33E-07	15.2306	0.00110486
9	NM_006461	5.65E-10	15.1867	3.72E-07
10	NM_001142761 /// NM_00	2.22E-10	15.1837	2.66E-05
11	NM_001270411 /// NM_00	1.97E-05	15.1138	0.0183959
12	NM_005915	1.02E-07	15.095	1.02E-06
13	NM_005034	1.22E-07	15.0357	0.000152316
14	NM_001012270 /// NM_00	1.15E-10	14.8851	6.12E-06
15	NM_178014	2.15E-06	14.8738	0.000549977
16	NM_003142	4.83E-07	14.8137	0.00818877
17	NM_018407	2.49E-05	14.7292	0.000931545
18	NM_001190799 /// NM_00	1.29E-07	14.6136	0.000138719
19	NM_006845	1.38E-07	14.4754	3.21E-09
20	NM_014367	9.32E-09	14.2675	2.14E-06
21	NM_001071	0.000297954	14.1616	0.0022331
22	NM_004044	1.36E-08	14.1593	0.00112029
23	NM_005737	3.97E-07	14.1323	2.96E-05
24	NM_002131 /// NM_14589	7.37E-09	14.1193	0.000307272
25	NM_006234	4.29E-12	14.0097	4.55E-06
26	NM_001178010 /// NM_00	4.14E-08	13.9065	0.00132257
27	NM_001142463 /// NM_00	7.73E-08	13.9015	0.000569094
28	NM_001134693	1.68E-09	13.8741	0.00036413
29	NM_001199779 /// NM_00	1.00E-07	13.8076	1.17E-05
30	NM_003074	3.08E-09	13.7237	0.000515849
31	NM_001025252 /// NM_00	1.15E-07	13.6939	0.00095701
32	NM_080668	3.72E-08	13.6521	1.19E-06
33	NM_178014	1.22E-06	13.5373	0.000454097
34	NM_001145713 /// NM_00	4.16E-08	13.4628	0.000552009
35	NM_052850	2.11E-06	13.4536	0.0150484
36	NM_000532 /// NM_00117	2.03E-06	13.3138	4.07E-05
37	NM_002949	1.30E-08	13.2763	3.17E-05
38	NM_014367	1.76E-09	13.1732	7.67E-07
39	NM_024770	1.11E-06	13.1079	0.00413249
40	NM_001136478 /// NM_00	3.78E-07	13.0845	0.00360709
41	NM_031280	4.87E-08	13.0801	5.72E-06
42	NM_018944	1.45E-06	13.0689	0.000586995
43	NM_002524	1.26E-06	12.8581	0.000255187
44	NM_004559	5.71E-06	12.8256	0.000382104
45	NM_001134419 /// NM_00	9.28E-05	12.7286	0.000277555
46	NM_015201	7.09E-06	12.6794	7.99E-06
47	NM_000365 /// NM_00115	3.23E-07	12.5824	0.000775943
48	NM_023077	2.56E-10	12.4935	8.04E-05
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_006023	1.33E-06	12.4622	0.00497142
3	NM_033550	9.45E-07	12.4162	0.00570171
4	NM_001270472 /// NM_00	4.41E-07	12.3988	0.00158603
5	NM_006845	1.92E-08	12.3006	9.41E-05
6	NM_001042424 /// NM_00	2.65E-09	12.2896	3.96E-07
7	NM_001258315 /// NM_00	0.000167362	12.2313	6.57E-05
8	NM_001159587 /// NM_00	0.00017269	12.2247	0.0167102
9	NM_003118 /// XR_110317	0.000203278	12.1374	0.000365182
10	NM_003920	4.12E-06	12.1269	8.45E-06
11	NM_001008396 /// NM_00	1.67E-10	12.1163	6.48E-07
12	NM_001199199 /// NM_00	7.96E-05	12.0647	0.0177409
13	NM_005063	0.000563744	12.0537	0.000107354
14	NM_002425	9.39E-06	12.0139	0.00758261
15	NM_001203247 /// NM_00	5.43E-07	11.9823	1.80E-09
16	NM_024094	2.18E-06	11.9311	4.07E-05
17	NR_003604 /// NR_003605	1.31E-08	11.8516	0.000314589
18	NM_002916 /// NM_18157	1.27E-07	11.8242	2.54E-06
19	NM_022366	3.63E-06	11.7808	0.0155641
20	NM_014175	1.62E-06	11.7314	0.00126517
21	NM_014408	9.65E-07	11.7113	0.000867849
22	NM_001256135 /// NM_00	1.65E-06	11.7008	0.000158905
23	NM_002915 /// NM_18155	6.76E-07	11.6909	0.000263607
24	NM_005956	2.41E-07	11.641	0.00108318
25	NM_018256	7.24E-09	11.6251	2.56E-06
26	NM_053040 /// NR_002976	8.50E-08	11.6224	0.00236033
27	NM_022061	2.60E-08	11.5667	0.00147004
28	NM_003875	1.38E-10	11.4972	7.80E-07
29	NM_133259	2.47E-08	11.3777	0.00108183
30	NM_152308	1.51E-12	11.3364	2.18E-08
31	NM_002105	1.12E-07	11.2902	0.0010435
32	NM_001130929 /// XM_00	2.30E-09	11.2823	1.04E-05
33	NM_013296	5.21E-05	11.2818	3.89E-05
34	NM_024006 /// NM_20682	5.54E-07	11.267	0.0030102
35	NM_001134231 /// NM_02	5.27E-09	11.2389	0.000443954
36	NM_001144757 /// NM_00	0.00100541	11.2111	0.00204246
37	NM_001025252 /// NM_00	0.00013749	11.1891	0.00985254
38	NM_012310	4.60E-06	11.1871	0.00255567
39	NM_014184	3.35E-06	11.1588	0.0101764
40	NM_001042422 /// NM_00	1.63E-05	11.087	0.0021603
41	NM_006938	1.64E-09	11.0352	0.000221657
42	NM_001105573	7.20E-06	11.0227	0.000616816
43	NM_001114121 /// NM_00	1.32E-09	10.9517	4.31E-05
44	NM_001011667 /// NM_00	1.73E-08	10.9288	2.72E-07
45	NM_178014	1.78E-05	10.9233	0.00886206
46	NM_001100624 /// NM_00	6.40E-13	10.8984	7.32E-09
47	NM_012293	7.96E-07	10.8981	0.000182296
48	NM_007051 /// NM_13191	8.42E-08	10.8434	0.000304594
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001243088 /// NM_00	2.40E-07	10.7614	6.21E-07
3	NM_001040649 /// NM_00	9.07E-08	10.7344	0.000572196
4	NM_021154 /// NM_05817	0.000254735	10.7297	0.000131146
5	NM_001660	4.70E-05	10.7063	0.00280085
6				
7	NM_001826 /// NR_024163	1.32E-05	10.6633	0.000441453
8	NM_001164623 /// NM_01	7.34E-07	10.5899	0.00420544
9	NM_018063	3.11E-07	10.5898	0.000117132
10	NM_005952	2.42E-05	10.5687	0.0159862
11	NM_001167924 /// NM_03	7.54E-09	10.5548	0.000392885
12	NM_001206846 /// NM_01	2.27E-06	10.5212	5.67E-07
13	NM_020890	8.46E-08	10.4803	0.00138424
14	NM_001160033 /// NM_00	5.81E-08	10.4519	1.86E-06
15	NM_001080443 /// NM_00	1.10E-09	10.3847	1.92E-10
16	NM_004483 /// NR_033245	3.42E-06	10.3334	0.0113283
17	NM_173529	3.41E-05	10.2641	0.00716291
18	NM_001024934 /// NM_00	6.25E-06	10.264	0.00762005
19	NM_032485 /// NM_18280	7.89E-08	10.2456	3.27E-07
20	NM_024098	4.66E-10	10.1812	8.28E-05
21	NM_006638	1.34E-06	10.1638	0.00109895
22	NM_018270	6.76E-09	10.1564	3.17E-06
23	NM_001164269 /// NM_00	4.20E-08	10.1246	2.82E-05
24	NM_005914 /// NM_18274	1.01E-10	10.0515	6.40E-06
25	NM_001026 /// NM_00114	9.98E-05	10.0478	0.00511145
26	NM_001002258 /// NM_00	5.20E-05	10.0361	0.00130069
27	NM_019037	1.19E-06	9.97758	0.000644199
28	NM_001165031 /// NM_01	3.69E-08	9.944	0.000920281
29	NM_020726	1.80E-07	9.89334	0.00028814
30	NM_001256510 /// NM_00	2.81E-05	9.88044	0.0177325
31	NM_024629	3.14E-05	9.77945	0.000903816
32	NM_007033	7.05E-07	9.76743	0.00400491
33	NM_001256875 /// NM_01	1.44E-07	9.72026	5.91E-07
34	NM_001204182 /// NM_00	1.50E-05	9.69364	0.000669006
35	NM_001165031 /// NM_01	1.33E-07	9.67846	0.000107569
36	NM_030928	1.31E-09	9.67761	6.13E-05
37	NR_040001	0.000351759	9.62634	0.0307327
38	NM_000310 /// NM_00114	1.35E-05	9.58299	0.00594439
39	NM_004052	1.94E-05	9.57858	0.000262759
40	NM_001258437 /// NM_00	2.28E-07	9.549	0.00116143
41	NM_001128210 /// NM_18	5.02E-07	9.53261	0.00192102
42	NM_001042762 /// NM_02	0.000115937	9.51958	0.00954669
43	NM_001789 /// NM_20156	4.62E-08	9.50461	8.79E-06
44	NM_001201483 /// NM_00	2.81E-05	9.46185	0.00372617
45	NM_002770	2.17E-06	9.39128	0.00123976
46	NM_015261	2.81E-06	9.38803	0.00212995
47	NM_002266	5.93E-05	9.37303	0.00253773
48	NM_002770	3.25E-07	9.35325	0.00232863
49	NM_002634	1.56E-05	9.3495	0.0059617
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_014171	1.47E-06	9.32183	0.000433403
3	NM_024037	1.22E-09	9.31114	1.25E-08
4	NM_016035	4.73E-07	9.2694	0.000566425
5	NM_020409 /// NM_17798	5.03E-10	9.24512	1.54E-05
6	NM_024808	9.40E-05	9.22064	0.00248125
7	NM_006848	7.36E-06	9.21135	0.00219912
8	NM_023937	1.62E-06	9.2026	0.000107653
9	NM_014467	7.17E-06	9.20018	0.000399589
10	NM_000034 /// NM_00112	7.70E-05	9.18701	0.00699727
11	NM_020750	2.23E-10	9.17217	1.34E-05
12	NM_004301 /// NM_17798	7.08E-06	9.09358	0.000389137
13	NM_001790 /// NM_02280	2.22E-07	9.09056	8.97E-07
14	NM_001128211 /// NM_03	0.000131978	9.01149	0.000773952
15	NM_001113378 /// NM_01	3.34E-08	9.00985	1.35E-06
16	NM_001256799 /// NM_00	1.02E-05	8.97219	0.0014149
17	NM_032390	4.34E-08	8.95564	0.0002534
18	NM_001243120 /// NM_00	6.47E-05	8.95344	0.00283373
19	NM_138689	8.39E-06	8.94943	0.000496815
20	NM_006101	6.12E-05	8.92635	8.00E-07
21	NM_000088	2.26E-06	8.85924	0.000476974
22	NM_006802	8.37E-06	8.82491	0.00489482
23	NM_198066	7.52E-05	8.76015	0.0136224
24	NM_000071 /// NM_00117	0.000147148	8.71307	0.00222914
25	NM_001198812 /// NM_00	0.000206951	8.6928	6.60E-05
26	NM_001172303 /// NM_00	3.05E-06	8.68226	0.000455216
27	NM_000057	9.78E-08	8.62648	6.11E-07
28	NM_001166356 /// NM_00	1.93E-08	8.62202	2.23E-07
29	NM_002074	1.65E-06	8.5927	0.000583086
30	NM_001002799 /// NM_00	0.000298024	8.57285	0.00463527
31	NM_001199534 /// NM_00	6.24E-06	8.555	0.000130516
32	NM_001080449	1.15E-07	8.55234	2.96E-06
33	NM_024899	1.54E-07	8.54779	0.0010084
34	NM_001845	3.80E-06	8.54282	0.00113215
35	NM_004373	4.36E-05	8.52075	0.00972443
36	NM_001135570 /// NR_024	1.96E-05	8.4784	0.00198926
37	NM_138462	2.29E-06	8.47374	0.00147492
38	NM_004526	8.53E-06	8.4658	2.18E-05
39	NM_019042	4.77E-07	8.4411	0.000125268
40	NM_006558	8.51E-05	8.4241	0.00655065
41	NM_001143936	4.75E-05	8.36492	0.00347382
42	NM_002577	2.05E-06	8.36449	0.000121671
43	NM_013237	6.65E-06	8.3348	0.00303712
44	NM_032479	2.94E-08	8.32468	0.000156817
45	NM_023080	0.000396559	8.30749	0.00271216
46	NM_004146	7.75E-06	8.2795	0.00141556
47	NM_004395 /// NM_08088	1.17E-06	8.26667	4.92E-07
48	NM_013299	1.31E-05	8.23892	2.29E-06
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_000425 /// NM_00114	0.000999044	8.22723	2.98E-06
3	NM_001001790 /// NM_00	1.92E-05	8.21173	0.0101217
4	NM_001135247 /// NM_00	0.000278273	8.20701	7.93E-06
5	NM_014171	5.88E-06	8.18042	0.00073109
6	XR_109352 /// XR_109353	9.78E-07	8.17968	0.00285912
7	NM_005805	3.09E-05	8.17548	0.0171708
8	NM_003088 /// XR_132832	1.61E-06	8.17253	3.45E-05
9	NM_001166017 /// NM_14	2.13E-08	8.07039	1.66E-05
10	NM_001042517 /// NM_00	1.93E-05	8.06941	0.0020882
11	NM_001105237 /// NM_01	1.69E-07	8.05712	0.00030664
12	NM_017915	1.65E-08	8.01621	6.43E-07
13	NM_001206846 /// NM_01	2.16E-07	7.994	1.21E-07
14	NM_001077516 /// NM_00	1.02E-07	7.93906	0.000241526
15	NM_014865	0.000353321	7.92715	0.00263073
16	NM_001039954	3.93E-05	7.92352	0.011369
17	NM_004341	1.84E-08	7.87212	3.94E-06
18	NM_022459	2.02E-09	7.82015	1.36E-05
19	NM_030782	0.000133018	7.80414	0.00200008
20	NM_005063	0.000574103	7.77791	0.000179549
21	NM_001164391 /// NM_00	1.72E-06	7.77559	4.92E-05
22	NM_001256725 /// NM_00	4.62E-08	7.76835	0.000269761
23	NM_001145725 /// NM_01	3.65E-06	7.76108	0.00234654
24	NM_001015885 /// NM_00	4.21E-07	7.72119	1.81E-05
25	NR_038253 /// NR_038254	4.06E-08	7.69968	7.03E-08
26	NM_033109	4.23E-06	7.69736	0.000326574
27	NM_001256799 /// NM_00	1.51E-05	7.55735	0.00179303
28	NM_001517	2.72E-05	7.54978	0.000790678
29	NM_001253900 /// NM_00	0.000322274	7.54569	2.91E-06
30	NM_001166131 /// NM_15	9.92E-08	7.53626	7.36E-09
31	NM_015190	2.04E-05	7.51883	0.000304021
32	NM_001166260 /// NM_00	0.000229685	7.50922	0.033416
33	NM_001143964 /// NM_00	2.38E-05	7.47162	2.92E-05
34	NM_031299	1.14E-09	7.46256	1.91E-06
35	NM_001031713 /// NM_02	1.88E-07	7.4542	0.000410814
36	NM_002293	3.05E-06	7.43828	7.75E-05
37	NM_000088	4.72E-05	7.3991	0.0110042
38	NM_015969	5.38E-06	7.38655	0.000944154
39	NM_145018	4.42E-07	7.37207	0.000315027
40	NM_001037334 /// NM_00	4.23E-07	7.36338	0.000583764
41	NM_015938	7.45E-05	7.35618	0.0176771
42	NM_001258392 /// NM_00	1.27E-08	7.34386	1.27E-05
43	NM_033112	5.84E-05	7.30934	0.00584353
44	NM_016072	4.01E-05	7.30295	0.000507433
45	NM_001853	0.0354386	7.23274	0.0176609
46	NM_007051 /// NM_13191	1.39E-07	7.23199	0.000299323
47	NM_198566	1.46E-06	7.22182	1.38E-06
48	NM_032881	8.63E-07	7.21584	0.000892514
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001152	0.000501444	7.18788	0.0197753
3	NM_001008800 /// NM_00	1.14E-05	7.16841	0.00399018
4	NM_000373 /// NR_033434	4.21E-05	7.14078	0.00284915
5	NM_001048166 /// NM_00	6.40E-06	7.11008	2.08E-05
6	NM_001008396 /// NM_00	2.61E-05	7.10511	0.000499648
7	NM_053040 /// NR_002976	9.64E-05	7.09943	0.0127575
8	NM_000034 /// NM_00112	6.29E-05	7.09628	0.00233028
9	NM_032361 /// NR_003615	7.56E-07	7.08486	0.00013073
10	NM_017955 /// NM_14570	7.97E-08	7.05468	1.16E-05
11	NM_003074	3.33E-05	7.05221	0.00421035
12	NM_003107	0.00148803	7.02416	0.00721192
13	NM_001079669 /// NM_03	0.000100412	7.01266	0.000502035
14	NM_001261834 /// NM_00	1.01E-05	7.01071	0.000271263
15	NM_006342	7.19E-05	7.00201	2.40E-06
16	NM_001199534 /// NM_00	5.99E-05	6.98841	0.000265874
17	NM_005951	0.000211003	6.98674	0.0150353
18	NM_001127181 /// NM_00	6.96E-08	6.94256	7.34E-06
19	NM_001260474 /// NM_00	4.27E-07	6.93479	0.00012781
20	NM_001197292 /// NM_00	2.94E-05	6.89855	0.00112758
21	NM_001205206 /// NM_00	9.93E-07	6.86303	1.66E-05
22	NM_016027	0.00199933	6.84894	0.0306835
23	NM_001256135 /// NM_00	0.000472848	6.81957	0.00039836
24	NM_031420	4.62E-07	6.8019	0.000218683
25	NM_001238 /// NM_05718	0.000150381	6.79781	1.32E-07
26	NM_001724 /// NM_19918	0.000186928	6.79582	0.0217445
27	NM_152416 /// XR_108868	0.000501907	6.77023	0.00641851
28	NM_000289 /// NM_00116	1.30E-07	6.76725	1.18E-05
29	NM_199420	1.94E-05	6.74497	7.39E-08
30	NM_153339	1.41E-09	6.74433	1.38E-05
31	NM_006739	0.00019922	6.73184	0.00668764
32	NM_006190 /// NR_033915	8.31E-07	6.67255	0.000164614
33	NM_001159673 /// NM_00	0.00076998	6.66992	0.00464664
34	NM_019037	4.01E-05	6.66003	0.000618947
35	NM_145287 /// NR_033354	6.05E-07	6.65597	0.000434341
36	NM_001136264 /// NM_00	2.69E-05	6.64854	0.00733811
37	NM_016397 /// NM_19897	2.65E-06	6.63588	0.000426956
38	NM_001195563 /// NM_00	0.000142545	6.63498	0.0019235
39	NM_001256798 /// NM_08	0.000184458	6.63222	7.34E-05
40	NM_012334	0.000581262	6.61682	3.34E-05
41	NM_023009 /// NR_052851	1.02E-05	6.61307	2.95E-06
42	NM_000175 /// NM_00118	4.02E-06	6.61233	1.52E-05
43	NM_023077	3.64E-09	6.58166	4.89E-06
44	NR_024388	1.38E-05	6.56947	3.33E-05
45	NM_001012985 /// NM_00	2.17E-05	6.56895	0.00195446
46	NM_001686	3.29E-05	6.55901	0.00416093
47	NM_003088 /// XR_132832	1.69E-07	6.55675	0.000238847
48	NM_001697	0.00160362	6.53291	0.022597
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_016567 /// NM_07846	4.56E-05	6.52492	0.00152445
3	NM_001184979 /// NM_00	9.65E-08	6.50628	9.47E-06
4	NM_001077484 /// NM_03	7.58E-07	6.4934	8.53E-06
5	NM_005837	6.90E-07	6.4787	0.000928026
6	NM_020647	0.000236816	6.47645	0.000937137
7	NM_012334	2.69E-05	6.45122	1.61E-06
8	NM_006265	9.51E-06	6.44537	0.000288851
9	NM_001044385 /// NM_15	7.24E-07	6.43354	0.000365912
10	NM_005949	0.000213695	6.37279	0.00367584
11	NM_000034 /// NM_00112	8.17E-05	6.37069	0.00251322
12	NM_015459	6.26E-06	6.33627	0.000121874
13	NM_001024210 /// NM_00	3.55E-06	6.30081	0.00142175
14	NM_001042618 /// NM_00	7.95E-07	6.29112	4.86E-05
15	NM_004111	3.04E-06	6.28725	7.00E-06
16	NM_014321 /// NR_037620	1.09E-07	6.28132	4.69E-08
17	NM_000465	5.83E-06	6.25735	7.29E-05
18	NM_001145966 /// NM_00	1.96E-07	6.25572	2.05E-06
19	NM_023008 /// NM_17815	3.68E-05	6.24466	0.00157128
20	NM_199249 /// NM_19925	9.85E-06	6.23958	0.0026748
21	NM_032174	2.37E-07	6.23803	0.000126517
22	NM_199287	2.80E-05	6.23668	0.00194555
23	NM_006500	0.000104543	6.22565	0.00215916
24	NM_016397 /// NM_19897	1.89E-05	6.18913	0.00109841
25	NM_001033521 /// NM_00	1.53E-08	6.18674	1.81E-06
26	NM_001256799 /// NM_00	2.94E-05	6.17178	0.00301906
27	NM_001127229 /// NM_00	2.60E-06	6.14899	0.000315268
28	NM_014426 /// NM_15222	1.03E-07	6.14198	4.02E-05
29	NM_016343	2.15E-05	6.12622	2.01E-09
30	NM_000271	1.96E-05	6.11955	0.000115787
31	NM_016426	1.85E-06	6.11924	7.25E-07
32	NM_018385	1.42E-05	6.10364	0.000414676
33	NM_053042	2.24E-05	6.10015	0.00324768
34	NM_004637	5.73E-05	6.0792	0.00207881
35	NM_024899	0.000205455	6.07861	0.000727947
36	NM_001145454 /// NM_00	8.25E-08	6.0742	2.79E-10
37	NM_016625	1.13E-06	6.06727	1.59E-06
38	NM_016094	2.22E-05	6.06613	4.14E-05
39	NM_001031827 /// NM_00	1.66E-07	6.05419	2.13E-05
40	NM_001256799 /// NM_00	7.52E-06	6.02815	0.00118694
41	NM_001243251 /// NM_02	5.13E-06	5.9996	0.000355568
42	NM_001171155 /// NR_033	1.37E-07	5.99665	1.30E-05
43	NM_031280	6.93E-05	5.99322	8.62E-05
44	NM_013438 /// NM_05306	2.50E-05	5.97406	0.00463059
45	NM_001008709 /// NM_00	2.95E-06	5.97162	0.000511441
46	NM_001033673 /// NM_00	2.88E-05	5.93668	0.00316105
47	NM_001042371	3.74E-05	5.9311	0.000643163
48	NM_001098424 /// NM_00	1.78E-05	5.92098	0.00138084
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001105573	1.94E-05	5.89083	4.67E-05
3	NM_003091 /// NM_19821	1.10E-06	5.88461	1.03E-07
4	NM_031420	5.57E-06	5.86508	0.000312334
5	NM_013402 /// NR_031725	0.000139097	5.86504	0.00074102
6	NM_024830	5.94E-08	5.8642	1.62E-07
7	NM_001185181 /// NM_00	5.44E-06	5.85736	0.000466613
8	NM_001199981 /// NM_00	7.61E-06	5.85331	0.00227409
9	NM_023071	0.000469537	5.84458	0.00661612
10	NM_001256604 /// NM_00	5.52E-05	5.82965	0.000376833
11	NM_006579	1.42E-05	5.82412	0.000343645
12	NM_014708	2.47E-05	5.82197	6.83E-05
13	NM_032139	0.000760409	5.78694	0.00218295
14	NM_001127325 /// NM_00	2.12E-05	5.75812	0.000319226
15	NM_001102592 /// NM_14	3.14E-05	5.75529	3.19E-06
16	NM_001097612 /// NM_00	1.36E-05	5.75482	0.0026755
17	NM_001130112 /// NM_00	0.000531852	5.74619	0.00802145
18	NM_001256269 /// NM_00	7.97E-07	5.72946	1.05E-06
19	NM_001135673 /// NM_02	0.00086081	5.72457	0.00603027
20	NM_001146160 /// NM_03	0.000723107	5.70399	0.00878637
21	NM_005952	0.000328415	5.69946	0.0162433
22	NM_017850	6.47E-05	5.6586	0.000911804
23	NM_001005290 /// NM_00	3.95E-05	5.65156	6.50E-07
24	NM_014388	2.10E-05	5.64937	0.00391551
25	NM_000858 /// NM_00115	0.00061228	5.64545	0.0203927
26	NM_182513	1.25E-05	5.63859	1.21E-07
27	NM_001130146 /// NM_00	0.000529636	5.63543	0.000248397
28	NM_001199629 /// NM_00	0.000843475	5.60946	0.0014778
29	NR_002578 /// NR_002746	7.02E-05	5.60451	0.000726355
30	NM_012291	1.39E-06	5.60136	4.31E-10
31	NM_004395 /// NM_08088	1.28E-09	5.59309	2.53E-07
32	NM_002792 /// NM_15225	0.000340561	5.58533	0.00275967
33	NM_001201370 /// NM_01	0.000328632	5.5474	0.00423544
34	NM_013402 /// NR_031725	2.65E-06	5.5437	0.000927845
35	NM_000373 /// NR_033434	5.23E-06	5.51858	0.000184773
36	NM_001252129 /// NM_01	0.000476606	5.48928	0.000184469
37	NM_001128626 /// NM_00	0.000157649	5.4872	0.0048277
38	NM_001190991 /// NM_01	0.00122084	5.47546	0.00236218
39	NM_006496	9.93E-05	5.42951	0.00473491
40	NM_001127229 /// NM_00	5.38E-06	5.41598	0.000606432
41	NM_001194998 /// NM_01	0.000100559	5.41331	0.00223947
42	NM_178547	9.70E-06	5.41213	0.00195664
43	NM_003362 /// NM_08091	0.000502259	5.41189	0.000998251
44	NM_004358 /// NM_02187	1.39E-05	5.40257	0.000244301
45	NM_016131	0.00052409	5.40102	0.00525616
46	NM_001185181 /// NM_00	2.15E-05	5.38559	0.00130755
47	NM_001199260 /// NM_02	0.00191061	5.37128	0.0350817
48	NM_001039479 /// NM_01	0.000704058	5.3604	0.00675486
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001163817 /// NM_00	0.000335869	5.33585	0.00104173
3	NM_001145822 /// NM_00	1.27E-05	5.33326	0.000904834
4	NM_001204057 /// NM_00	1.11E-07	5.31753	9.52E-08
5	NM_031942 /// NM_14581	0.000140473	5.3091	0.00800785
6	NM_001005386 /// NM_00	4.18E-10	5.30506	9.56E-07
7	NM_001256126 /// NM_20	0.000168436	5.30129	0.000714218
8	NM_032242	2.00E-07	5.2971	5.67E-08
9	NM_001142548 /// NM_00	4.25E-05	5.2934	1.34E-07
10	NM_018067	2.74E-05	5.2867	0.00160911
11	NM_002496 /// NR_039840	2.78E-05	5.27343	0.000189932
12	NM_005690 /// NM_01206	0.00267635	5.26332	0.0259922
13	NM_012456	0.000201598	5.2469	0.00170441
14	NM_001042618 /// NM_00	6.70E-08	5.22448	1.46E-05
15	NM_001040649 /// NM_00	6.79E-07	5.22343	1.85E-05
16	NM_017518 /// NM_20710	4.32E-05	5.2036	0.00378857
17	NM_001941 /// NM_02442	0.011172	5.19978	0.0293705
18	NM_003364 /// NM_18159	0.000227056	5.19762	0.00495893
19	NM_001204857 /// NM_00	0.000991926	5.18454	0.00488547
20	NM_001195193 /// NM_00	0.00147273	5.17843	0.0182266
21	NM_001079809 /// NM_13	1.44E-07	5.16837	1.42E-05
22	NM_005005	2.81E-05	5.16582	7.90E-05
23	NM_001025242 /// NM_00	1.61E-05	5.16127	0.000303783
24	NM_001134671 /// NM_02	2.60E-06	5.15771	3.65E-05
25	NM_001136469 /// NM_02	0.00108724	5.15656	0.00306273
26	NM_001042717 /// NM_03	2.58E-06	5.14149	0.000107551
27	NM_000284 /// NM_00117	0.000205223	5.13479	0.000372561
28	NM_014754	8.07E-06	5.13279	5.09E-05
29	NM_018086	0.024518	5.11025	0.0028863
30	NM_001080502 /// NM_17	0.00155633	5.10911	6.64E-07
31	NM_001195602 /// NM_00	4.21E-05	5.0979	0.0025997
32	NM_016397 /// NM_19897	4.68E-06	5.09428	0.00016499
33	NM_001201370 /// NM_01	0.00110299	5.08755	0.0107557
34	NM_021103	8.51E-07	5.07527	6.95E-05
35	NM_001145939 /// NM_00	5.72E-08	5.06936	2.61E-07
36	NM_005189 /// NM_03264	0.000302825	5.06819	8.24E-06
37	NM_001003713 /// NM_00	0.000947057	5.06489	0.00519154
38	NM_001257137 /// NM_00	1.24E-06	5.06193	5.28E-07
39	NM_213720	0.000391168	5.05791	0.000721802
40	NM_001033549 /// NM_01	3.76E-07	5.05617	3.06E-07
41	NM_001142805 /// NM_00	6.68E-05	5.04308	1.44E-05
42	NM_014109	0.000206317	5.01992	4.22E-06
43	NM_001109903 /// NM_03	6.18E-05	5.0035	8.61E-06
44	NM_002792 /// NM_15225	9.93E-05	4.97334	0.00206053
45	NM_001166356 /// NM_00	1.54E-06	4.95916	1.04E-06
46	NM_052969	2.13E-05	4.94927	1.31E-06
47	NM_002263	5.84E-08	4.93289	1.29E-05
48	NM_001320	0.000892431	4.88716	0.00380502
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001256820 /// NM_00	0.000113106	4.88295	0.00054642
3	NM_001001503 /// NM_02	7.71E-05	4.88047	0.000517602
4	NM_206908 /// NM_20691	0.000346198	4.86471	0.000187654
5	NM_015918 /// NM_19820	0.000390257	4.8601	0.00602586
6	NM_005950	0.000833189	4.85811	0.011175
7	NM_001135653 /// NM_00	2.53E-06	4.8568	1.41E-05
8	NM_032360	8.42E-07	4.8521	0.00011461
9	NM_001142805 /// NM_00	9.88E-05	4.84444	2.50E-05
10	NM_001163812 /// NM_00	8.38E-06	4.84332	5.09E-05
11	NM_018086	0.00175667	4.84128	8.40E-06
12	NM_007027	0.000116507	4.79756	0.000939402
13	NM_001109938 /// NM_00	0.000113216	4.79159	0.00147271
14	NM_001080416 /// NM_00	0.00668883	4.78242	0.00465192
15	NM_001039375 /// NM_02	7.12E-08	4.78017	2.88E-06
16	NM_001863	3.55E-05	4.77496	5.15E-05
17	NM_001099282 /// NM_00	6.88E-06	4.76683	0.000328413
18	NM_001243891 /// NM_00	1.46E-05	4.76119	0.000267633
19	NM_001193513 /// NM_00	4.83E-06	4.74797	0.000300147
20	NM_001419	0.0014129	4.74714	0.010918
21	NM_006602	0.000317217	4.72465	0.00304931
22	NM_001195228 /// NM_01	1.05E-05	4.71578	3.96E-05
23	NM_022552 /// NM_15375	2.18E-05	4.71459	8.02E-07
24	XR_109242 /// XR_111621	0.000768167	4.69198	0.00349431
25	NM_001256119 /// NM_00	4.83E-06	4.68907	0.000103507
26	NM_001267810 /// NM_00	6.51E-05	4.68609	0.000655966
27	NM_016397 /// NM_19897	8.76E-06	4.68536	0.000207472
28	NM_001142474 /// NM_00	4.18E-05	4.67286	7.54E-06
29	NM_001038628 /// NM_00	0.0161805	4.66585	0.0410936
30	NM_001006622 /// NM_00	0.00267397	4.66445	0.00489509
31	NM_001258338 /// NM_01	0.00824853	4.65703	0.0339504
32	NM_001127393 /// NM_00	0.00108965	4.64726	0.00937958
33	NM_006347	7.33E-05	4.61767	0.000600879
34	NM_001130721 /// NM_02	0.000564557	4.6157	0.00157262
35	NM_001105530 /// NM_00	0.000600325	4.602	0.00847569
36	NM_005494 /// NM_05824	0.00106173	4.59975	0.00180718
37	NM_001099670 /// NM_00	9.88E-05	4.59401	0.000548429
38	NM_144772	2.54E-05	4.59303	0.000100701
39	NM_002610	0.00581303	4.58019	0.0021737
40	NM_012456	3.55E-05	4.57541	0.000597544
41	NM_004442 /// NM_01744	0.000957439	4.56973	6.68E-05
42	NM_018407	0.0251241	4.55202	0.0232763
43	NM_001199199 /// NM_00	0.00226781	4.51892	0.00931295
44	NM_018056	2.47E-07	4.51874	2.10E-06
45	NM_152374	0.000100738	4.49951	2.31E-05
46	NM_002264 /// NR_026698	0.000103389	4.49679	0.000988337
47	NM_007276 /// NM_01658	7.49E-05	4.49486	0.000505177
48	NM_001005353 /// NM_01	0.0017267	4.49043	0.00294586
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001080415	0.000354379	4.48641	0.00138196
3	NM_033416	4.01E-08	4.48041	4.99E-06
4	NM_006231	5.61E-05	4.47592	0.00181557
5	NM_005916 /// NM_18277	9.15E-05	4.47235	2.14E-05
6	NM_012291	1.46E-05	4.47167	5.86E-09
7	NM_032336	1.06E-07	4.45557	8.53E-06
8	NM_203288	0.00176833	4.45219	0.0181816
9	NM_001207014 /// NM_00	0.00585986	4.41797	0.0156035
10	NM_017975 /// NR_003105	0.00317661	4.40978	0.0033077
11	NM_016200	4.25E-06	4.4049	0.00012479
12	NM_001145408 /// NM_00	3.39E-05	4.39734	3.51E-05
13	NM_003404 /// NM_13932	0.00124982	4.39501	0.00852163
14	NM_001202498 /// NM_00	0.000147282	4.36429	0.00122068
15	NM_020782	0.0102134	4.36405	0.0162177
16	NM_001130524 /// NM_03	0.000562233	4.36168	0.00950217
17	NM_002452 /// NM_19894	1.85E-05	4.34971	1.14E-05
18	NM_001105198 /// NM_00	0.00103893	4.34851	0.0102236
19	NM_020158	1.54E-05	4.33987	0.000523834
20	NM_002293	0.000319123	4.32336	0.00611505
21	NM_015965	0.00205367	4.31309	0.0222284
22	NM_001166050 /// NM_00	0.000100017	4.30342	0.00283825
23	NM_001199534 /// NM_00	0.000104392	4.30284	7.89E-05
24	NM_001033505 /// NM_00	3.00E-05	4.30096	1.39E-05
25	NM_001136204 /// NM_01	2.34E-08	4.29256	8.45E-07
26	NM_001134337 /// NM_00	1.09E-05	4.28757	0.000140258
27	NM_004596	0.000360833	4.28481	0.000805824
28	NM_000821 /// NM_00114	0.0018421	4.28171	0.000106338
29	NM_001083946 /// NM_01	7.35E-06	4.2756	0.000215406
30	NM_001242597 /// NM_00	2.74E-05	4.25308	3.74E-05
31	NM_001256604 /// NM_00	0.000593889	4.25261	3.63E-05
32	NM_025049	8.13E-05	4.228	7.04E-05
33	NM_004134	0.000510516	4.22615	0.00644384
34	NM_014367	1.16E-06	4.21649	2.10E-06
35	NM_014344	4.93E-05	4.21249	0.000121087
36	NM_174910	0.00147292	4.20814	0.00202614
37	NM_001080539 /// NM_17	0.000973746	4.20396	2.81E-06
38	NM_003091 /// NM_19821	0.00010551	4.18839	1.07E-05
39	NM_014762	0.000349551	4.18403	0.00331796
40	NM_024857	4.80E-05	4.18331	0.000264878
41	NM_001098786 /// NM_01	0.00437713	4.18323	0.00926028
42	NM_000071 /// NM_00117	0.00291774	4.18081	0.00115307
43	NM_001142805 /// NM_00	0.00012772	4.15564	0.000406182
44	NM_001130963 /// NM_01	0.000544423	4.1472	0.00666539
45	NM_012334	0.00153584	4.12942	0.00267541
46	NM_001198915 /// NM_00	1.81E-05	4.07757	2.07E-05
47	NM_000428	6.19E-05	4.07363	0.000335661
48	NM_006265	0.00506101	4.07123	0.00832928
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001034833 /// NM_01	3.49E-05	4.0555	0.00088001
3	NM_001001653 /// NM_05	3.28E-05	4.03528	8.01E-05
4	NM_006733	2.17E-05	4.01095	2.82E-07
5	NM_016407	0.000517893	3.99772	0.00413558
6	NM_001010866 /// NM_00	3.02E-06	3.97999	9.40E-05
7	NM_001130107 /// NM_00	0.000117498	3.97915	0.000589247
8	NM_014109	0.000439593	3.94904	1.97E-05
9	NM_001256135 /// NM_00	0.00850796	3.94753	0.00109158
10	NM_001142805 /// NM_00	6.60E-05	3.94337	2.36E-05
11	NM_017563	0.00778659	3.93357	0.00292281
12	NM_001004339	0.00153929	3.92957	0.00169458
13	NM_001003398 /// NM_00	0.0244205	3.92839	0.00798458
14	NM_022157	0.000393388	3.92635	0.00195498
15	NM_004990	1.29E-05	3.92607	0.000259271
16	NM_080652	8.25E-06	3.8937	2.68E-05
17	NM_007263 /// NM_19944	0.000908682	3.88505	0.00145926
18	NM_032340	7.13E-06	3.87567	2.69E-05
19	NM_005866 /// NM_14715	9.62E-06	3.86621	0.000125989
20	NM_002514	0.0132277	3.85987	0.00118288
21	NM_003765	4.37E-06	3.85792	3.44E-06
22	NM_001105570	0.00221634	3.84693	0.00188982
23	NR_000008 /// NR_002559	1.48E-05	3.83405	3.08E-05
24	NM_001247996 /// NM_01	0.0045165	3.80707	0.00361469
25	NM_001042540 /// NM_00	0.00118579	3.80292	2.50E-06
26	NM_001184740 /// NM_00	0.000376322	3.79496	9.94E-05
27	NM_001142474 /// NM_00	0.00407783	3.78253	0.000969146
28	NM_001039538 /// NM_00	0.000543518	3.78161	0.000122642
29	NM_019070 /// NR_03367	0.000103849	3.77741	0.000648795
30	NM_001166050 /// NM_00	0.00830175	3.77474	0.0331506
31	NM_005737	0.000400399	3.75508	0.000105146
32	NM_001076785 /// NM_00	0.000227049	3.74721	0.00108541
33	NM_001077484 /// NM_03	0.00112177	3.74289	0.00180006
34	NM_015420	0.000649762	3.73862	0.00232691
35	NM_004804	4.50E-06	3.73311	2.27E-05
36	NM_018407	0.0146217	3.72976	0.00791789
37	NM_018357 /// NM_19795	0.0302604	3.72953	0.00579627
38	NM_001184742 /// NM_00	0.00894066	3.72788	0.0318351
39	NM_199420	1.00E-05	3.71587	9.81E-08
40	NM_018221	0.000469104	3.71319	0.00163048
41	NM_001100620 /// NM_00	0.000114226	3.70764	6.05E-08
42	NM_001005735 /// NM_00	4.65E-05	3.68593	1.23E-06
43	NM_006350 /// NM_01340	0.00125097	3.67947	0.00210039
44	NM_001265589 /// NM_00	0.00115656	3.67733	0.000285786
45	NM_001244949 /// NM_02	0.0203698	3.67562	0.0449126
46	NR_046287 /// NR_046288	7.59E-05	3.66842	0.000292183
47	NM_013388	0.000666656	3.66613	0.00132941
48	NM_004856 /// NM_13855	0.000208324	3.66129	0.000224262
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_005819	0.000763565	3.64823	0.000662148
3	NM_001199649 /// NM_00	0.0071631	3.64413	0.00126765
4	NM_001257137 /// NM_00	0.0001007	3.61911	0.000929619
5	NM_052876	9.22E-06	3.61701	1.55E-05
6				
7	NM_001256849 /// NM_00	0.00244029	3.61364	0.00236615
8	NM_001256185 /// NM_00	0.00405359	3.61167	0.0131277
9	NR_002578 /// NR_002746	0.00179328	3.5859	0.00173266
10	NM_001199981 /// NM_00	0.0022315	3.58393	0.00210703
11	NM_001270452 /// NM_00	0.00256241	3.58208	0.00752918
12				
13	NM_001007239 /// NM_01	0.000654022	3.58025	0.00064355
14	NM_178867 /// NM_21364	0.00412522	3.57936	0.00453457
15	NM_001136039 /// NM_00	0.00654641	3.57469	0.00577675
16	NM_001164623 /// NM_01	0.0011101	3.57295	0.0038238
17				
18	NM_024112	0.00028847	3.55273	0.00119623
19	NM_000048 /// NM_00102	0.00243993	3.55115	0.00827966
20				
21	NM_014047	0.00016116	3.54972	0.000184363
22	NM_001127370 /// NM_00	0.0193097	3.54048	0.0018076
23	NM_006516	0.0106671	3.53324	0.000592474
24	NM_000302	0.00308366	3.52355	0.00770414
25				
26	NM_001163508 /// NM_00	5.94E-05	3.52333	2.88E-05
27	NM_001100819 /// NM_00	0.01127	3.52331	0.0201716
28	NM_152716	1.66E-07	3.50536	7.75E-08
29	NM_004996 /// NM_01986	0.000112803	3.50169	4.92E-06
30	NM_001161580 /// NM_00	0.00104991	3.50164	0.000679653
31				
32	NM_018848 /// NM_17078	0.00463129	3.50042	0.00200076
33	NM_014275 /// NM_05401	0.0206346	3.49152	0.00329981
34	NM_006555	0.000215756	3.49069	0.00135622
35				
36	NM_018944	0.000108524	3.49021	0.000178463
37	NM_018467	0.000144739	3.48105	9.19E-05
38	NM_004544	0.0225121	3.47436	0.0356726
39	NM_016535	0.000302152	3.47319	0.00124492
40				
41	NM_174911	0.0411613	3.46688	0.0370889
42	NM_018683	1.99E-05	3.46322	9.93E-05
43	NM_015420	0.0134292	3.45882	0.0331003
44	NM_001178138 /// NM_00	0.00106433	3.44781	0.000371447
45	NM_001037324 /// NM_00	0.000447193	3.44758	2.80E-05
46				
47	NM_012088	0.000336541	3.4384	0.00168568
48	NM_003594	0.000844199	3.42969	9.07E-05
49	NM_001163817 /// NM_00	2.46E-05	3.42724	1.56E-07
50	NM_001042517 /// NM_00	0.00317186	3.42663	0.00568695
51				
52	NM_030789 /// NM_17858	4.33E-06	3.41915	1.63E-05
53	NM_001008395	0.00018411	3.41671	0.000435812
54	NM_001008222 /// NM_01	0.000478019	3.40444	0.000967503
55	NM_001916	0.0143152	3.40363	0.00118378
56				
57	NM_001150	0.0115668	3.38867	0.0136652
58	NM_000284 /// NM_00117	0.00131395	3.38663	0.00198428
59	NM_022353	0.00676363	3.38459	0.00267575
60				

1				
2	NM_001846	0.00593924	3.36398	0.0132856
3	NM_001532	9.61E-05	3.36004	7.60E-05
4	NM_001145966 /// NM_00	0.000289329	3.34907	0.000118902
5	NM_002013 /// XR_13276C	0.00821376	3.34168	0.0166502
6	NM_014275 /// NM_05401	0.00230893	3.31765	0.00157398
7	NM_001025252 /// NM_00	0.0313241	3.30743	0.0242991
8	NM_018140	0.000390393	3.30506	9.62E-05
9	NM_018086	0.0192802	3.30374	0.00096048
10	NM_002466	0.00120771	3.2807	7.90E-06
11	NM_003388 /// NM_03242	0.000553297	3.27964	0.00102942
12	NM_138348	0.00131764	3.27353	0.00177182
13	NM_152603	0.00514507	3.27021	0.0013994
14	NM_001206774 /// NM_01	0.0109649	3.25535	0.0229978
15	NM_001184891 /// NM_00	0.000115734	3.25179	0.000217532
16	NM_001224 /// NM_03298	0.0148698	3.25024	0.0108862
17	NM_004374	0.0193182	3.23094	0.00432976
18	NM_001253815 /// NM_00	0.0134921	3.22236	0.000191046
19	NM_006558	0.00358896	3.2208	0.00827964
20	NM_001001653 /// NM_05	0.000295956	3.21842	0.000284403
21	NM_144695	0.0006344	3.21764	0.000134017
22	NM_001033505 /// NM_00	3.45E-06	3.21672	1.06E-06
23	NM_001142463 /// NM_00	0.00114118	3.21032	0.00326772
24	NM_001135821 /// NM_00	0.0141858	3.20757	0.00198235
25	NM_001130929 /// NM_01	0.0105507	3.20589	0.00211917
26	NM_153451	0.000614091	3.20157	1.31E-05
27	NM_016456	0.000102669	3.18957	0.000219801
28	NM_001042424 /// NM_00	0.0052781	3.17253	0.0112546
29	NM_138316 /// NM_14897	0.0167124	3.1543	0.00139965
30	NM_005590 /// NM_00559	0.00172831	3.13267	0.00159819
31	NM_005809 /// NM_18173	0.039234	3.12964	0.0206651
32	NM_006499 /// NM_20154	0.0190645	3.12106	0.0170701
33	NM_003255	0.00219103	3.11962	6.15E-05
34	NM_001032292 /// NM_00	0.00172857	3.11864	0.00327552
35	NM_001143990 /// NM_00	0.00342365	3.10646	4.59E-05
36	NM_018353	0.00583957	3.10313	0.00250215
37	NR_028514	0.000174282	3.09571	0.000490317
38	NM_001105562 /// NM_00	5.51E-05	3.09297	0.000165919
39	NM_006451 /// NM_18278	0.0321267	3.06377	0.0411293
40	NM_030811	0.000281967	3.06279	4.76E-05
41	NM_001018073 /// NM_00	1.61E-05	3.05986	3.54E-05
42	NM_018944	0.00299447	3.05795	4.69E-05
43	NM_001039375 /// NM_02	1.10E-05	3.05588	5.25E-06
44	NM_001659	0.0321961	3.04171	0.00273872
45	NM_001258384 /// NM_00	0.00400723	3.03777	0.000419124
46	NM_001145408 /// NM_00	0.00011052	3.02218	0.000134114
47	NR_015366 /// NR_027241	0.0039025	3.01953	0.00220251
48	NM_001142405 /// NM_00	0.00481519	3.0158	6.07E-05
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001113201 /// NM_00	0.00166535	3.0123	2.94E-05
3	NM_001256686 /// NM_00	0.00294171	3.01074	4.36E-05
4	NM_001204453 /// NM_00	0.00454375	3.00992	0.00327254
5	NM_001166050 /// NM_00	0.00229139	3.00662	0.00347887
6	NM_001033521 /// NM_00	0.00035384	3.00447	0.000143115
7	NM_001047	0.00131137	2.99422	0.000111034
8	NM_018240	0.0055355	2.99391	0.000313931
9	NM_017780	0.00536157	2.99378	0.000449695
10	NM_001188	0.000237903	2.99255	0.000155987
11	NM_000849 /// NR_02453:	0.000167988	2.96459	0.000112618
12	NM_001201545 /// NM_02	2.37E-05	2.94882	1.03E-05
13	NM_001199290 /// NM_14	0.00668348	2.93066	0.0013151
14	NM_016074	5.61E-05	2.92846	0.000101123
15	NM_013296	0.000451888	2.92813	0.000118344
16	NR_002785	0.0102791	2.92578	0.000237128
17	NM_001077484 /// NM_03	0.00355477	2.92286	0.00139389
18	NM_001032730 /// NM_03	0.0140734	2.92055	0.0040458
19	NM_001267623 /// NM_03	1.07E-05	2.9203	3.43E-06
20	NM_002936	0.000851502	2.91909	3.62E-05
21	NM_145702	0.0320349	2.91717	0.000122838
22	NM_178448	0.000888349	2.90077	7.16E-06
23	NM_203453	0.0151376	2.88725	0.00558055
24	NM_152699	0.000556353	2.87658	5.01E-05
25	NM_017952	0.0165647	2.86986	0.0141862
26	NM_001024594	0.00966714	2.86602	0.00226845
27	NM_001252641 /// NM_00	0.0121026	2.85767	0.00439137
28	NM_001039589 /// NM_00	0.000562666	2.85665	0.000196377
29	XR_110082 /// XR_112807	0.0112509	2.85571	0.000167397
30	NM_001267608 /// NM_00	4.59E-05	2.84765	6.33E-06
31	NM_005471	0.000387656	2.84327	0.000372697
32	NM_020662	0.0186444	2.84285	0.014838
33	NM_012103 /// NM_18157	0.00881065	2.8407	0.000673517
34	NM_024796 /// NR_02432:	0.0213211	2.83935	0.00218459
35	NM_024036	0.00231287	2.82618	0.00157086
36	NM_001033855 /// NM_00	0.00541553	2.81772	0.00149735
37	NM_001177663 /// NM_00	0.00747536	2.80211	0.00319688
38	NM_007059	0.000151459	2.78874	4.24E-05
39	NM_018451 /// NR_04759:	0.0111651	2.78487	6.72E-05
40	NM_003258	6.16E-05	2.7837	4.50E-05
41	NM_001008938 /// NM_01	7.71E-05	2.78214	5.96E-05
42	NM_004846 /// XR_11244:	0.000351805	2.77611	8.18E-05
43	NM_014607	0.0161466	2.77176	0.00685515
44	NM_001204180	8.18E-06	2.76864	3.07E-09
45	NM_006602 /// NM_08075	0.0120047	2.76808	0.00688017
46	NM_024622	0.0172903	2.75812	0.00265831
47	NM_006014	0.00242948	2.75613	3.22E-06
48	NM_001258384 /// NM_00	0.00322608	2.75029	7.93E-05
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001013730 /// XR_11C	0.0111702	2.74382	0.00270185
3	NM_032371 /// NM_13841	0.00424538	2.74347	0.000141242
4	NM_006980	0.00285433	2.7377	0.000794649
5	NM_002254	0.00067988	2.73741	0.000111307
6	NM_001130965 /// NM_00	0.00278601	2.7372	0.00025803
7	NM_017813	0.0245251	2.73693	0.00110693
8	NM_000403 /// NM_00100	0.00243563	2.73429	0.00209677
9	NM_000244 /// NM_13079	0.00116467	2.72882	0.000441238
10	NM_001195563 /// NM_00	0.0051406	2.71723	0.00241004
11	NM_012334	0.0134123	2.71605	0.000745807
12	NM_018706	0.00521769	2.70574	0.000153549
13	NM_001190991 /// NM_01	0.00369265	2.68758	4.61E-05
14	NM_001256763 /// NM_01	0.0115766	2.68394	0.00234919
15	NM_015953	0.03592	2.67958	0.01475
16	NM_001015885 /// NM_00	0.000233815	2.67287	3.36E-05
17	NM_032818	0.00147199	2.67203	8.79E-05
18	NM_001098424 /// NM_00	0.0433555	2.65653	0.0305176
19	NM_017646	0.00410256	2.65042	0.000969043
20	NR_024397	0.00496486	2.64975	2.97E-05
21	NM_012293	0.00465933	2.6478	0.000557154
22	NM_001164811	0.017688	2.63661	0.00215088
23	NM_001136033 /// NM_01	0.00584748	2.63507	0.00116982
24	NM_003507	0.0175753	2.63069	6.32E-05
25	NM_001093725	0.000402474	2.62669	3.23E-06
26	NM_015155	0.00493799	2.61596	0.000848966
27	NM_022778	0.00502312	2.61428	0.00267398
28	NM_014426 /// NM_15222	0.0100988	2.61117	0.000130803
29	NM_001025366 /// NM_00	0.00695236	2.60121	0.000133257
30	NM_178229	3.40E-05	2.59576	5.07E-13
31	NM_003258	0.00106387	2.59367	3.31E-06
32	NM_001109903 /// NM_03	0.0012575	2.59044	8.32E-05
33	NM_017927 /// NM_03354	0.00961541	2.58194	0.00566464
34	NM_001002017 /// NM_00	0.000475587	2.57779	0.000147877
35	NM_032371 /// NM_13841	0.0122843	2.57704	0.000372989
36	NM_001099652	0.0260202	2.57227	1.90E-05
37	NM_001130677	0.00466091	2.56175	0.000306874
38	NM_003107	0.0259326	2.55389	0.000636005
39	NM_001247987 /// NM_02	0.0349408	2.55176	3.78E-05
40	NM_001247996 /// NM_01	7.54E-05	2.54405	2.32E-05
41	NM_004442 /// NM_01744	0.00208323	2.54234	3.34E-05
42	NM_001013649	0.0222945	2.53611	0.00302361
43	NM_001204492 /// NM_00	0.0013481	2.52247	6.43E-05
44	NM_001256670 /// NM_00	5.76E-05	2.50841	8.24E-06
45	NM_019070 /// NR_03367	0.000125246	2.50682	1.91E-05
46	NM_033505	0.0122216	2.50652	0.00269497
47	NM_005997	0.0105441	2.49721	0.000441109
48	NM_017927 /// NM_03354	0.0227395	2.48932	0.00208488
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_145231	0.0240059	2.48596	0.00549941
3	NM_001083963 /// NM_0C	0.0131973	2.48034	0.000433102
4	NM_001040664 /// NM_0C	0.00719132	2.46782	0.000152061
5	NM_004442 /// NM_01744	0.000231369	2.44636	2.24E-05
6	NM_001258384 /// NM_0C	0.00525099	2.44141	0.000134695
7	NM_006796	0.00587978	2.42822	0.000496276
8	NM_014426 /// NM_15222	0.00895797	2.40945	0.00234194
9	NM_152341	0.00757604	2.40877	0.000986576
10	NM_001039477 /// NM_0C	0.0443508	2.40365	0.0174253
11	NM_003721 /// NM_13444	0.0143483	2.40016	0.00254392
12	NM_018174	0.0289731	2.39212	0.00606325
13	NM_016018 /// NM_02487	0.00547544	2.38855	0.000141053
14	NM_001109938 /// NM_0C	0.00994332	2.38565	0.00051123
15	NM_001258033 /// NM_0C	0.00680477	2.37989	0.00150437
16	NM_016028 /// NM_01763	0.0241129	2.37215	0.00109897
17	NM_001008491 /// NM_0C	0.00794681	2.37142	0.00012502
18	NR_002776	0.00248674	2.35634	0.000118334
19	NM_001198850 /// NM_0C	0.00175653	2.35092	0.000179211
20	NM_020386	0.0282001	2.34524	0.00102848
21	NM_000135 /// NM_00101	0.00016353	2.34484	3.49E-06
22	NM_003714	0.0483855	2.34211	0.00522508
23	NM_006579	0.00117407	2.33231	3.11E-06
24	NM_001256574 /// NM_0C	0.00700322	2.32804	5.11E-05
25	NM_001015055 /// NM_0C	0.0307408	2.32518	2.08E-05
26	NM_019104	0.0372472	2.3192	0.00101841
27	NM_006618	0.0372274	2.31711	0.00197485
28	NM_022477 /// NM_03201	0.00150349	2.31636	0.000143866
29	NM_004567	0.0109774	2.31533	3.30E-05
30	NM_016558 /// NM_03363	0.0205612	2.31225	0.00187022
31	NM_001039477 /// NM_0C	0.0349297	2.3087	0.00279409
32	NM_020062	0.047564	2.30708	0.00121847
33	NM_080656	0.00537181	2.30643	0.0010731
34	NM_001257144 /// NM_0C	0.00886148	2.3019	1.65E-05
35	NM_001270439 /// NM_0C	0.0014331	2.301	6.79E-05
36	NM_025108	0.000179554	2.29448	1.77E-07
37	NM_000135 /// NM_00101	0.00222142	2.28841	8.74E-05
38	NM_001105203 /// NM_0C	0.000306743	2.28819	6.11E-08
39	NM_022092	0.0308305	2.28732	2.70E-06
40	NM_006455	0.00239734	2.28175	5.20E-05
41	NM_013432	0.00252919	2.27734	1.45E-05
42	NM_000801 /// NM_00119	0.0181998	2.27205	0.00296202
43	NM_001029991 /// NM_0C	0.0281712	2.26914	0.00700075
44	NM_001136035 /// NM_0C	0.0458729	2.26895	0.00133049
45	NM_001204364 /// NM_15	0.000360152	2.26129	9.55E-09
46	NM_006943	0.00170733	2.25829	1.18E-05
47	NM_016558 /// NM_03363	0.0180044	2.25449	0.00312224
48	NM_001164391 /// NM_0C	0.0202809	2.24901	0.00400399
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_152268	0.00183071	2.2463	7.49E-05
3	NM_001193557 /// NM_02	0.0169498	2.23782	0.000355252
4	NM_004260	0.0114038	2.23154	5.42E-05
5	NM_001166599 /// NM_00	0.0477747	2.22489	0.000377973
6	NM_030625	0.0140239	2.20846	0.000120588
7	NM_001204106 /// NM_00	0.00166686	2.20688	1.90E-05
8	NM_138384	0.0118147	2.19766	0.000285136
9	NM_015327	0.00853369	2.1957	0.00027145
10	NM_005762	0.0110702	2.19206	0.00105357
11	NM_001144002 /// NM_01	0.00637082	2.19038	0.000698744
12	NM_017769	0.0171758	2.18996	0.0011136
13	NM_003797 /// NM_15299	0.0344162	2.18758	0.00194473
14	NM_003740	0.0149678	2.18163	0.000579025
15	NM_001012514 /// NM_00	0.0177222	2.18132	0.00116445
16	NM_006769	0.031934	2.17403	0.00644385
17	NM_006559	0.00071141	2.17389	3.39E-05
18	NM_001039783 /// NM_00	0.00230862	2.15553	0.000123408
19	NM_001145454 /// NM_00	0.000321074	2.14612	5.55E-06
20	NM_001201428 /// NM_01	0.0449453	2.13684	0.00689629
21	NM_004699	0.0435783	2.12711	0.00665859
22	NM_032815	0.000938462	2.11296	6.95E-06
23	NM_013285	0.00518732	2.09976	0.000189222
24	NM_001042631	0.00322677	2.09601	0.000151921
25	NM_000308 /// NM_00112	0.0147243	2.089	0.000470215
26	NM_001018115 /// NM_03	0.0117156	2.08041	1.23E-05
27	NM_001037811 /// NM_00	0.0198788	2.07201	0.000288306
28	NM_001261427 /// NM_00	0.0166277	2.06143	0.000223129
29	NM_173511	0.0101943	2.04909	5.60E-05
30	NM_145012 /// NM_18169	0.0197377	2.04867	0.000169142
31	NM_024112	0.0143324	2.04566	0.00033741
32	NM_001204106 /// NM_00	0.0200284	2.02366	0.00107473
33	NM_194292	0.00847605	2.02179	8.54E-05
34	NM_001085372	0.0135665	2.01606	0.000147273
35	NM_001184977 /// NM_01	0.0143888	2.01505	1.05E-05
36	NM_001099222 /// NM_00	0.00137878	-2.02597	1.84E-05
37	NM_053000 /// NR_015370	0.0445363	-2.03801	0.00525927
38	NM_052900 /// NM_19812	0.043518	-2.03994	0.00306063
39	NM_014867	0.0169534	-2.04477	0.000423071
40	NM_001142685 /// NM_01	0.0154126	-2.04805	0.000194133
41	NM_016353	0.0330585	-2.05208	0.00188074
42	NM_198920	0.0158044	-2.06049	0.000949583
43	NM_000049 /// NM_00112	0.0258824	-2.06347	0.000490738
44	NM_178816 /// NM_20137	0.00677375	-2.06863	5.56E-05
45	NM_001172766 /// NM_00	0.0491818	-2.0928	0.00110792
46	NM_000426 /// NM_00107	0.0156504	-2.09962	2.07E-06
47	NM_024723 /// NM_18292	0.0145025	-2.11112	9.77E-05
48	NM_001168618 /// NM_02	0.0205909	-2.12308	7.38E-05
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001098402 /// NM_00	0.0309385	-2.12643	0.000148795
3	NM_001005367 /// NM_00	0.00186559	-2.12793	8.63E-05
4	NM_000426 /// NM_00107	0.0107995	-2.13707	8.13E-07
5	NM_000418 /// NM_00100	0.0485917	-2.13971	0.00371708
6	NM_020734	0.0185038	-2.14185	0.00112458
7	NM_001256732 /// NM_00	0.00103473	-2.14745	4.09E-05
8	NM_001029851 /// NM_00	0.0251409	-2.15436	1.30E-05
9	NM_170710 /// NM_18126	0.0379251	-2.15487	5.69E-06
10	NM_001136472 /// NM_00	0.0483293	-2.16212	3.13E-05
11	NM_080283 /// NM_17238	0.00169874	-2.18976	5.88E-05
12	NM_001128432 /// NM_02	0.00646131	-2.20278	0.000260008
13	NM_178499	0.0220811	-2.2066	0.00422569
14	NM_001169109 /// NM_00	0.0294738	-2.21427	1.32E-06
15	NM_001015045 /// NM_00	0.00677561	-2.22016	4.94E-05
16	NM_001031687 /// NM_00	0.0244229	-2.23129	0.000490266
17	NM_004613 /// NM_19895	0.022703	-2.23957	0.000120943
18	NM_002373	0.0010806	-2.24885	7.70E-05
19	NM_001195535	0.000156656	-2.26989	1.39E-07
20	NM_001127235 /// NM_00	0.0381493	-2.27382	0.0111832
21	NM_001144960	0.00386188	-2.275	0.000294867
22	NM_002919 /// NM_13442	0.0335753	-2.27714	3.68E-05
23	NM_001166693 /// NM_00	0.00202331	-2.28203	4.23E-06
24	NM_001111038 /// NM_14	0.00484257	-2.28782	1.97E-05
25	NM_030821	0.0248973	-2.28897	0.000871953
26	NM_001077181 /// NM_00	0.0472355	-2.30253	0.00393145
27	NM_001032287 /// NM_00	0.00428576	-2.30859	0.000253767
28	NM_001003789 /// NM_00	0.0124339	-2.31234	0.000465315
29	NM_001269053 /// NM_13	0.0227174	-2.31379	0.00162138
30	NM_001025105 /// NM_00	0.0392068	-2.31504	0.00222511
31	---	0.0276852	-2.32064	0.00404862
32	NR_036487	0.0305442	-2.32463	0.00148852
33	XM_001125684	0.00783062	-2.33546	0.000976223
34	NM_001256732 /// NM_00	0.00285295	-2.33693	0.000359917
35	NM_000389 /// NM_00122	0.0299391	-2.34269	4.22E-07
36	NM_001195639 /// NM_05	0.00606997	-2.35306	0.000885814
37	NM_002912	0.0117839	-2.38068	0.00037981
38	NM_001116	0.0490926	-2.38476	0.00257178
39	NM_000668	0.00351059	-2.38644	0.00054212
40	NM_152723	0.0396672	-2.38693	0.0116277
41	NM_017655	0.0282523	-2.40463	0.0076759
42	NM_001199096 /// NM_00	0.000267241	-2.40938	4.85E-05
43	NM_016441	0.0364096	-2.42288	0.00586934
44	NM_001008710 /// NM_00	0.0110631	-2.42486	0.00385031
45	NM_003263	0.00142513	-2.42533	4.38E-05
46	NM_005761 /// NR_03768	0.00496711	-2.43864	0.000153534
47	NM_020676	0.00019809	-2.4402	2.64E-07
48	NM_001105248 /// NM_00	0.00783602	-2.45457	0.000567958
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001031715 ///	0.0266489	-2.46802	0.00316198
3	NM_001134405 ///	0.0100258	-2.47406	0.00146619
4	NM_014057 ///	0.00468197	-2.47425	0.00104327
5	NM_000476	2.48E-05	-2.4743	4.17E-07
6				
7	NM_005228 ///	0.0429253	-2.47705	0.0230957
8	NM_001251977 ///	0.0186661	-2.48141	0.00302333
9	NM_018956	0.000107207	-2.49192	6.00E-06
10	NM_001039590 ///	0.00425431	-2.49309	1.03E-05
11	NM_019604	0.00639602	-2.49351	0.0023804
12	NM_001099337 ///	0.0206813	-2.5002	0.00611079
13	NM_001001687 ///	0.010509	-2.50077	0.00198774
14	NR_015430	0.00109188	-2.50098	0.000305252
15	NR_015430	0.00109188	-2.50098	0.000305252
16	NR_015430	0.00109188	-2.50098	0.000305252
17	NM_153228	0.00449995	-2.50312	0.000588123
18	NM_001100875 ///	0.000765126	-2.50893	3.10E-05
19	NM_001039395 ///	0.00152194	-2.50963	6.32E-05
20	NM_001045	0.000742975	-2.51447	3.88E-05
21	NM_001190918 ///	0.000171788	-2.5154	2.71E-05
22	NM_016617	0.00885548	-2.54424	0.00294288
23	NM_016270	0.000297541	-2.56933	1.41E-05
24	NM_001003819 ///	0.00110773	-2.56968	0.000112429
25	NM_001015045 ///	0.0248591	-2.56976	0.0019299
26	NM_003012	0.00378275	-2.57452	0.00011459
27	NM_017633	0.0385296	-2.58067	7.68E-05
28	NM_001102426 ///	0.00961539	-2.58276	0.000865543
29	NR_038854	0.00241636	-2.59563	5.34E-05
30	NR_038854	0.00241636	-2.59563	5.34E-05
31	NM_001039210 ///	0.00893351	-2.60249	7.77E-05
32	---	0.00398051	-2.60315	3.03E-06
33	---	0.00398051	-2.60315	3.03E-06
34	---	0.00398051	-2.60315	3.03E-06
35	XR_108755 ///	0.00133221	-2.60334	1.88E-05
36	XR_108755 ///	0.00133221	-2.60334	1.88E-05
37	NM_000611 ///	0.00420863	-2.60752	1.24E-05
38	NM_001145307 ///	0.0120613	-2.60864	0.00111323
39	NM_144653	0.0465689	-2.61154	0.00848512
40	NM_001969 ///	0.0051714	-2.6191	0.00011993
41	NM_001122824 ///	0.0124609	-2.61958	4.25E-08
42	NM_000130	0.0267263	-2.62511	0.000625744
43	NM_015254	0.0114919	-2.63245	0.000649405
44	NR_001564	0.02612	-2.63685	0.0013639
45	NR_001564	0.02612	-2.63685	0.0013639
46	NM_003079	0.000392276	-2.6371	9.73E-05
47	NM_003079	0.000392276	-2.6371	9.73E-05
48	NM_001199922 ///	0.00494102	-2.63724	0.00203778
49	NM_000813 ///	0.0179987	-2.64001	0.00938966
50	NM_001014979 ///	0.0306526	-2.64307	0.00244117
51	NM_014510 ///	0.035616	-2.64545	0.0161402
52	NM_007231	0.0196991	-2.64765	0.00516841
53	NM_001077269 ///	0.0414693	-2.6501	0.00424409
54	NM_052929	0.000837951	-2.65631	0.00024625
55	NM_152517	0.0298479	-2.65969	0.0153386
56	NM_032606	0.00167317	-2.66027	0.000430781
57	NM_032606	0.00167317	-2.66027	0.000430781
58	NR_038199 ///	0.000972902	-2.66277	7.25E-05
59	NR_038199 ///	0.000972902	-2.66277	7.25E-05
60	NR_038199 ///	0.000972902	-2.66277	7.25E-05

1				
2	NM_001039395 /// NM_01	0.00624734	-2.6687	0.00375484
3	NM_000301 /// NM_00116	0.00994969	-2.66885	0.000458617
4	NM_016441	0.0102492	-2.67181	0.000215359
5	NM_017637	0.0038799	-2.68319	0.000316738
6	NM_006197	0.0285099	-2.68429	0.000695191
7	NM_001003799 /// NM_00	0.00183597	-2.68533	0.000220236
8	NM_207361	0.0128581	-2.68703	7.06E-05
9	NM_207317	0.00242821	-2.68784	0.000246677
10	NR_029598	0.0303698	-2.69971	0.0192733
11	NM_001177660 /// NM_00	0.00941352	-2.70221	0.00638033
12	NM_015687	0.00821967	-2.7089	0.00199869
13	NM_018672 /// NM_17223	0.00212933	-2.71344	0.000106954
14	NM_001128166 /// NM_00	0.0295043	-2.71892	0.0001756
15	NM_001129889 /// NM_00	0.00974221	-2.7366	0.000453927
16	NM_002612	0.00988604	-2.74059	0.00303132
17	NM_001996 /// NM_00648	0.00331138	-2.75126	0.000647835
18	NM_001145678 /// NM_17	0.000605818	-2.75864	0.00015825
19	NM_000052	0.0326828	-2.7616	0.0130274
20	NM_001650 /// NM_00402	0.0014983	-2.76213	0.000176097
21	NM_001252385 /// NM_00	0.00967559	-2.76658	0.00500005
22	NM_001204087 /// NM_00	0.0120163	-2.76838	0.00290836
23	NM_001130110 /// NM_01	0.0383273	-2.78419	0.00549803
24	NM_005801	0.00117396	-2.78552	8.32E-05
25	NM_000519	0.00424332	-2.79981	0.00194246
26	NM_001003794 /// NM_00	0.0129039	-2.80885	0.00154537
27	NM_001169117 /// NM_00	0.00034273	-2.80947	1.25E-06
28	NM_032269	0.00379675	-2.81194	0.00215773
29	NM_001256732 /// NM_00	0.00825622	-2.81518	0.00245099
30	NM_021958	0.028298	-2.82016	0.00635712
31	NM_016422	0.00011115	-2.82363	2.15E-05
32	NM_001204126 /// NM_00	0.000210152	-2.82394	5.98E-05
33	NM_001006641 /// NM_00	0.00181043	-2.83028	1.51E-05
34	NM_139265	0.00501849	-2.83173	5.14E-05
35	NM_002269	0.0378815	-2.8332	0.00332278
36	NM_002185	0.00943708	-2.83422	0.00319312
37	NM_001145670 /// NM_00	0.0291515	-2.83633	0.00250088
38	NM_018306	0.000595363	-2.83838	2.64E-05
39	NM_181426	0.00722633	-2.84441	0.000126199
40	NM_017637	0.00274599	-2.84535	0.000880937
41	NM_000878	2.08E-05	-2.84641	2.79E-05
42	NM_001031737 /// NM_17	0.00461125	-2.84676	6.41E-05
43	NM_001013676 /// NM_02	0.000303016	-2.86882	4.37E-05
44	NM_001032282 /// NM_00	0.0396145	-2.87439	0.0017656
45	NM_016262	0.00803666	-2.87767	0.00588235
46	NM_001122824 /// NM_00	0.0010784	-2.88073	4.78E-08
47	NM_001039724 /// NM_00	0.00508191	-2.88525	0.00263463
48	NM_001135608 /// NM_01	0.0402685	-2.89288	0.00273028
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001130159 /// NM_00	0.00456499	-2.90248	0.00210967
3	NM_032853 /// NR_024247	0.000129613	-2.9032	8.10E-05
4	NM_001009607 /// NM_00	0.00351253	-2.90567	0.00173373
5	NM_001100818 /// NM_01	0.0053009	-2.91369	0.00111809
6	NM_001256054 /// NM_01	0.00101828	-2.91575	0.000788957
7	NM_000167 /// NM_00112	0.00322117	-2.9168	6.55E-07
8	NM_000457 /// NM_00103	0.00048928	-2.91817	0.000110972
9	NM_001136021 /// NM_00	0.00293569	-2.928	2.43E-05
10	NM_001024683 /// NM_14	0.00220323	-2.92996	0.00297169
11	NM_001171581 /// NM_00	0.000858676	-2.93026	6.51E-05
12	NM_001066	0.000345323	-2.93921	0.000573525
13	NM_001175	0.00140092	-2.94108	0.00214931
14	NM_001134673 /// NM_00	0.0181315	-2.94696	0.0175473
15	NM_144965	0.00234123	-2.94736	0.00105662
16	NM_152572	0.000298359	-2.94925	0.000142115
17	NM_152519	0.00113734	-2.95148	0.000275563
18	NM_003884	0.0111061	-2.96145	0.000284311
19	NM_001007022 /// NM_00	0.0003816	-2.96489	6.71E-06
20	NM_001142649 /// NM_21	0.000420318	-2.96577	0.00017049
21	NR_015377 /// NR_047570	0.000700644	-2.97597	5.74E-05
22	NM_182520	1.96E-06	-2.97823	5.31E-07
23	NM_001015045 /// NM_00	0.0121261	-2.97912	0.00129819
24	NM_031437 /// NM_18266	0.023144	-2.99119	0.00190643
25	NM_015335	0.00754516	-2.99327	0.0059581
26	NM_145208	5.91E-05	-2.99634	1.94E-05
27	NM_001166271 /// NM_15	0.00193795	-2.99659	0.00021692
28	NM_001085399 /// NM_00	0.010774	-3.01618	0.000933156
29	NM_001136021 /// NM_00	0.0013851	-3.01902	1.20E-05
30	NM_004786 /// NR_024546	0.00515752	-3.01996	1.38E-06
31	NM_001199942 /// NM_01	0.000217755	-3.02883	8.37E-05
32	NM_005228 /// NM_20128	0.00448466	-3.03582	0.000156312
33	NM_001033578 /// NM_00	0.00685404	-3.04223	0.00176308
34	NM_000426 /// NM_00107	0.00565174	-3.04494	2.32E-06
35	NM_001042479 /// NM_00	0.00311048	-3.04686	0.00311775
36	NM_030666	0.00650493	-3.04938	9.68E-07
37	NM_001079529 /// NM_00	0.00017506	-3.04956	0.000138
38	NR_026867	0.0109684	-3.04998	0.000785492
39	NM_001129993 /// NM_03	0.011193	-3.05924	0.000644653
40	NM_152704 /// NM_19913	0.00397975	-3.05925	0.000843482
41	NM_001130957 /// NM_00	0.00830186	-3.07207	0.0106817
42	NM_001134830 /// NM_00	2.36E-05	-3.08181	1.69E-07
43	NM_030775 /// NM_03264	1.52E-05	-3.08196	3.26E-05
44	NM_144644	0.00404509	-3.0831	0.000340853
45	NM_033124	0.000123891	-3.08596	8.70E-05
46	NM_022140	0.00259995	-3.10145	0.00512274
47	NM_014859	0.020009	-3.10382	0.0208398
48	NM_000668	0.0185201	-3.11793	0.0022059
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_000601 /// NM_00101	0.00394823	-3.12115	1.69E-05
3	NM_001267562 /// NM_00	0.0088958	-3.13076	0.00267395
4	NM_001080394 /// XM_00	4.86E-05	-3.13445	0.000141967
5	NM_001008534 /// NM_00	0.0112258	-3.13508	0.00386532
6				
7	NR_003521 /// NR_026589	0.000591117	-3.14262	0.000312748
8	NM_024882 /// NR_02680	0.00287234	-3.15	0.0064445
9	NM_001033604 /// NM_00	0.0380569	-3.15085	0.00330918
10				
11	NM_152632	0.000802097	-3.15375	0.000493507
12	NM_030666	0.00424478	-3.15464	2.16E-06
13	NM_004951	0.00304145	-3.16045	0.00353457
14	NM_000611 /// NM_00112	0.00096279	-3.1758	0.000667196
15	NM_004980 /// NM_17219	0.000846114	-3.1766	0.000244791
16				
17	NM_198081	0.000166141	-3.17723	0.000100238
18	NM_001139466 /// NM_00	0.0232921	-3.17788	0.0364624
19	NM_001100411 /// NM_02	0.000864397	-3.17794	0.000108671
20				
21	NM_004155	0.0113908	-3.18038	0.0140242
22	NM_198275	0.00023492	-3.1998	2.71E-05
23	NM_000705	0.00376374	-3.20084	0.000139447
24	NM_058180 /// NM_19907	0.00479704	-3.20865	0.00428441
25	NM_000926 /// NM_00120	0.0259025	-3.20954	0.0377844
26				
27	NM_022121	0.0356953	-3.21674	0.0348304
28	NM_001172420 /// NM_01	0.00446361	-3.22062	3.08E-05
29	NM_001242702 /// NM_17	0.0217416	-3.22081	0.0153753
30				
31	NM_033225	0.00138195	-3.22701	0.000146969
32	NM_001178003 /// NM_14	5.92E-05	-3.22772	2.06E-08
33	NM_001173461 /// NM_00	0.000107385	-3.22909	7.51E-06
34	NM_001401 /// NM_05715	0.00374625	-3.2303	2.09E-05
35	NM_001137550 /// NM_00	0.00195512	-3.23155	0.00243561
36				
37	NM_138801	0.00528187	-3.23723	0.000758501
38	NM_020707 /// NR_02775	5.41E-05	-3.239	2.88E-05
39	NM_017425	0.0392738	-3.24297	3.35E-05
40				
41	NM_203454	0.00158472	-3.25377	7.56E-05
42	NM_001010922 /// NM_00	0.0011035	-3.25741	0.00140152
43	NM_004840	0.00264063	-3.26134	0.000489614
44	NM_001079530 /// NM_03	4.12E-05	-3.26591	3.37E-05
45	XM_001716232 /// XM_00	1.79E-05	-3.26749	9.09E-06
46				
47	NM_018702	0.000109457	-3.26897	5.60E-05
48	NM_018699	0.0323911	-3.27198	0.000113896
49	NM_004048	0.013988	-3.27337	0.00857054
50	NM_001149 /// NM_00120	0.019022	-3.27471	0.0232108
51	NM_001008710 /// NM_00	0.0100137	-3.2776	0.00288906
52				
53	NM_181645	0.00168888	-3.28837	0.000674568
54	NM_021148 /// NM_03354	0.00157171	-3.29685	7.27E-05
55	NM_001197237 /// NM_00	3.90E-05	-3.29971	9.75E-05
56	NM_001256370 /// NM_02	0.0088917	-3.30424	0.0217077
57				
58	NM_033063 /// NM_20757	4.70E-05	-3.30659	2.01E-05
59	NM_001129889 /// NM_00	3.50E-05	-3.31719	3.59E-05
60				

1				
2	NM_018010	0.00116117	-3.31723	2.71E-05
3	NM_002121	9.07E-06	-3.32203	7.73E-06
4	NM_001011513 /// NM_00	0.0203459	-3.32685	0.000580662
5	NM_001256536 /// NM_00	0.000708269	-3.33509	0.00116863
6	NM_001647	0.0030668	-3.33526	0.00020798
7	NM_007085	0.000355892	-3.33752	0.001463
8	NM_001100390 /// NM_15	0.00446949	-3.33956	0.0134469
9	NM_001207062 /// NM_03	0.000873227	-3.34017	3.31E-06
10	NM_015566 /// NR_04646	0.0149607	-3.34682	0.0221374
11	NM_001099951 /// NM_00	5.88E-05	-3.34861	2.76E-05
12	NM_178816 /// NM_20137	0.0045263	-3.35791	9.36E-05
13	NM_001199739 /// NM_00	0.000141591	-3.35795	7.95E-07
14	NM_001080463 /// NM_00	0.0330049	-3.36902	0.0109904
15	NM_000518	0.0145901	-3.37492	0.004776
16	NM_031442	0.00260268	-3.37879	0.000741198
17	NM_000416	4.98E-05	-3.38111	3.21E-06
18	NM_001199377 /// NM_01	0.00202949	-3.38528	8.50E-05
19	NM_003630	0.0027804	-3.38626	0.00567663
20	NM_001035230 /// NM_00	0.000832587	-3.38659	0.00243662
21	NM_003956	0.00214063	-3.3921	0.000404266
22	NM_031453	0.0453984	-3.39464	0.0313315
23	NM_004278	3.05E-05	-3.40219	8.21E-05
24	NM_001178145 /// NM_00	0.00211059	-3.40388	0.00326104
25	NM_001162997	0.000295133	-3.40432	8.12E-05
26	NM_014620 /// NM_15363	0.0150421	-3.41035	0.0191084
27	NM_181726	0.0038657	-3.41118	8.50E-05
28	NM_144682	0.0335177	-3.41287	0.0358805
29	NM_001025076 /// NM_00	0.013983	-3.41539	6.84E-05
30	NM_152765	0.000849764	-3.42442	0.00346325
31	NM_000512	9.76E-05	-3.42695	0.000302988
32	NM_001242779 /// NM_00	0.0317056	-3.43849	0.0155649
33	NM_004166 /// NM_00416	0.00720889	-3.45609	0.00062594
34	NM_000301 /// NM_00116	0.00155289	-3.45728	0.000151773
35	NM_001964	0.0247923	-3.45994	0.000316296
36	NM_001195291 /// NM_00	0.0127545	-3.46945	0.0297
37	NR_029389 /// NR_029390	0.000654931	-3.47246	0.00322143
38	NM_012307	2.17E-06	-3.48046	3.57E-07
39	NM_001034191 /// NM_00	0.00656107	-3.48352	0.00406649
40	NM_001008781	0.00311046	-3.48437	0.0111454
41	NM_152376	0.000357613	-3.49372	0.000482243
42	NM_001039801 /// NM_00	0.0103598	-3.49514	0.0162399
43	NM_018650	0.00141554	-3.50388	0.000572068
44	NM_001177704 /// NM_14	4.61E-05	-3.50469	0.000187852
45	NM_001142314 /// NM_08	0.0011214	-3.50519	0.000501277
46	NM_017801	0.011319	-3.5113	0.0102829
47	NM_001969 /// NM_18300	0.00973001	-3.51383	0.0183932
48	NM_001251977 /// NM_00	0.00359696	-3.53196	0.00186449
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_015312 /// NM_03220	0.000415735	-3.5361	0.000672093
3	NM_001017397 /// NM_00	0.0243885	-3.54055	0.00229668
4	NM_001039772 /// NM_00	0.0419386	-3.54504	0.000174081
5	NM_001372 /// NM_00466	0.000175006	-3.54821	5.43E-07
6	NM_005368 /// NM_20337	0.000144167	-3.55225	0.000112826
7	NM_178816 /// NM_20137	0.000154848	-3.55609	0.000427459
8	NM_001100397 /// NM_00	0.00257821	-3.56029	0.000654504
9	NM_001007022 /// NM_00	0.00814151	-3.56306	0.00247264
10	NM_017637	0.0100937	-3.56969	0.0227163
11	NM_001113178 /// NM_00	0.0201723	-3.58225	0.025003
12	NM_021615	0.00557804	-3.58708	0.0021837
13	NM_001243961 /// NM_00	0.000259872	-3.59629	0.000388517
14	NR_029396	0.00112966	-3.59629	4.38E-05
15	NR_024398	0.000137823	-3.61354	1.35E-05
16	NM_003894 /// NM_02281	0.00450866	-3.62286	0.000278931
17	NM_001200049 /// NM_01	6.07E-08	-3.62376	3.39E-08
18	NM_016608	0.00085506	-3.62992	0.000789793
19	NM_002734 /// NM_21247	0.000269988	-3.64053	0.000206759
20	NM_183376	0.0201581	-3.65633	0.00326503
21	NM_001040113 /// NM_00	0.00994108	-3.65953	0.00119562
22	NM_001080836	0.000249789	-3.66065	4.68E-05
23	NM_001033024 /// NM_00	1.74E-05	-3.66445	0.000215923
24	NM_006255	0.0020497	-3.66812	0.0112418
25	NM_001204197 /// NM_01	0.00864645	-3.66881	3.84E-07
26	NM_016010	0.00493807	-3.66998	0.000297791
27	NM_001143676 /// NM_00	0.0138485	-3.68213	0.0013566
28	NM_000813 /// NM_02191	0.00264215	-3.68318	0.00356944
29	NM_006762	0.0111879	-3.68501	0.0184213
30	NM_021179	0.0247234	-3.68944	4.59E-05
31	NM_001199149 /// NM_00	0.0141214	-3.68965	0.0333333
32	NM_015896	0.00123314	-3.69089	0.00511284
33	NM_001178044 /// NM_00	0.00945536	-3.69359	0.0088899
34	NM_025055 /// NM_18279	7.42E-06	-3.70033	2.32E-06
35	NM_001165 /// NM_18296	0.0299424	-3.70181	1.05E-05
36	NM_001767	0.00191039	-3.7071	0.00603769
37	NM_001080556 /// NM_14	0.00138298	-3.712	8.72E-05
38	NM_001173463 /// NM_00	0.00497476	-3.71624	3.82E-06
39	NM_001161661 /// NM_00	0.00128661	-3.71684	0.00103746
40	NR_024461 /// NR_024462	0.00881733	-3.72767	0.0175482
41	NM_001242359 /// NM_01	0.00479063	-3.73799	0.00942075
42	NM_001193300 /// NM_00	0.0142174	-3.74026	0.0351122
43	NM_000814 /// NM_00119	0.000198683	-3.74847	2.07E-05
44	NM_001134830 /// NM_00	0.000369873	-3.75242	0.000149332
45	NM_001007022 /// NM_00	0.00450849	-3.75487	0.000341879
46	NM_014433	0.000597239	-3.76579	8.13E-05
47	NM_001253835 /// NM_00	1.30E-05	-3.77893	4.36E-06
48	NM_000880 /// NM_00119	0.00377308	-3.78221	1.56E-06
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001146694 /// NM_00	2.74E-05	-3.78383	0.0001478
3	NM_001010922 /// NM_00	6.42E-05	-3.78755	5.56E-06
4	XR_039953 /// XR_039955	0.00108855	-3.78984	2.88E-05
5	NM_001161572 /// NM_00	0.00614284	-3.79587	0.000336678
6	NR_038244 /// NR_038245	0.00192196	-3.80404	0.000668548
7	NM_001134649 /// NM_00	0.00505014	-3.8134	0.0244049
8	NM_022128	0.0021416	-3.81647	0.00661999
9	NM_000328 /// NM_00102	0.0154027	-3.81725	0.0392009
10	NM_153838	0.0108547	-3.81755	0.0108156
11	NM_152357	0.00336564	-3.82066	0.00163243
12	NM_054017 /// NR_026814	0.00151254	-3.82821	9.23E-05
13	NM_152511	0.00180342	-3.84185	0.000163325
14	NM_001964	0.0156642	-3.84403	8.92E-07
15	NM_001142315 /// NM_00	0.0164218	-3.84569	0.0352312
16	NM_001018046 /// NM_02	0.000154019	-3.86003	0.00012962
17	NM_173528	0.000612077	-3.86005	7.13E-05
18	NM_152550	0.0022749	-3.86274	0.00182443
19	NM_001143943 /// NM_03	0.0305517	-3.86321	0.00654536
20	NM_001161575 /// NM_01	4.79E-06	-3.87237	5.68E-07
21	NM_020817	0.00179929	-3.87281	0.0002602
22	NM_014510 /// NM_03302	0.00244303	-3.88575	0.00047226
23	NM_025228	0.000293792	-3.89512	0.000839743
24	NM_033063 /// NM_20757	4.63E-05	-3.8998	2.72E-06
25	NM_001100590 /// NM_01	0.00158276	-3.90781	0.00894831
26	NM_001223 /// NM_00125	0.000115027	-3.91012	0.000582117
27	NM_001039940 /// NR_015	0.00680392	-3.91527	0.000583579
28	NM_006981 /// NM_17319	0.00123657	-3.93549	0.000178151
29	NM_001172420 /// NM_01	0.000423173	-3.93725	0.00346757
30	NM_001204126 /// NM_00	0.000420319	-3.93902	0.000379478
31	NM_016010	0.0034536	-3.95383	0.00722535
32	NM_152696 /// NM_18135	2.69E-05	-3.95853	3.32E-06
33	NM_152519	0.00291701	-3.96173	4.50E-05
34	NM_001039350 /// NM_00	1.93E-05	-3.9661	0.000268673
35	NR_033852	0.000649266	-3.97421	0.00381958
36	NM_006988	0.00477187	-3.99349	0.00551778
37	NM_173496	0.00996594	-3.9945	0.0472841
38	NM_153606	0.000413434	-3.99712	8.10E-05
39	NM_024763 /// NM_20701	0.00439377	-3.99745	0.002315
40	XR_109003 /// XR_111042	5.25E-05	-4.00473	0.000362208
41	NR_038366 /// NR_038367	0.047945	-4.01447	0.00193089
42	XR_108924 /// XR_113209	0.000137848	-4.01881	1.33E-06
43	NM_000508 /// NM_02187	0.00332756	-4.02066	0.000891281
44	NM_018952 /// NM_15603	0.0375519	-4.02514	0.00658601
45	NM_001199096 /// NM_00	1.90E-05	-4.02637	9.47E-05
46	NM_021199	0.00100131	-4.02843	3.57E-05
47	NM_207307	0.00213771	-4.03458	0.00160178
48	NM_001134435 /// NM_03	0.0217994	-4.03818	0.000243271
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001007224 /// NM_00	0.000848599	-4.03941	0.00566033
3	NM_001040092 /// NM_00	0.0018771	-4.03981	0.000276799
4	NM_001031804 /// NM_00	0.000240587	-4.04146	0.000477452
5	NM_001030287 /// NM_00	0.000173567	-4.04687	0.00118708
6	NM_001082537 /// NM_00	1.97E-05	-4.06342	2.13E-05
7	NM_002163	0.000280131	-4.06471	0.000554786
8	NR_038897	0.00498786	-4.07033	0.011337
9	NM_024633 /// NR_026775	0.00759523	-4.07282	0.0194724
10	NM_001206960 /// NM_00	0.00180835	-4.07635	0.00375501
11	NM_018409	0.00593832	-4.09675	0.00138488
12	NM_006531 /// NM_17560	4.69E-05	-4.10484	1.15E-05
13	NM_000204	0.00177877	-4.10727	2.16E-05
14	NM_001736	2.93E-05	-4.11051	3.87E-06
15	NM_022785 /// NM_19885	3.15E-06	-4.11285	5.22E-07
16	NM_017434 /// NM_17594	0.00504833	-4.11949	0.00798345
17	NM_001126328 /// NM_03	0.0117871	-4.13137	0.0468996
18	NM_001014440	9.89E-06	-4.13357	3.10E-05
19	NM_001195683 /// NM_00	0.0068883	-4.14628	0.00766548
20	NM_032853 /// NR_024247	0.00262557	-4.14642	0.00396288
21	NM_138796	0.0273343	-4.14644	0.00123497
22	NM_006564	0.00240549	-4.14822	0.000726243
23	NM_032133	7.81E-05	-4.16062	8.73E-05
24	NM_000248 /// NM_00118	0.0183501	-4.16517	0.000773652
25	NM_005195	0.00118888	-4.16947	0.0027669
26	NM_001025076 /// NM_00	0.000168216	-4.17211	0.0034968
27	NM_001025194 /// NM_00	0.00143876	-4.17721	0.000399282
28	NM_178824	0.00166726	-4.17795	0.00181512
29	NM_001135099 /// NM_00	0.00427933	-4.18107	0.000323968
30	NM_000596 /// NM_00101	0.000397351	-4.18808	3.76E-05
31	NM_005668 /// NM_17505	0.00302595	-4.19683	0.00167188
32	NM_173554	0.00563538	-4.20916	0.000500207
33	XR_109642 /// XR_112116	0.00104287	-4.21005	0.000268213
34	NR_002819 /// XR_110915	0.00239333	-4.21338	0.019941
35	NM_001168499 /// NM_01	3.61E-05	-4.22583	0.000124703
36	NM_005611	2.69E-05	-4.2301	6.60E-05
37	NM_175900	0.00263091	-4.23259	0.00108411
38	NM_001163417 /// NM_00	0.00252009	-4.2336	0.0139
39	NM_020307	0.00185241	-4.2411	0.0068424
40	NM_006269	0.000437974	-4.24321	8.52E-05
41	NM_005544	0.00218874	-4.24731	0.00284154
42	NM_001177701 /// NM_00	7.98E-06	-4.25722	1.26E-05
43	NM_033027	0.00226471	-4.26077	0.000343716
44	NM_001144763 /// NM_00	8.06E-06	-4.27037	0.000147844
45	NM_000301 /// NM_00116	4.58E-05	-4.27732	7.87E-06
46	NM_145053	4.07E-06	-4.27899	0.000104821
47	NM_014648	0.00204576	-4.28227	0.00029375
48	NM_000130	0.00258617	-4.28251	0.000106146
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_014365	7.15E-05	-4.28681	3.08E-06
3	NM_001243965 /// NM_00	0.0318305	-4.31677	0.0197362
4	NM_001100396 /// NM_17	6.79E-08	-4.32014	7.98E-07
5	NM_001256113 /// NM_17	0.000416623	-4.32357	7.75E-06
6	NM_002032	0.00754486	-4.33418	0.039198
7	NM_004787	0.0100181	-4.34279	0.0190241
8	NM_001135598 /// NM_15	0.00568462	-4.34445	0.010658
9	NM_001130142 /// NM_01	0.000705083	-4.34749	4.42E-05
10	NM_002966	0.00847192	-4.34806	1.62E-05
11	NM_001127391 /// NM_13	0.00285967	-4.35209	0.00100155
12	NM_001098504 /// NM_00	0.00551148	-4.35362	0.00102084
13	NM_001194999 /// NM_00	0.000441865	-4.35844	0.00155664
14	NM_001039570 /// NM_03	0.000696121	-4.36018	0.00572805
15	NM_016441	0.013683	-4.36385	0.026032
16	NM_004841 /// NM_17069	0.000741931	-4.36991	0.00671701
17	NM_020980	0.000176838	-4.37247	0.00173405
18	NR_046241	0.000743327	-4.38519	0.00321328
19	---	0.000568013	-4.38789	0.000489016
20	NM_001040712 /// NM_00	0.00659747	-4.39742	0.00657142
21	NM_001079529 /// NM_00	0.000227811	-4.39869	8.43E-05
22	NM_001122769 /// NM_18	0.000734562	-4.40031	7.21E-06
23	NM_001243093 /// NM_00	0.000221426	-4.40242	6.64E-05
24	NM_017439	0.00544977	-4.40343	0.0022404
25	NM_001199640 /// NM_00	0.00046527	-4.40531	5.37E-08
26	NM_001130159 /// NM_00	7.92E-05	-4.40545	0.0017668
27	NM_006682	0.00585273	-4.41054	0.0064113
28	NM_001243965 /// NM_00	0.0223145	-4.41088	0.0116216
29	NM_004344	0.00275518	-4.42394	0.000540416
30	NM_004538	0.000410356	-4.43366	0.00842909
31	NM_001018039 /// NM_00	0.00210709	-4.4344	5.59E-05
32	NM_018168	0.0107874	-4.4398	8.43E-08
33	NM_014887 /// NM_03311	0.00118353	-4.44934	0.00155703
34	NM_001127391 /// NM_13	0.000412616	-4.45328	0.000396085
35	NM_001130156 /// NM_00	0.00579406	-4.46711	0.0218211
36	NM_001099289	0.000546782	-4.46982	0.00138534
37	NM_001105659 /// NM_14	3.93E-06	-4.47073	0.000277334
38	NR_003521 /// NR_026589	0.00219101	-4.47254	0.00845802
39	NM_001139490 /// NM_01	0.00133672	-4.48158	0.00113077
40	NM_138444	0.0426204	-4.48217	0.00336347
41	NM_024806 /// NM_19912	0.000123573	-4.48888	5.05E-05
42	NM_181644	0.00164057	-4.49092	0.00458706
43	NM_000109 /// NM_00400	0.00873171	-4.49839	7.05E-07
44	NM_015566 /// NR_04646;	0.0042281	-4.50888	0.0152266
45	NM_005544	0.040968	-4.5134	0.0339986
46	NM_001145313 /// NM_03	0.0141924	-4.51538	0.00144847
47	NM_182493	8.30E-06	-4.51563	8.76E-08
48	NM_138788	0.000107587	-4.52313	0.00029853
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_152704 /// NM_19913	0.00214423	-4.52423	0.000154216
3	NM_001039348 /// NM_00	0.0293705	-4.52677	6.41E-05
4	NM_019073	0.0109566	-4.53936	0.0010202
5	NM_001145670 /// NM_00	0.000447981	-4.54006	0.000864111
6	NM_001077416 /// NM_00	0.00392957	-4.54508	5.67E-05
7	NM_001135863 /// NM_00	2.49E-05	-4.54881	0.000351053
8	NM_001163075	1.97E-05	-4.5707	0.000468791
9	NM_001170690 /// NM_02	0.000703496	-4.57132	9.16E-05
10	NM_052904	0.0025414	-4.57474	0.00020211
11	NM_001202550 /// NM_18	4.59E-05	-4.57483	0.000774529
12	NM_001199397 /// NM_00	0.00436131	-4.58074	0.00418935
13	NM_001268	0.0048873	-4.59453	0.034623
14	NM_139265	0.000122365	-4.5972	1.02E-05
15	NM_001079533 /// NM_00	2.18E-05	-4.59812	1.35E-07
16	NM_001003792 /// NM_00	0.00986927	-4.60167	0.000177592
17	NM_001012988 /// NR_024	0.00266927	-4.60399	0.0308087
18	NM_033058 /// NM_18408	0.0344661	-4.60482	0.000311009
19	NM_005634	0.00129238	-4.61092	2.17E-05
20	NM_004787	0.00217239	-4.61422	0.0141767
21	NM_144648	0.000618674	-4.61467	0.000836491
22	NM_013343 /// NR_024065	0.00562057	-4.62091	0.0031258
23	NM_001040113 /// NM_00	0.00106682	-4.62527	0.00314341
24	NM_001100590 /// NM_01	0.00234087	-4.62842	0.0121944
25	NM_001039704 /// NM_00	6.72E-05	-4.62889	3.47E-06
26	NM_020802	0.000807606	-4.6441	1.68E-05
27	NM_001135217 /// NM_00	0.00128545	-4.65049	0.000149798
28	NM_000081 /// NM_00100	0.00527437	-4.65752	0.00518535
29	NM_001145951 /// NM_00	0.000360419	-4.6587	0.00614451
30	NM_173354	0.0186595	-4.67151	0.00184981
31	NM_144992	0.000575529	-4.67589	2.60E-05
32	NM_001256295 /// NM_00	9.73E-05	-4.69101	2.87E-07
33	NM_025159	4.56E-06	-4.69767	0.000402758
34	NM_001153	0.000889361	-4.71763	0.0184164
35	---	2.20E-05	-4.7197	4.31E-07
36	NM_152290	0.000109205	-4.7258	9.34E-06
37	NM_001198625 /// NM_00	8.82E-05	-4.74991	2.06E-07
38	NM_001190458 /// NM_00	0.0023706	-4.75442	0.0138735
39	NM_001037763	0.00113925	-4.76204	0.00462377
40	NM_002228	0.00337577	-4.76249	0.0371813
41	NM_001243115 /// NM_02	1.86E-05	-4.76913	2.30E-05
42	NM_001077204 /// NM_02	0.00014263	-4.76966	0.00251606
43	NM_178827	5.04E-05	-4.77658	3.30E-05
44	NM_001202233 /// NM_00	0.00100318	-4.79102	0.00191128
45	NM_001013706	2.03E-06	-4.8072	5.32E-05
46	NM_001334	0.004717	-4.81126	0.000273768
47	NM_006633	0.000554563	-4.82025	0.00566488
48	NM_000476	0.0010715	-4.82172	7.47E-05
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_014648	0.000732112	-4.82767	1.79E-05
3	NM_005112 /// NM_01749	0.000148107	-4.82951	0.00070615
4	NM_007050 /// NM_13317	0.000439522	-4.85087	0.00454172
5	NM_014549 /// NR_003714	0.00465514	-4.85284	0.0120334
6	NM_003462	0.024494	-4.85724	0.000691366
7	NM_025145	0.000922987	-4.85748	8.14E-05
8	NM_001001710	0.0013085	-4.8582	0.02541
9	NM_182628	0.00296713	-4.86484	0.000117209
10	NM_000348	4.72E-05	-4.88426	1.46E-05
11	NM_001198974 /// NM_20	0.000344635	-4.88696	0.00995334
12	NM_001114357	0.000311083	-4.88886	6.30E-06
13	NM_004120	0.000165584	-4.90185	0.000179444
14	NM_001122842 /// NM_00	0.00055417	-4.90764	9.56E-06
15	NM_002532	0.000507381	-4.91971	0.00110595
16	NM_001130046 /// NM_00	0.0120346	-4.91989	0.010802
17	NM_017439	0.00255228	-4.94463	0.00269797
18	NM_001127364 /// NM_00	0.000820982	-4.954	0.000315707
19	NM_002229	0.000202334	-4.96489	0.000139706
20	NM_000814 /// NM_00119	9.00E-05	-4.96628	1.01E-05
21	NM_173500	0.0019169	-4.97612	0.000173886
22	NM_015653	0.00889078	-4.97825	0.00180413
23	NM_145911	0.000154028	-4.98241	5.24E-05
24	NR_002798	0.000115006	-4.98982	8.81E-05
25	NM_001025436 /// NM_02	8.07E-06	-5.0083	9.55E-07
26	NM_022128	0.0049274	-5.01675	0.0160084
27	NM_001199880 /// NM_00	0.0422614	-5.02108	5.07E-06
28	NM_001206	0.00975839	-5.02289	0.015092
29	NM_001130518 /// NM_01	0.002211	-5.03631	0.000803956
30	NM_015347	0.000267401	-5.03841	0.00023689
31	NM_001001344 /// NM_02	0.000150803	-5.03962	0.00621483
32	NM_005516	0.000303639	-5.04804	0.0117163
33	NM_001280 /// NR_023314	6.74E-06	-5.04806	9.14E-05
34	NM_001010940	1.98E-05	-5.04922	9.98E-07
35	NM_001079821 /// NM_00	0.00846959	-5.05743	0.0271229
36	NM_001039799 /// NR_044	2.12E-07	-5.07092	8.64E-09
37	NM_144980	0.00117917	-5.08544	1.55E-06
38	NM_144975	2.39E-07	-5.09334	8.68E-05
39	NM_001029996	3.83E-05	-5.09559	0.000166108
40	NM_001033719	0.00552869	-5.10441	0.0217027
41	NM_001198625 /// NM_00	0.00108644	-5.10812	0.000776271
42	NM_001115	0.00363074	-5.12638	0.0129293
43	NM_001253854 /// NM_00	0.000462172	-5.1353	4.55E-05
44	NM_021784 /// NM_15367	0.000507499	-5.14251	3.68E-06
45	NM_033049	2.54E-06	-5.14593	2.14E-07
46	NM_000518	0.00464053	-5.14989	0.00501718
47	NM_021244	0.00778591	-5.15983	0.000601234
48	XR_110029 /// XR_133336	0.000509785	-5.1691	7.56E-05
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001143943 /// NM_03	0.010877	-5.20251	0.00283349
3	NM_001170538 /// NM_17	0.000608971	-5.20443	5.86E-06
4	NM_001111298 /// NM_17	0.0035917	-5.20746	0.000425257
5	NM_001242463 /// NM_05	0.0190955	-5.20912	0.00818638
6	NM_001025158 /// NM_00	4.89E-05	-5.23791	0.000252727
7	NM_001135608 /// NM_01	6.39E-05	-5.23951	0.00289677
8	NM_020643	1.45E-05	-5.24222	6.85E-05
9	NM_001190981 /// NM_00	7.89E-05	-5.24358	2.02E-06
10	NM_014331	0.00950634	-5.24409	0.000565266
11	NM_014312	0.000267384	-5.24596	0.00120336
12	NM_198493	0.000984614	-5.25696	0.000210136
13	NM_001004303	7.30E-06	-5.26	2.12E-06
14	NM_001105248 /// NM_00	0.000756173	-5.27187	0.000173885
15	NM_024764	0.000622845	-5.29344	0.0191701
16	NR_027105 /// NR_027106	0.007466	-5.30078	0.00106454
17	NM_001243848 /// NM_00	0.0046195	-5.30562	0.00524105
18	NM_001136020 /// NM_00	5.77E-09	-5.31628	6.52E-08
19	NM_001014986 /// NM_00	0.00156039	-5.32451	0.0056952
20	NM_001165963 /// NM_00	0.00260785	-5.33904	0.000446094
21	NR_004428	0.00722085	-5.34236	0.0302119
22	NM_025059	0.000620275	-5.34311	0.000750364
23	NM_001145313 /// NM_03	0.000428908	-5.34432	1.14E-05
24	NM_003853	0.00143847	-5.34758	0.00586326
25	XM_003403521 /// XM_00:	0.00104659	-5.35234	0.000181694
26	NM_001134285 /// NM_00	0.000588726	-5.35616	0.0017975
27	NM_006408	0.000647935	-5.35983	2.25E-05
28	NM_018430	0.0003474	-5.38496	0.00058328
29	NR_003003	0.00232105	-5.40097	0.024489
30	NM_145020	0.000360031	-5.40987	1.30E-05
31	NM_004914	1.42E-07	-5.42467	1.54E-06
32	NM_015689	0.000118019	-5.42731	0.000118217
33	NM_006144	0.000265617	-5.43601	0.000325809
34	NM_001008539 /// NM_00	0.00140742	-5.43948	1.51E-08
35	NM_001102406 /// NM_00	6.51E-05	-5.44016	8.71E-05
36	NM_001134486 /// NM_05	0.00442711	-5.44263	0.0380487
37	NM_005013	0.0308436	-5.45252	0.0232975
38	NM_001130067 /// NM_01	0.00174365	-5.4671	0.000462761
39	NR_002174 /// NR_027626	0.000859072	-5.47354	0.000802378
40	NM_130446	1.26E-05	-5.47552	1.82E-05
41	NM_001098504 /// NM_00	0.00657283	-5.47675	0.00519342
42	NM_001099691 /// NM_00	0.00280448	-5.48538	0.00193834
43	NM_001040428 /// NM_01	0.00621799	-5.49527	0.0225875
44	NM_001099267 /// NM_00	0.000132947	-5.50108	5.50E-05
45	NM_006162 /// NM_17238	0.000246279	-5.51283	0.00794414
46	NM_020546	0.00184036	-5.51734	0.000141189
47	NM_001130182 /// NM_00	0.00291859	-5.51875	2.22E-05
48	NM_001280 /// NR_02331:	1.69E-06	-5.5251	8.59E-06
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001243961 /// NM_00	0.00581218	-5.52644	0.00417962
3	NM_000246	6.90E-05	-5.53138	0.00277493
4	NM_001263	8.64E-05	-5.54058	0.000719274
5	NM_001161725 /// NM_00	0.000959167	-5.54285	0.00708675
6	NM_198520 /// XM_00171	0.00200182	-5.5431	2.64E-05
7	NM_001199805 /// NM_00	2.30E-06	-5.54685	0.000346706
8	NM_000301 /// NM_00116	0.000764418	-5.5663	2.68E-05
9	NM_018168	0.00257563	-5.59001	6.91E-08
10	NM_000814 /// NM_00119	0.000870233	-5.59069	6.32E-05
11	NM_000081 /// NM_00100	1.18E-05	-5.59524	0.000633885
12	NM_001001551 /// NM_00	0.00040087	-5.60619	0.00413702
13	NM_001102406 /// NM_00	3.18E-06	-5.61726	0.000169273
14	NM_001098515 /// NM_14	3.17E-06	-5.61828	0.00081076
15	NM_001178096 /// NM_00	0.00238816	-5.62334	0.000464495
16	NM_003012	0.000296682	-5.65041	1.19E-06
17	NM_001145399 /// NM_00	0.00294964	-5.65437	0.0418079
18	NM_005577	0.00418844	-5.67634	0.000452798
19	NM_003182 /// NM_01399	0.0185549	-5.69232	0.00319295
20	NM_054114 /// NM_13881	0.000692604	-5.70746	0.000805627
21	NM_003777	7.94E-07	-5.74836	8.94E-07
22	NM_001195415 /// NM_00	0.000649966	-5.75752	0.000582025
23	NM_001003799 /// NM_00	1.39E-05	-5.76143	1.51E-05
24	NM_001130831 /// NM_00	0.000228565	-5.76764	6.26E-05
25	NR_046102 /// XM_933872	0.00189241	-5.79165	0.000505536
26	NM_000933 /// NM_00117	0.00453076	-5.79639	0.00536709
27	NM_017590	0.000123797	-5.80309	0.00803712
28	NM_000720 /// NM_00112	6.01E-06	-5.83835	0.000104439
29	NM_002753 /// NM_13898	2.81E-05	-5.84239	6.78E-06
30	NM_021244	0.0282378	-5.84291	0.00140781
31	NM_145756	0.000265617	-5.84894	0.000725707
32	NM_174921	0.000139978	-5.87923	0.00213052
33	NM_001104629 /// NM_01	1.81E-05	-5.88792	0.000112717
34	NM_007116 /// NM_01910	0.000200396	-5.9039	4.12E-05
35	NM_178821	0.000777094	-5.92402	4.37E-05
36	NM_004155	4.11E-06	-5.9273	1.73E-06
37	NM_004529	0.000131277	-5.93034	1.57E-05
38	NM_153236	6.76E-06	-5.93344	1.11E-05
39	NM_001243961 /// NM_00	5.13E-06	-5.95048	1.55E-05
40	NM_001009991 /// NM_00	0.000284387	-5.95843	0.00041191
41	NM_004928	9.49E-07	-5.97752	0.000538943
42	NM_001223 /// NM_00125	1.14E-06	-5.99441	3.70E-05
43	NM_001159322 /// NM_00	8.18E-06	-5.99645	1.01E-05
44	NM_152772	0.00105898	-6.00294	0.00483128
45	NM_002984	1.07E-05	-6.01306	1.63E-05
46	NM_001001870 /// NM_03	2.01E-05	-6.02452	9.27E-07
47	NM_001198559 /// NM_01	3.46E-06	-6.04212	0.000241786
48	NM_007018	0.000115872	-6.04292	7.43E-06
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001190201 /// NM_00	7.73E-07	-6.05325	6.05E-07
3	NM_001242466 /// NM_18	0.00176049	-6.05958	0.0259266
4	NM_001162995 /// NR_01:	6.59E-07	-6.07166	2.06E-05
5	NM_001031715 /// NM_02	0.00166765	-6.07213	4.36E-05
6	NM_023067	0.00283258	-6.07928	0.0301919
7	NM_021179	0.0111343	-6.08819	5.13E-05
8	NM_002970 /// NR_02778:	3.34E-07	-6.09032	5.50E-06
9	NM_172069	0.00382923	-6.09141	0.000833211
10	NM_000636 /// NM_00102	0.0123088	-6.09667	0.00457304
11	NM_002864	2.51E-05	-6.10775	1.25E-05
12	NM_001002294 /// NM_00	4.78E-06	-6.11156	1.04E-06
13	NM_001204087 /// NM_00	4.56E-06	-6.11375	0.00215298
14	NM_005195	0.000262881	-6.13322	0.0013861
15	NM_001243280 /// NM_00	0.0192131	-6.13397	0.0289767
16	NM_004975	0.000981399	-6.15255	0.0321825
17	NM_000087 /// NM_00114	3.64E-06	-6.159	2.29E-05
18	NM_021101	0.00227907	-6.16281	0.00035475
19	NM_001078 /// NM_00119	0.0220099	-6.16839	0.000906967
20	NM_003619	0.00201383	-6.16977	3.41E-05
21	NM_002259 /// NM_00226	4.91E-05	-6.19084	1.25E-06
22	NM_152643	3.32E-07	-6.20708	3.47E-07
23	NM_004420	3.60E-05	-6.22377	0.00363493
24	NM_001142462 /// NM_05	0.0109399	-6.27368	0.0028817
25	NR_001564	0.0103542	-6.30367	0.00125762
26	NM_001040280 /// NM_00	0.00026411	-6.3039	7.32E-06
27	NM_001267048 /// NM_00	0.0212537	-6.3162	0.0483302
28	NM_178527	0.000183459	-6.31871	6.15E-06
29	NM_001756	3.89E-05	-6.32156	2.31E-05
30	NM_000892	0.000247453	-6.33372	0.000557259
31	NM_013262	0.000805201	-6.34818	0.0221915
32	NM_015675	0.000977817	-6.34899	0.00981342
33	NM_001031745 /// NM_00	4.72E-05	-6.35907	1.71E-05
34	NM_022785 /// NM_19885	3.71E-05	-6.37722	9.03E-06
35	NM_145047 /// NM_20683	0.000916127	-6.38992	0.0225337
36	NM_030666	6.69E-08	-6.39749	7.94E-07
37	NM_001014986 /// NM_00	0.000227376	-6.39986	0.00439886
38	NM_001242350 /// NM_00	1.67E-07	-6.40309	1.62E-07
39	NR_002819 /// XR_110915	0.000145618	-6.40314	0.0172489
40	NM_152701	0.000587293	-6.4179	1.75E-05
41	NM_000609 /// NM_00103	0.00126344	-6.43135	4.49E-05
42	NM_001099267 /// NM_00	1.86E-05	-6.45461	1.57E-07
43	NM_144992	0.000180517	-6.47126	2.51E-05
44	NM_007037	5.85E-07	-6.48673	9.17E-06
45	NM_000856 /// NM_00113	0.000276251	-6.51278	9.86E-06
46	NM_005618	0.00281377	-6.53253	0.0114133
47	NM_002581	0.00248966	-6.53397	0.000437903
48	NM_018076	0.00348075	-6.53445	8.16E-06
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001127608 /// NM_00	5.81E-06	-6.5351	0.00213401
3	NM_014395	2.12E-09	-6.53973	4.62E-06
4	NM_001270391 /// NM_00	1.15E-05	-6.54251	1.32E-07
5	NM_003320 /// NM_17797	0.000509948	-6.54857	0.0117307
6	NM_031490 /// NR_04067	1.73E-06	-6.55714	0.000204493
7	NM_001033659 /// NM_00	0.00152329	-6.56694	0.0186456
8	NM_001122769 /// NM_18	0.000556567	-6.56912	0.00105189
9	NM_001243797 /// NM_00	0.000409307	-6.59297	0.000555192
10	NM_174896	2.25E-05	-6.61814	0.00718602
11	NM_001164407	0.00107983	-6.62037	0.00282217
12	NM_001242524 /// NM_00	7.99E-05	-6.62074	6.01E-05
13	NM_001256552 /// NM_02	1.16E-07	-6.63141	4.48E-05
14	NM_001206609 /// NM_00	5.50E-08	-6.63783	4.02E-06
15	NM_017539	0.000199545	-6.66492	4.70E-05
16	NM_001253835 /// NM_00	5.66E-05	-6.68502	0.000198292
17	NM_002937 /// NM_19443	3.31E-05	-6.6881	0.000291652
18	NM_001130715 /// NM_00	0.00133595	-6.74603	2.10E-06
19	NM_007116 /// NM_01910	3.15E-05	-6.75806	8.18E-05
20	NM_006955	3.55E-06	-6.7602	0.000508887
21	NM_012307	0.000445881	-6.7709	9.49E-05
22	NM_152377	6.55E-05	-6.77116	6.20E-07
23	NM_014203 /// NM_13078	0.000343588	-6.78374	0.0064001
24	NM_145172	0.00145927	-6.78542	9.11E-06
25	NM_001130918 /// NM_17	2.05E-05	-6.82071	2.71E-06
26	NM_001164342 /// NM_00	6.25E-05	-6.83161	0.0141681
27	NM_001122824 /// NM_00	0.000166787	-6.83438	3.89E-05
28	NM_052863	0.00181971	-6.84023	0.0160659
29	NM_001184879 /// NM_00	2.45E-05	-6.85153	0.00306037
30	NM_000313	0.0076936	-6.85305	0.0336922
31	NM_001031741 /// NM_15	1.02E-05	-6.85413	1.58E-05
32	NM_152271	1.61E-05	-6.85792	8.10E-05
33	NM_001010848 /// NM_00	0.000352596	-6.8723	0.000143549
34	NM_001099267 /// NM_00	0.000511873	-6.89266	8.14E-08
35	NM_002581	0.0254171	-6.89681	0.00493725
36	NM_003948	0.00106683	-6.90512	0.0157673
37	NM_001004416 /// NM_00	0.000464768	-6.91989	0.000115634
38	NM_001034850 /// NM_01	0.00175417	-6.93	0.0032106
39	NM_001144382 /// NM_01	0.000645371	-6.93481	0.000146518
40	NM_001256295 /// NM_00	3.19E-07	-6.94979	2.50E-07
41	NM_033124	0.000137115	-6.95492	3.32E-05
42	NM_000218 /// NM_18179	1.38E-08	-6.97664	8.23E-05
43	NM_001168374 /// NM_00	9.86E-06	-6.9949	6.17E-07
44	NM_001122834 /// NM_00	2.31E-05	-7.00114	0.000281356
45	NR_038311 /// NR_038312	0.000120721	-7.00528	0.00813951
46	NM_145740	2.84E-05	-7.03298	7.27E-05
47	NM_001029875	1.00E-06	-7.03534	8.10E-08
48	NM_001243848 /// NM_00	0.00454913	-7.04702	0.00657549
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_013367	0.000290644	-7.04819	0.0014394
3	NM_007116 /// NM_01910	2.69E-05	-7.05831	8.62E-05
4	NM_001220765 /// NM_00	0.002131	-7.07456	0.0300976
5	NM_003734	0.000298491	-7.09585	0.0222615
6	NM_001077416 /// NM_00	0.000336895	-7.11867	8.57E-06
7	NM_015417	9.18E-05	-7.12947	0.000816937
8	NM_153274	0.0017085	-7.18313	0.00783475
9	NM_022570 /// NM_19794	5.97E-06	-7.19153	0.000857727
10	NM_012472	0.000519042	-7.19335	0.0171137
11	NM_001197295 /// NM_00	0.000322244	-7.19564	0.00286542
12	NM_000044 /// NM_00101	0.000100589	-7.20021	0.00351045
13	NM_002985	9.67E-06	-7.21984	0.000821151
14	NM_001039706 /// NM_00	6.91E-05	-7.24371	7.68E-05
15	NM_003246	0.000703866	-7.2513	0.0037798
16	NM_015202	1.96E-06	-7.28771	0.000130899
17	NM_001039948 /// NM_00	8.11E-06	-7.29193	3.45E-06
18	NM_004058 /// NM_08059	0.0116539	-7.30487	0.00767003
19	NM_005847 /// NM_15268	0.00143407	-7.3218	0.0023194
20	NR_001298	1.93E-05	-7.35774	0.000227348
21	NM_001009991 /// NM_00	3.50E-08	-7.37057	1.54E-05
22	NM_004288	0.000304692	-7.40166	0.00830185
23	NM_002919 /// NM_13442	0.00236768	-7.40225	0.00114519
24	NM_000635 /// NM_13443	0.000829277	-7.40233	1.55E-05
25	NM_001199739 /// NM_00	4.28E-06	-7.41416	2.30E-06
26	NM_198282	1.32E-05	-7.41975	2.81E-05
27	NM_016270	1.44E-05	-7.42316	1.58E-05
28	NM_001201466 /// NM_03	2.94E-06	-7.42559	1.21E-06
29	NM_005727	0.00123627	-7.43629	0.0105965
30	NM_017699	5.05E-06	-7.43751	4.60E-08
31	NM_001039706 /// NM_00	2.71E-05	-7.4469	0.00185413
32	NM_018222	1.15E-06	-7.45192	0.000125391
33	NM_002985	7.44E-05	-7.46459	0.00147074
34	NM_018897	2.22E-06	-7.46587	1.42E-06
35	NM_001370 /// NM_17364	0.000211815	-7.46769	1.34E-05
36	NM_001025076 /// NM_00	0.000353146	-7.46918	0.000221836
37	NM_000720 /// NM_00112	7.45E-05	-7.5016	0.00163536
38	NM_006408	0.00326004	-7.51037	7.37E-08
39	NM_058180 /// NM_19907	0.00176094	-7.51893	0.00583408
40	NM_001161661 /// NM_00	0.000196344	-7.52512	0.00905524
41	NM_001134649 /// NM_00	0.00198616	-7.54862	0.0282364
42	NM_001001437 /// NM_00	0.000679056	-7.55377	0.000747315
43	NM_130446	2.45E-06	-7.55487	1.35E-05
44	NM_000855 /// NM_00125	0.000451399	-7.5579	5.58E-05
45	NM_001134363	0.000636723	-7.55977	3.58E-05
46	XR_040780	1.30E-05	-7.57129	7.24E-06
47	NM_144702	3.98E-06	-7.5832	1.30E-07
48	NM_000833 /// NM_00113	0.00252652	-7.5878	0.0386345
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001470 /// NM_00639	0.00564045	-7.6113	0.0438321
3	NM_001460	0.016143	-7.63329	0.0394321
4	NM_000847	1.57E-06	-7.63426	2.13E-07
5	NM_030906	0.000205467	-7.67853	2.82E-06
6				
7	NM_001025081 /// NM_00	0.000822197	-7.68541	0.00420404
8	NM_015512	5.00E-05	-7.69301	0.000982024
9	NM_025057	0.00101255	-7.69324	0.000951393
10				
11	NM_001039936 /// NM_00	0.00117187	-7.69936	0.000736467
12	NM_014395	8.45E-06	-7.71739	0.000201919
13	NM_012337	0.0015375	-7.73044	2.62E-05
14	NM_013308	0.000832605	-7.73066	0.00141214
15	NM_001145365 /// NM_01	0.000715293	-7.76748	0.0336268
16	NM_145045	0.000176067	-7.77734	0.0298979
17				
18	NM_001920 /// NM_13350	0.00131874	-7.81523	0.00882708
19	NM_002185	0.000109863	-7.82528	5.75E-06
20				
21	NM_001270391 /// NM_00	1.22E-06	-7.84599	3.01E-07
22	NM_014861	4.22E-06	-7.85372	9.88E-06
23	NM_001199633 /// NM_02	3.25E-05	-7.85924	7.40E-05
24	NM_004751	5.40E-06	-7.88014	4.36E-05
25				
26	NM_001267048 /// NM_00	0.00797869	-7.88468	0.0174149
27	NM_020957	0.0003204	-7.89211	0.0311343
28	NM_153267	9.40E-05	-7.90797	6.19E-06
29	NM_006063	0.000885156	-7.98559	0.0107881
30				
31	NM_001127603 /// NM_01	6.55E-05	-7.99949	0.0196598
32	NM_024753 /// NR_04537!	2.83E-05	-8.00715	8.76E-05
33	NM_021201 /// NM_20693	0.000392632	-8.01056	0.0102077
34	NM_002119	2.26E-05	-8.01237	0.000152428
35	NM_003059	0.000346655	-8.05806	2.62E-06
36				
37	NM_022785 /// NM_19885	0.000135295	-8.10895	1.17E-05
38	NM_001037500	1.35E-05	-8.12989	6.49E-05
39	NM_001128432 /// NM_02	0.00077688	-8.1565	0.000240739
40	NM_001206	0.000249108	-8.15894	0.0106346
41				
42	NM_001098519 /// NM_15	4.28E-05	-8.17174	3.18E-06
43	NM_001146192 /// NM_03	0.000595417	-8.19358	0.00104437
44	NM_001243280 /// NM_00	0.00694336	-8.19971	0.00896409
45				
46	NM_001080467	5.40E-07	-8.20601	6.99E-05
47	NM_182500	8.08E-05	-8.20878	1.29E-05
48	NM_001099697 /// NM_17	7.30E-06	-8.22423	8.47E-07
49	NM_001040429 /// NM_01	0.000805889	-8.22896	0.00881614
50				
51	NM_012435	1.77E-06	-8.25637	4.60E-05
52	NM_014861	8.12E-09	-8.26039	1.26E-07
53	NM_033063 /// NM_20757	1.47E-06	-8.27802	8.32E-08
54	NM_001256054 /// NM_01	0.00351451	-8.27995	0.00129025
55	NM_001085	0.00426915	-8.28422	1.12E-05
56				
57	NM_014935 /// NM_13848	3.76E-05	-8.28598	0.00326299
58	NM_001031802 /// NM_00	1.84E-05	-8.28676	7.31E-05
59	NM_018399 /// NM_07862	9.62E-05	-8.3271	1.41E-06
60				

1				
2	NM_017600 /// NR_02426:	4.63E-05	-8.34882	0.00284749
3	NM_001267576 /// NM_15	0.000139566	-8.35442	0.000211626
4	NM_002581	7.41E-06	-8.38336	2.18E-05
5	NM_001193434 /// NM_00	0.00393152	-8.38953	0.048983
6	NM_002970 /// NR_02778:	2.06E-08	-8.42189	7.38E-07
7	NM_000715	1.95E-05	-8.43361	3.10E-05
8	NM_138801	7.54E-06	-8.43611	0.00114876
9	NM_002612	0.00121036	-8.45886	4.16E-06
10	NM_001172684 /// NM_00	3.10E-06	-8.46072	0.00133203
11	NM_000219 /// NM_00112	0.000988214	-8.46388	0.000112171
12	NR_015377 /// NR_047570	2.10E-05	-8.51364	0.000221521
13	NR_034012 /// NR_034013	0.000180003	-8.52589	4.70E-06
14	NM_001193489 /// NM_01	3.25E-05	-8.53102	0.00774004
15	NM_138409	0.00639711	-8.62206	0.002328
16	NM_001165 /// NM_18296	0.000172485	-8.63478	3.27E-06
17	XR_109454 /// XR_111677	0.00518014	-8.64842	0.000482511
18	NM_000591 /// NM_00104	0.000334983	-8.65813	0.0136641
19	NM_138451	0.000444867	-8.67529	0.00223138
20	NM_001039395 /// NM_01	1.74E-06	-8.68129	1.11E-07
21	NM_001130699 /// NM_00	4.05E-05	-8.75233	0.0173095
22	NM_138444	0.00175791	-8.78668	0.00144355
23	NM_006290	5.71E-05	-8.80832	0.00040811
24	NM_001204458 /// NM_00	0.00143956	-8.83669	0.0226359
25	NM_001040113 /// NM_00	3.73E-06	-8.83787	0.000199129
26	NM_025087	0.000694501	-8.84041	1.34E-05
27	NM_017886	3.93E-05	-8.85287	0.00154039
28	NM_000565 /// NM_00120	0.000164036	-8.8565	0.0114806
29	NM_001554	0.00099024	-8.85749	0.00494922
30	NM_001164342 /// NM_00	7.50E-05	-8.87015	0.00772664
31	NM_015693	0.00181615	-8.88234	0.000199537
32	NM_015896	0.00145148	-8.92236	0.000119364
33	NM_001112717 /// NM_00	0.000439766	-8.93603	0.014312
34	NM_014211	0.00423217	-8.93771	0.0306518
35	NM_001012642	8.34E-05	-8.94894	0.018175
36	NM_000104	1.33E-06	-8.95504	3.44E-05
37	NM_001136536 /// NM_00	6.84E-05	-8.97068	1.65E-06
38	NM_001039845 /// NM_20	5.50E-06	-8.99984	2.64E-05
39	NM_004310	7.51E-05	-9.02095	0.000302279
40	XR_109365 /// XR_111668	6.80E-06	-9.03992	6.01E-05
41	NM_001247997 /// NM_00	8.60E-06	-9.05639	0.00377279
42	NM_001114106 /// NM_00	5.13E-05	-9.13421	0.000109188
43	NM_002221	0.000234046	-9.13645	0.0235181
44	NM_001037290 /// NM_00	0.000178028	-9.14721	0.00029647
45	NM_000480 /// NM_00102	5.14E-05	-9.14962	0.000107298
46	NM_020225	4.32E-08	-9.15903	0.000731081
47	NM_001118 /// NM_00119	0.000693518	-9.26258	0.000263657
48	NR_027046	6.68E-08	-9.29354	0.000238534
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001164257 /// NM_00	1.44E-07	-9.30234	8.37E-08
3	NM_025153	0.000198798	-9.30373	0.00051513
4	NM_001242505 /// NM_00	0.00880551	-9.32858	0.0448283
5	NM_001171171 /// NM_00	0.00151631	-9.39197	0.0126955
6	NM_003672 /// NM_03331	0.000255109	-9.39641	0.000150809
7	NM_000672 /// NM_00110	0.000438064	-9.40483	1.66E-05
8	NM_001080529	3.11E-05	-9.41658	0.000249196
9	NM_001031743 /// NM_17	2.59E-05	-9.41901	2.78E-05
10	NR_002819 /// XR_110915	5.07E-07	-9.42774	0.00237192
11	NM_001005474 /// NM_03	2.13E-06	-9.44188	1.07E-07
12	NM_001099410 /// NM_00	1.15E-05	-9.44342	0.00280929
13	NM_001143943 /// NM_03	0.000702769	-9.46255	0.00136054
14	NM_032411	0.00529664	-9.46871	0.0316644
15	NM_001280 /// NR_02331;	9.24E-08	-9.51331	3.05E-05
16	NM_024786	1.74E-06	-9.52737	0.00340169
17	NM_152376	5.83E-06	-9.53705	3.29E-06
18	NM_017600 /// NR_02426:	2.49E-07	-9.5394	0.000454747
19	NM_001145811 /// NM_00	1.41E-06	-9.56269	0.00109777
20	XR_108456	0.000781956	-9.56919	0.0091861
21	NM_175922	0.000176543	-9.60043	1.09E-05
22	NR_038877	0.000919218	-9.62902	0.00217758
23	NM_152376	0.000450347	-9.64026	4.64E-05
24	NM_001136105	0.000820202	-9.64704	7.37E-05
25	NM_000130	6.40E-05	-9.68778	1.77E-06
26	NM_004585	4.87E-05	-9.70238	0.00108961
27	NM_000348	0.000234138	-9.70691	5.39E-06
28	NR_040109	0.000427623	-9.71612	1.91E-05
29	NM_003672 /// NM_03331	2.82E-05	-9.78083	0.000812194
30	NM_005045 /// NM_17305	8.79E-05	-9.78253	0.0128318
31	NM_001171581 /// NM_00	0.000137834	-9.80861	6.39E-05
32	NM_001134285 /// NM_00	0.00207945	-9.82216	0.00613468
33	NM_001040429 /// NM_01	0.0024324	-9.85095	0.00590646
34	NM_000961	7.19E-05	-9.89193	0.00560389
35	XR_109227 /// XR_133091	0.000224925	-9.8948	0.0170891
36	NM_002118	6.60E-05	-9.93181	0.0124423
37	NM_001164730 /// NM_00	7.85E-05	-9.93633	1.79E-05
38	NM_001005474 /// NM_03	3.83E-06	-9.94885	4.53E-07
39	NM_001223 /// NM_00125	1.16E-05	-9.96	0.000414357
40	NM_024865	2.99E-05	-9.98179	0.00301072
41	NM_001244134 /// NM_00	1.57E-06	-9.99812	0.000109954
42	NM_000399 /// NM_00113	0.00141731	-10.074	0.00246235
43	NM_145038	5.51E-06	-10.151	1.63E-05
44	NM_024081	0.000338222	-10.1686	0.0103363
45	NM_001370 /// NM_17364	0.000104261	-10.2019	8.71E-06
46	NM_001007267 /// NM_00	0.0003687	-10.2544	0.0151942
47	NM_000517 /// NM_00055	0.007001	-10.3106	0.00740361
48	NM_152505	1.01E-06	-10.3119	4.92E-08
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_006120	4.08E-05	-10.3903	0.000390878
3	NM_001006655 /// NM_01	0.000221993	-10.4572	3.60E-05
4	NM_032131	0.000124519	-10.462	1.40E-05
5	NM_001034850 /// NM_01	4.71E-06	-10.4718	6.02E-05
6	NM_005565	2.92E-06	-10.4786	6.91E-06
7	NM_001002294 /// NM_00	6.74E-05	-10.4903	7.79E-06
8	NM_001080394 /// XM_00	5.12E-06	-10.4914	2.09E-05
9	NM_002581	0.000157011	-10.5359	0.000149268
10	NM_001100388 /// NM_20	3.09E-05	-10.612	4.35E-07
11	NM_014496	0.000225821	-10.6347	0.00432471
12	NM_031412 /// NR_02828:	3.27E-07	-10.6496	0.00194191
13	NM_001145646 /// NM_03	5.25E-07	-10.7244	1.20E-05
14	NM_001025076 /// NM_00	1.06E-07	-10.7515	4.41E-05
15	NM_175709	1.95E-07	-10.7539	0.000145516
16	NM_001039763	2.30E-07	-10.7767	5.79E-09
17	XR_133404	2.77E-05	-10.8158	4.78E-06
18	NM_001243342 /// NM_01	3.77E-08	-10.8514	2.53E-08
19	NM_001089584	4.19E-05	-10.8864	3.80E-06
20	NM_030906	6.18E-05	-10.9275	3.25E-06
21	NM_001242463 /// NM_05	3.47E-05	-10.9832	0.00180351
22	NM_001270391 /// NM_00	0.000201336	-10.9923	3.69E-06
23	NM_001037582 /// NM_02	9.38E-06	-10.9976	0.000753929
24	NM_006206	0.000316829	-11.0029	0.000159065
25	NM_173605 /// NM_19946	0.000114696	-11.0742	1.27E-06
26	NM_014265 /// NM_02177	0.000563749	-11.0877	0.00108208
27	NM_001172420 /// NM_01	7.40E-07	-11.1177	1.82E-06
28	NM_001006655 /// NM_01	1.98E-05	-11.1543	2.85E-06
29	NR_037901	3.88E-05	-11.2077	3.38E-06
30	NM_001122961	1.81E-05	-11.218	1.34E-06
31	NM_001037763	0.000166335	-11.2275	1.44E-05
32	NM_080283 /// NM_17238	0.000240286	-11.2428	0.000213834
33	NM_001206997 /// NM_15	3.28E-05	-11.2519	2.20E-07
34	NM_002970 /// NR_02778:	3.03E-10	-11.2949	9.14E-06
35	NM_001007278 /// NM_00	0.000151368	-11.3411	1.60E-06
36	NM_024763 /// NM_20701	8.88E-06	-11.4101	2.64E-05
37	NM_001167942 /// NM_15	0.000100698	-11.4266	6.92E-05
38	NM_178818 /// NM_18152	2.67E-07	-11.4758	0.0027691
39	NM_007030	3.45E-05	-11.4966	0.000530138
40	NM_001080529	1.33E-07	-11.5519	1.98E-07
41	NM_001204197 /// NM_01	2.48E-07	-11.5545	1.49E-08
42	NM_001042519 /// NM_00	0.000667317	-11.574	0.0224574
43	NM_000565 /// NM_00120	0.000198459	-11.6062	0.00512886
44	NM_001256113 /// NM_17	6.00E-06	-11.6104	2.13E-05
45	NM_001039350 /// NM_00	0.000297046	-11.6224	0.000222651
46	NM_001201466 /// NM_03	0.00160949	-11.6789	0.000647665
47	NM_000855 /// NM_00125	0.000170077	-11.6881	3.98E-05
48	NM_001001706 /// NM_00	2.87E-06	-11.7047	4.27E-07
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_006981 /// NM_17319	0.000218591	-11.7215	0.000313792
3	NM_003986	0.000272156	-11.8011	0.00305906
4	NM_001142857 /// NM_02	4.66E-06	-11.8081	5.14E-08
5	NM_004058 /// NM_08059	5.56E-05	-11.8103	0.000109162
6	NM_001253908 /// NM_00	0.000290037	-11.8301	1.80E-05
7	NM_005746 /// NM_18279	8.39E-05	-11.8341	5.77E-07
8	NM_001010892 /// NM_00	0.000580144	-11.8722	1.51E-05
9	NM_001112706 /// NM_03	0.00014107	-11.8956	8.60E-06
10	NM_001199739 /// NM_00	4.05E-06	-11.9055	6.66E-06
11	NM_174912	4.08E-09	-11.9698	4.33E-05
12	NM_001083 /// NM_03343	4.29E-06	-12.0119	1.05E-06
13	NM_001144033 /// NM_14	0.00114305	-12.0417	4.90E-05
14	NM_024940	4.53E-05	-12.1164	0.000259729
15	NM_173615 /// NM_17505	5.99E-07	-12.1508	2.07E-07
16	NM_001669 /// NM_00958	4.26E-07	-12.1734	0.000836802
17	NM_012144	1.97E-06	-12.2254	1.31E-07
18	NM_018423	0.000208879	-12.2304	0.00981492
19	NM_001141945 /// NM_00	0.000358753	-12.2508	0.0209401
20	NM_001202233 /// NM_00	0.000131522	-12.257	0.00130173
21	NM_001242935 /// NM_00	2.85E-06	-12.2946	6.96E-05
22	NM_001781 /// NR_02667:	2.46E-06	-12.3527	3.36E-09
23	NM_006235	0.000187704	-12.3623	4.97E-06
24	NM_001018046 /// NM_02	4.56E-05	-12.4587	2.51E-06
25	NM_001195303 /// NM_00	0.000191635	-12.515	0.00023016
26	NM_015351	1.09E-05	-12.582	0.00945982
27	NM_001190726 /// NM_03	1.30E-06	-12.6104	0.000567328
28	NM_001142857 /// NM_02	7.99E-06	-12.686	4.35E-07
29	NM_001003674 /// NM_00	9.39E-05	-12.6882	0.00711703
30	NM_001156474 /// NM_02	2.94E-07	-12.6941	8.64E-09
31	NM_198078 /// NR_02727:	0.000404714	-12.7773	0.00145459
32	NM_007335 /// NM_00733	5.90E-06	-12.7967	2.96E-06
33	NM_001114094 /// NM_00	1.27E-05	-12.8215	0.010032
34	NM_001080850	9.68E-06	-12.8285	0.0107224
35	NM_001002233 /// NM_00	3.54E-05	-12.8451	0.00163819
36	NM_024574	2.34E-05	-12.9495	1.69E-05
37	NM_020893 /// NR_03652:	3.31E-05	-13.0256	0.000984417
38	NM_001076778 /// NM_00	6.93E-06	-13.0296	0.00979652
39	NM_018429	4.91E-05	-13.0447	0.0267189
40	NM_001164496 /// NM_01	1.44E-05	-13.0974	8.53E-05
41	NM_001008723	6.40E-05	-13.0985	1.33E-06
42	NM_172193	0.0001053	-13.1863	0.00135122
43	NM_001243961 /// NM_00	0.0024713	-13.2167	0.00464605
44	NM_198282	2.39E-07	-13.2574	2.21E-05
45	NM_002847 /// NM_13084	3.26E-05	-13.3015	2.91E-05
46	NM_001144956	7.54E-05	-13.3067	1.15E-06
47	NM_001169154 /// NM_17	4.84E-05	-13.3092	1.70E-06
48	NM_001149 /// NM_00120	1.31E-06	-13.3434	0.013086
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_033364 /// XR_132494	0.000112205	-13.3626	0.00557221
3	NM_006186 /// NM_17317	3.15E-06	-13.3741	8.19E-06
4	NM_031898	9.23E-05	-13.3787	1.90E-06
5	NM_000720 /// NM_00112	2.15E-05	-13.3978	0.0031304
6	NM_001131010 /// NM_00	0.000372	-13.4158	7.69E-06
7	NM_025244 /// NM_18291	4.73E-05	-13.468	8.61E-06
8	NM_001029996	1.34E-05	-13.6013	1.50E-06
9	NM_001159629 /// NM_00	0.000725818	-13.638	3.13E-06
10	NM_000777 /// NM_00119	3.26E-05	-13.6676	0.00109274
11	NM_001267798 /// NM_00	2.82E-06	-13.7008	0.000263889
12	NM_001996 /// NM_00648	1.37E-06	-13.7281	6.11E-05
13	NM_001001971 /// NM_00	7.08E-05	-13.7371	1.93E-05
14	NM_139172	0.000576014	-13.8348	0.000451422
15	NM_002090	0.000304404	-13.852	4.51E-05
16	NM_001079691 /// NM_05	1.71E-07	-13.9109	6.59E-05
17	NM_001159643 /// NM_00	5.92E-08	-13.9194	2.65E-05
18	NM_001253854 /// NM_00	4.24E-05	-13.9721	1.72E-07
19	NM_001131010 /// NM_00	0.000246848	-14.0774	0.000113956
20	NM_025153	0.0016689	-14.0836	0.0193682
21	NM_001135919 /// NM_18	7.78E-07	-14.0897	0.000626824
22	NM_002727 /// NR_036430	0.000103262	-14.1337	0.00224487
23	NM_152327	2.13E-05	-14.1696	1.70E-05
24	NM_001008409	0.000175302	-14.1922	0.0100234
25	NR_002722 /// NR_024553	4.76E-06	-14.1924	8.63E-06
26	NM_001669 /// NM_00958	2.75E-05	-14.197	0.00047441
27	NM_016557 /// NM_17844	2.15E-06	-14.2585	5.86E-08
28	NM_006217	0.000294616	-14.2621	0.000376125
29	NM_001039763	0.000755146	-14.3132	1.86E-05
30	NM_001025158 /// NM_00	7.33E-07	-14.3951	2.56E-06
31	NM_018897	1.59E-05	-14.4463	2.13E-06
32	NM_001001523 /// NM_00	5.00E-07	-14.557	2.66E-05
33	NM_001270383 /// NM_14	4.39E-05	-14.6823	1.17E-05
34	NM_001045476	5.89E-06	-14.6842	4.06E-07
35	NM_016234 /// NM_20337	2.26E-08	-14.6873	1.41E-05
36	NM_001146003 /// NM_02	3.55E-08	-14.8307	0.000139559
37	NM_001076778 /// NM_00	1.60E-06	-14.907	0.00945191
38	NM_003890	0.000100009	-14.9479	0.0291036
39	NM_138468 /// NM_17823	1.69E-05	-14.9814	0.000360393
40	NM_000689	2.70E-07	-14.9966	2.80E-08
41	NM_182508	0.000766464	-15.0216	4.86E-05
42	NM_000963	5.38E-06	-15.0244	2.47E-09
43	NM_001159629 /// NM_00	6.70E-05	-15.1084	7.54E-08
44	NM_001145811 /// NM_00	2.98E-06	-15.1231	0.0112807
45	NM_001114357	0.000117511	-15.1455	5.85E-05
46	NM_004235	3.95E-05	-15.1767	7.05E-07
47	NM_020802	8.58E-05	-15.253	2.73E-06
48	NM_001164407	2.61E-05	-15.3543	0.0031387
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001669 /// NM_00958	5.42E-06	-15.4184	0.000525683
3	NM_006763	4.03E-05	-15.4279	0.000101711
4	NM_001256054 /// NM_01	3.02E-07	-15.4331	5.58E-07
5	NM_001146319 /// NM_00	6.65E-05	-15.4939	0.0433328
6	NM_015668	1.64E-05	-15.4969	4.29E-06
7	NM_001012502	1.14E-06	-15.5255	1.68E-07
8	NM_004616	0.000297612	-15.5514	0.0011123
9	NM_001105513 /// NM_14	7.58E-05	-15.6444	0.00943173
10	NM_152576 /// XR_108934	1.47E-05	-15.7815	0.00134501
11	NM_001039845 /// NM_20	2.91E-07	-15.8287	7.39E-05
12	NM_005832 /// NM_18136	0.000179821	-15.9058	7.01E-05
13	NM_032606	0.000124155	-15.9335	4.64E-07
14	NM_004417	1.08E-05	-15.9636	8.91E-06
15	NM_153228	3.00E-06	-16.0028	6.25E-08
16	NM_001199989 /// NM_01	4.86E-05	-16.0373	0.000120973
17	NM_001733	1.20E-07	-16.1295	0.00696591
18	NM_003551	3.07E-06	-16.1749	1.42E-06
19	NM_001001991 /// NM_01	3.12E-07	-16.2852	3.65E-06
20	NM_007335 /// NM_00733	6.27E-06	-16.2924	7.72E-07
21	NM_019111	1.79E-05	-16.2929	0.000945978
22	NM_001162371	0.000121315	-16.3053	0.00420868
23	NM_004666	4.42E-05	-16.3388	1.89E-07
24	NM_014057 /// NM_02441	0.000227999	-16.4164	7.12E-06
25	NM_001920 /// NM_13350	1.36E-05	-16.439	0.0118227
26	NM_001242385 /// NM_00	1.27E-07	-16.4699	9.21E-09
27	XR_133482	1.53E-05	-16.4744	2.82E-07
28	NM_000855 /// NM_00125	0.000129445	-16.5856	1.28E-05
29	NM_001098843	3.50E-05	-16.6306	5.26E-05
30	NM_001193341 /// NM_15	1.01E-06	-16.699	1.97E-07
31	NM_000014	1.22E-05	-16.827	0.0373429
32	NM_001135934 /// NM_00	0.00842392	-16.8567	0.0049334
33	NM_019111	3.55E-06	-16.9104	6.41E-05
34	NM_002121	1.76E-05	-16.9362	0.000522919
35	NM_001198625 /// NM_00	0.000133635	-16.9711	6.81E-05
36	NM_031461	0.000529161	-16.9816	0.000575821
37	XR_110232 /// XR_111449	2.30E-05	-16.9955	1.08E-06
38	NM_001430 /// XR_132707	8.36E-06	-17.1061	0.00609928
39	NM_001128602 /// NM_00	5.64E-05	-17.1151	0.00085383
40	NM_144676	2.09E-05	-17.1536	8.62E-08
41	NM_024786	2.99E-05	-17.2701	0.00575643
42	NM_014365	1.35E-06	-17.3629	1.67E-06
43	NM_001669 /// NM_00958	2.06E-06	-17.3701	0.000614037
44	NM_000700	0.000633163	-17.518	0.00453511
45	NM_152784	2.01E-06	-17.5509	1.05E-08
46	NM_000104	1.10E-05	-17.5993	0.000564276
47	NM_020734	1.97E-05	-17.6179	0.0427005
48	NM_014859	1.18E-06	-17.6611	1.65E-05
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_000416	3.16E-06	-17.7704	0.000881786
3	NM_020802	6.89E-10	-17.8037	5.96E-12
4	NM_053285	0.000143758	-17.9309	2.58E-06
5	NM_002122 /// NM_02005	0.000281988	-17.9649	0.000211915
6	NM_000898	1.16E-05	-18.097	3.17E-05
7	NM_006186 /// NM_17317	0.000100252	-18.154	8.39E-05
8	NM_000278 /// NM_00398	0.001711176	-18.1782	0.00429549
9	NM_001243961 /// NM_00	7.68E-05	-18.1797	0.000469985
10	NM_017424 /// NM_17740	7.25E-08	-18.1844	8.40E-05
11	NM_001033658 /// NM_00	6.36E-05	-18.2079	0.000164184
12	NM_001205288 /// NM_03	0.00013309	-18.4945	0.0347131
13	NM_058186 /// NM_20696	2.48E-05	-18.5145	0.00136155
14	NM_001178003 /// NM_14	6.53E-05	-18.5595	7.09E-06
15	NM_001159643 /// NM_00	2.38E-05	-18.6732	0.000159714
16	NM_001164496 /// NM_01	5.61E-08	-18.6734	9.16E-06
17	NM_004390 /// NM_14897	5.15E-08	-18.9137	0.0025766
18	NM_001372 /// NM_00466	1.98E-05	-19.0207	7.30E-08
19	NM_001127381 /// NM_00	0.000111362	-19.0272	0.000508613
20	NM_015675	3.94E-05	-19.0888	0.00643934
21	NM_052972	1.20E-06	-19.1217	6.96E-07
22	NM_001204477 /// NM_00	2.82E-05	-19.1404	0.0370612
23	NM_003246	4.50E-05	-19.1653	5.03E-06
24	NM_004787	9.76E-06	-19.3496	0.00292932
25	NM_000492	0.000204292	-19.3924	0.00459581
26	NM_001145077	1.93E-05	-19.3925	6.46E-07
27	NM_006186 /// NM_17317	5.59E-06	-19.5129	2.02E-05
28	NR_040091 /// NR_040092	3.02E-07	-19.6516	0.00016302
29	NM_001082972 /// NM_00	3.30E-05	-19.8039	0.00778541
30	NM_002487	3.01E-05	-19.8714	0.00866296
31	NM_001128850 /// NM_00	5.71E-05	-19.9522	3.55E-06
32	NM_002943 /// NM_13426	6.29E-06	-20.03	0.00867568
33	NM_020877	9.11E-06	-20.0778	4.82E-05
34	NM_178452	1.12E-07	-20.1865	7.69E-09
35	NM_001128933 /// NM_00	3.47E-07	-20.4688	1.91E-05
36	NM_001080378 /// NM_00	1.85E-06	-20.5181	4.96E-06
37	NM_012307	1.72E-05	-20.7012	2.53E-06
38	NM_001014440	7.96E-05	-20.7364	4.14E-05
39	NM_024763 /// NM_20701	3.06E-05	-20.7507	0.000167718
40	NM_001270041 /// NM_00	7.06E-05	-20.8905	1.15E-05
41	NM_000239	1.12E-05	-21.0375	0.00380823
42	NM_006988	1.42E-06	-21.4052	0.000328286
43	NM_001003809 /// NM_00	0.00026999	-21.6701	0.00126275
44	NM_198469	5.37E-06	-21.6727	8.95E-07
45	NM_001190462	3.05E-05	-21.6779	3.00E-07
46	NM_007335 /// NM_00733	6.15E-06	-21.6806	6.65E-07
47	NM_001270422 /// NM_01	5.85E-05	-21.7474	0.000139775
48	NM_001006655 /// NM_01	8.73E-06	-21.8827	2.75E-05
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_023037	2.33E-05	-21.8939	0.00275597
3	XR_109470 /// XR_111780	4.65E-08	-21.904	0.00464667
4	NM_000044 /// NM_00101	3.34E-06	-22.012	0.000468651
5	NM_025184	1.03E-06	-22.1724	2.12E-06
6				
7	NM_001204869 /// NM_00	0.000224849	-22.2144	0.0347258
8	NM_001541 /// NM_08065	2.69E-05	-22.4809	0.00683685
9	NM_031476	6.10E-06	-22.603	0.00378904
10				
11	NM_001039766 /// NR_02	2.71E-05	-22.6252	0.00643184
12	NM_001012502	6.47E-06	-22.7319	2.60E-06
13	NM_006290	4.12E-08	-22.7608	3.92E-05
14	NM_153376	3.11E-05	-22.7798	1.44E-05
15	NM_000633 /// NM_00065	1.44E-05	-22.8051	0.0131311
16	NM_001128595 /// NM_00	1.18E-05	-22.8312	0.0278602
17	NM_001039183 /// NM_00	1.99E-06	-22.8807	0.0233671
18	NM_000770 /// NM_00119	0.00015386	-22.9275	0.000886915
19	NM_145235	6.55E-07	-22.9348	9.61E-05
20	NM_001195303 /// NM_00	1.35E-05	-23.0136	0.000305767
21	NM_002122 /// XM_00311	0.00426421	-23.0892	0.000729735
22	NM_024614 /// NR_02680	2.44E-06	-23.4758	0.00344101
23	NM_172365	2.20E-06	-23.4763	1.85E-06
24	NM_001164730 /// NM_00	4.14E-06	-23.4908	1.38E-07
25	NM_207437	2.47E-06	-23.7311	5.25E-07
26	NM_001003954 /// NM_00	9.10E-05	-24.0103	1.07E-05
27	NM_001195639 /// NM_05	4.40E-05	-24.305	1.57E-05
28	NM_020869 /// NM_19846	1.11E-05	-24.4379	2.35E-07
29	NM_001204051 /// NM_00	5.69E-06	-24.6319	0.0419278
30	NM_001130090 /// NM_00	1.36E-07	-24.634	9.11E-08
31	NM_000777 /// NM_00119	0.0010862	-24.8372	0.000319805
32	NR_015424	0.00030897	-24.8511	0.0024341
33	NM_030666	4.40E-10	-25.1235	1.03E-07
34	NR_003063	4.12E-06	-25.429	2.59E-07
35	NM_015225 /// NM_13881	3.79E-06	-25.7145	0.0156305
36	NM_003407	6.53E-09	-25.7647	5.09E-06
37	NM_004058 /// NM_08059	0.000412889	-25.9072	0.00291405
38	NM_138788	4.30E-06	-25.9593	3.93E-06
39	NM_001017372 /// NM_01	6.65E-05	-26.0132	6.81E-05
40	NM_020879	2.16E-05	-26.1866	0.0100483
41	NM_005257	9.38E-05	-26.2112	0.00150572
42	NM_002557	0.000513459	-26.2942	0.00016527
43	NM_002644	3.28E-07	-26.4569	3.91E-08
44	NM_025087	2.00E-06	-26.5114	2.82E-08
45	NM_001145107 /// NM_00	0.000698089	-26.9296	4.87E-05
46	NM_001369	4.42E-05	-27.3755	8.75E-07
47	NM_003955	8.38E-05	-27.4006	0.0206207
48	NM_001145811 /// NM_00	2.98E-06	-27.4444	0.0197473
49	NM_053277	0.000253537	-27.6267	0.000294613
50	NM_015964 /// NM_01614	1.59E-06	-27.6943	1.40E-06
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001012642	5.95E-07	-27.7714	0.00733639
3	NM_003014	7.31E-06	-27.8494	0.000213931
4	NM_001243965 /// NM_00	3.56E-08	-28.0359	2.22E-05
5	NM_001199573 /// NM_00	3.62E-08	-28.2653	3.90E-05
6	NM_001170806 /// NM_17	6.41E-05	-28.6611	0.00129192
7	NM_001198542 /// NM_00	6.10E-07	-28.7687	3.42E-07
8	NM_000777 /// NM_00119	1.76E-05	-28.809	0.00068468
9	NM_001100159 /// NM_00	0.00043475	-28.9804	0.000125715
10	NM_000044 /// NM_00101	9.88E-06	-29.1522	0.000918005
11	NM_001831 /// NM_20333	3.62E-07	-29.1919	0.0183023
12	NM_001099677 /// NM_02	4.29E-05	-29.2517	3.17E-05
13	NM_178824	4.12E-05	-29.479	1.27E-06
14	NM_016234 /// NM_20337	1.28E-09	-29.8759	4.34E-08
15	NM_001372 /// NM_00466	2.16E-05	-30.0155	5.00E-07
16	NM_005797 /// NM_14476	9.78E-06	-30.5129	0.0422581
17	NM_031956	1.35E-05	-30.5956	2.60E-07
18	NM_004925	1.13E-05	-30.6119	0.016608
19	NM_024786	1.70E-06	-31.0398	0.00246285
20	NM_001166412 /// NM_02	3.15E-06	-31.0535	0.00255329
21	NM_001128850 /// NM_00	4.47E-06	-31.0966	1.22E-07
22	NM_012309 /// NM_13326	2.87E-06	-31.4964	0.0207975
23	NM_001085447	1.22E-05	-32.1166	1.62E-06
24	NM_152750 /// XR_132543	1.35E-06	-32.1978	4.47E-08
25	NM_014466	4.39E-06	-32.3346	0.000140173
26	NM_001008534 /// NM_00	3.94E-05	-32.5418	4.75E-07
27	NM_001039592 /// NM_01	4.77E-06	-32.8687	3.66E-06
28	NM_001114938 /// NM_00	1.66E-06	-32.9932	4.25E-08
29	NM_001172810 /// NM_02	9.01E-07	-33.0847	3.60E-09
30	NM_000062 /// NM_00103	1.14E-07	-33.2161	0.0161282
31	NM_005252	8.72E-06	-33.2807	4.99E-05
32	NM_033413	2.41E-06	-33.4309	3.75E-08
33	NM_130446	6.23E-06	-33.4314	1.62E-06
34	NM_001135091 /// NM_00	0.000217009	-33.4666	0.00264031
35	NM_144715	1.23E-05	-33.8252	6.20E-07
36	NM_001243965 /// NM_00	4.92E-07	-34.0139	0.000441615
37	NM_030820	1.35E-05	-34.0542	4.09E-08
38	NM_001920 /// NM_13350	1.08E-05	-34.242	0.00166842
39	NM_033413	3.38E-07	-34.465	5.33E-09
40	NM_012309 /// NM_13326	1.32E-06	-34.4686	0.00873723
41	NM_002089	9.70E-05	-35.1846	5.03E-08
42	NM_152750 /// XR_132543	5.10E-07	-35.7083	1.19E-08
43	NM_031457	1.81E-05	-35.8343	5.40E-07
44	NM_001206897 /// NM_00	3.92E-08	-35.8876	1.12E-07
45	NM_001243965 /// NM_00	2.22E-07	-35.8911	7.22E-05
46	NM_001831 /// NM_20333	1.10E-07	-36.0344	0.0210951
47	NM_001199633 /// NM_02	1.53E-06	-36.1055	5.00E-05
48	NM_001040092 /// NM_00	1.27E-06	-36.4716	3.39E-06
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_207362	5.03E-06	-36.5015	0.00607348
3	NM_014265 /// NM_02177	4.86E-06	-36.5621	0.000737601
4	NM_020225	2.21E-08	-36.7186	0.00813845
5	NM_199280	5.33E-07	-37.0838	1.66E-07
6	NM_001263	2.27E-06	-37.7801	0.00143123
7	NM_181643	1.52E-07	-38.1709	1.99E-07
8	NM_001105248 /// NM_00	5.22E-06	-38.7019	1.16E-05
9	NM_004058 /// NM_08059	5.10E-06	-39.272	0.00103517
10	NM_001243115 /// NM_02	4.09E-05	-39.5179	7.72E-05
11	NM_152665	4.52E-05	-39.7574	8.98E-07
12	NM_001263	6.29E-06	-39.8588	0.00232381
13	NM_012309 /// NM_13326	0.000100395	-39.9057	0.0346321
14	NM_001143941 /// NM_00	6.65E-05	-40.2316	0.000299831
15	NM_001002029 /// NM_00	2.24E-06	-40.8773	0.000595415
16	NM_001112717 /// NM_00	1.11E-08	-41.7871	0.000474851
17	NM_001142958 /// NM_15	2.18E-06	-41.9092	4.97E-06
18	NM_024677	4.88E-06	-42.199	0.0427014
19	NM_173081	2.83E-05	-42.512	9.37E-06
20	NM_032445	3.85E-06	-43.5731	6.68E-08
21	NM_001243965 /// NM_00	2.00E-06	-44.0241	0.000469459
22	NM_025244 /// NM_18291	4.28E-06	-44.1898	1.90E-06
23	NM_001013625	3.54E-06	-44.643	3.04E-06
24	NM_001831 /// NM_20333	5.03E-08	-44.8306	0.013923
25	NM_003014	4.19E-05	-45.3445	8.18E-05
26	NM_007168	1.60E-05	-45.4576	2.43E-06
27	NM_001267798 /// NM_00	2.61E-06	-45.6727	0.000156118
28	NM_004482	3.82E-09	-45.9695	0.00568869
29	NM_001205288 /// NM_03	9.45E-06	-46.4919	0.0115039
30	NM_001242524 /// NM_00	6.61E-06	-46.963	0.000306226
31	NM_206996	1.21E-06	-47.0058	7.39E-06
32	NM_058187	9.06E-09	-47.0844	0.000165226
33	NM_000926 /// NM_00120	0.000292803	-47.2619	0.00060646
34	NM_001079855 /// NM_00	5.71E-06	-52.314	0.0432543
35	NM_005160	4.96E-08	-52.3613	0.0068473
36	NM_144992	1.51E-05	-54.099	3.79E-07
37	NM_001142302 /// NM_01	0.000241993	-54.4723	0.0030382
38	NM_001244134 /// NM_00	8.86E-09	-54.751	0.000142616
39	NM_000104	1.76E-08	-56.7041	0.000120721
40	NM_001128933 /// NM_00	1.78E-06	-56.9467	5.37E-05
41	NM_145263	6.01E-05	-57.717	1.49E-06
42	NM_001252195 /// NM_03	3.07E-08	-58.5808	9.98E-10
43	NM_024763 /// NM_20701	4.44E-05	-58.9127	0.000443031
44	NM_000204	4.34E-09	-59.0591	5.13E-06
45	NM_001172105 /// NM_01	7.56E-07	-59.5388	0.0197709
46	NM_000065 /// NM_00111	4.16E-09	-61.4678	1.34E-11
47	NM_145170	1.92E-05	-61.7455	0.000132385
48	NM_001145399 /// NM_00	4.39E-05	-62.6275	0.013254
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	NM_001105248 /// NM_00	1.02E-06	-63.1097	3.08E-05
3	NM_031421	1.78E-08	-64.6176	1.50E-08
4	NM_014722 /// NM_01586	8.91E-08	-67.0458	7.24E-09
5	NM_001040442 /// NM_00	2.46E-07	-67.4431	1.80E-09
6	NM_024694	7.31E-07	-68.4132	5.15E-09
7	NM_001114171 /// NM_00	4.51E-05	-69.1993	6.43E-05
8	NM_001030287 /// NM_00	3.83E-05	-69.4149	0.000256797
9	NM_001145033	6.89E-06	-70.8927	0.000539685
10	NM_001002029 /// NM_00	2.50E-07	-71.1309	0.000477062
11	NM_145020	4.71E-08	-71.7648	7.54E-08
12	NM_001080537	1.92E-05	-72.0448	3.83E-07
13	NM_033364 /// XR_132494	6.16E-11	-73.0893	8.35E-06
14	NM_001199201 /// NM_00	7.94E-08	-73.1336	3.72E-09
15	NM_001077710	5.80E-11	-73.8673	2.78E-05
16	NM_022052	5.44E-07	-75.9611	5.53E-08
17	NM_001128304 /// NM_00	3.90E-07	-76.474	0.0283374
18	NM_000208 /// NM_00107	5.73E-12	-77.5206	0.00176242
19	NM_001010940	7.75E-05	-78.8243	2.95E-05
20	NM_001008226	3.10E-06	-82.7256	8.82E-08
21	NM_021229	1.08E-07	-84.3761	0.0396582
22	NM_024870 /// NM_02517	2.77E-06	-87.5465	0.00194562
23	NM_176813	2.85E-06	-87.8292	2.00E-07
24	NM_001253835 /// NM_00	1.84E-07	-90.9671	0.00610231
25	NM_024783	4.59E-07	-92.5521	2.49E-07
26	NM_178456	2.25E-07	-94.1098	6.78E-09
27	NM_130897	1.43E-06	-96.9537	2.21E-07
28	NM_001135193 /// NM_00	2.05E-08	-102.904	9.66E-06
29	NM_024867 /// NM_14472	3.58E-07	-106.666	1.10E-06
30	NM_000064	2.54E-08	-106.906	0.0205606
31	NM_001011657 /// NR_036	4.36E-09	-107.478	2.43E-05
32	NM_020872	2.96E-05	-113.843	4.16E-05
33	NM_001165963 /// NM_00	1.20E-08	-117.312	2.39E-11
34	NM_001042625 /// NM_14	2.82E-06	-117.775	3.40E-06
35	NM_152321	9.88E-07	-121.764	0.000221113
36	NM_001080556 /// NM_14	1.61E-07	-124.428	4.57E-09
37	NM_178504 /// NM_19856	1.23E-06	-132.326	1.06E-07
38	NM_000877	8.91E-09	-136.757	0.0123422
39	NM_001004303	3.19E-06	-143.205	6.02E-07
40	NM_152548	1.78E-06	-151.774	1.86E-06
41	NM_025145	9.34E-09	-161.152	1.33E-08
42	NM_001142407 /// NM_00	2.92E-10	-161.399	8.24E-13
43	NM_145170	2.01E-08	-176.685	0.000107506
44	NM_000699 /// NM_00100	2.94E-08	-222.123	0.00185847
45	NM_080860	3.27E-09	-232.023	3.07E-06
46	NM_001079527 /// NM_00	7.62E-08	-243.999	1.93E-05
47	NM_001128310 /// NM_00	9.43E-09	-287.173	0.000598448
48	NM_001242524 /// NM_00	2.62E-10	-294.793	0.000106144
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

NM_014585	2.69E-11	-713.82	2.39E-05
NM_001190986 /// NM_00	6.40E-16	-903.242	1.35E-18

1	
2	
3	. Normal oviduct
4	Fold-Change
5	
6	2.90776
7	8.15329
8	8.53629
9	16.1364
10	7.02207
11	6.2772
12	8.10199
13	5.59313
14	8.57691
15	6.19469
16	4.27502
17	14.4994
18	2.85191
19	3.24572
20	8.10545
21	8.34569
22	6.28015
23	2.82505
24	8.95029
25	11.7229
26	6.53706
27	3.15972
28	7.30738
29	5.50563
30	2.62642
31	10.9219
32	3.81935
33	6.4262
34	20.7364
35	4.98484
36	2.1641
37	2.01537
38	10.3303
39	8.09866
40	2.03602
41	4.39391
42	5.82136
43	4.5038
44	2.09694
45	11.2508
46	3.14854
47	5.08233
48	6.74166
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	3.85846
3	2.69361
4	10.9712
5	12.305
6	7.89501
7	2.95426
8	14.7949
9	4.52821
10	3.56912
11	4.10717
12	2.90978
13	13.682
14	2.31192
15	6.66998
16	2.45095
17	2.76872
18	2.33207
19	12.8617
20	2.23721
21	2.33142
22	8.85718
23	5.64323
24	3.43079
25	3.97646
26	2.67078
27	2.29919
28	2.69176
29	7.89373
30	20.1327
31	10.1186
32	2.84284
33	10.5074
34	2.33652
35	11.6106
36	2.26008
37	2.33485
38	2.07614
39	2.93253
40	4.81095
41	3.53298
42	8.19024
43	7.91385
44	12.9448
45	2.42731
46	2.63586
47	2.87758
48	3.56001
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.89117
3	5.66424
4	9.47113
5	3.04742
6	2.91277
7	3.16869
8	2.79861
9	4.85297
10	3.0806
11	2.31881
12	3.6878
13	6.2147
14	8.31957
15	2.00056
16	2.52816
17	7.33961
18	8.55157
19	2.86738
20	10.7702
21	2.73922
22	8.52026
23	2.00895
24	2.76368
25	2.30818
26	2.04128
27	8.60267
28	4.07055
29	6.78027
30	2.57488
31	2.22097
32	2.97168
33	8.00009
34	9.28934
35	3.77684
36	2.40559
37	14.1848
38	3.12971
39	10.5791
40	4.06981
41	2.22892
42	2.08546
43	2.733
44	2.56292
45	2.67064
46	2.29215
47	3.5341
48	2.27832
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.17426
3	3.67454
4	3.88425
5	4.46772
6	3.08694
7	2.04475
8	2.14936
9	2.98806
10	2.56163
11	5.68553
12	2.91779
13	2.04939
14	2.30409
15	2.49308
16	4.01594
17	2.93966
18	2.76833
19	2.42928
20	2.81404
21	2.87452
22	3.13126
23	2.03709
24	2.60476
25	7.77779
26	2.96351
27	3.07965
28	6.79006
29	3.048
30	2.33526
31	3.08145
32	2.45801
33	2.83577
34	3.1522
35	9.04138
36	2.32865
37	2.38883
38	3.49427
39	2.90322
40	3.16162
41	5.35772
42	3.50483
43	2.50355
44	2.16787
45	2.6594
46	2.26638
47	5.56618
48	2.80373
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	3.31406
3	2.93539
4	3.94208
5	2.55273
6	2.58525
7	8.41011
8	2.64769
9	3.44956
10	2.35756
11	2.34762
12	4.86107
13	2.92915
14	2.50973
15	3.15028
16	2.09185
17	3.67719
18	2.93516
19	9.90233
20	3.54325
21	4.2408
22	2.11126
23	3.70409
24	2.2794
25	2.15252
26	2.18239
27	2.43618
28	2.08934
29	3.58338
30	2.08372
31	2.36013
32	4.10414
33	2.9591
34	2.3358
35	2.0438
36	4.03697
37	2.77684
38	3.29953
39	2.27695
40	2.17679
41	3.52994
42	2.87142
43	3.09245
44	3.35058
45	4.76255
46	5.52881
47	2.48489
48	2.07692
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.21824
3	2.14207
4	2.34547
5	2.52155
6	3.47214
7	6.36188
8	2.62523
9	4.96257
10	4.9845
11	2.77221
12	2.42417
13	7.28064
14	2.3456
15	11.1876
16	3.83157
17	2.21443
18	3.92703
19	2.01651
20	2.55104
21	2.56315
22	3.18529
23	2.82189
24	2.30259
25	3.11088
26	2.03477
27	2.00653
28	2.65146
29	2.04246
30	2.59546
31	2.1962
32	2.56696
33	5.40654
34	2.15914
35	2.03642
36	4.53589
37	2.70636
38	2.48587
39	2.0786
40	2.77553
41	2.0242
42	3.00932
43	2.23334
44	3.90591
45	2.32029
46	2.60609
47	2.87391
48	2.37226
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	4.54567
3	2.24972
4	5.56178
5	2.89205
6	3.25012
7	2.07832
8	2.77126
9	2.16473
10	2.04762
11	5.82274
12	2.06501
13	3.53903
14	5.80156
15	2.00857
16	2.44191
17	2.16764
18	4.22278
19	2.00026
20	2.4212
21	2.86188
22	2.69861
23	2.17686
24	2.76908
25	3.1365
26	2.5143
27	2.02238
28	2.40477
29	2.10802
30	3.09144
31	2.03246
32	4.08093
33	2.98748
34	2.54502
35	2.09424
36	2.2988
37	2.28438
38	3.39286
39	2.13359
40	2.12279
41	2.50731
42	2.90231
43	2.53301
44	2.39093
45	2.30022
46	2.81613
47	2.03006
48	2.28419
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.57579
3	3.73874
4	2.33737
5	2.1552
6	2.92442
7	2.42006
8	2.95041
9	2.90113
10	2.49558
11	2.09224
12	2.88995
13	3.91403
14	3.50265
15	3.22083
16	2.56915
17	2.17185
18	2.73942
19	2.83241
20	7.93509
21	2.57101
22	2.19996
23	2.23433
24	3.01529
25	5.1011
26	2.61354
27	3.65661
28	3.49873
29	2.43902
30	2.90096
31	3.11078
32	3.21465
33	2.04111
34	2.40758
35	2.22592
36	2.53347
37	2.26697
38	3.85046
39	2.5665
40	2.44776
41	2.52465
42	2.83289
43	2.23476
44	2.15021
45	3.18613
46	2.43561
47	4.58749
48	5.11672
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	10.8442
3	2.07629
4	6.94592
5	2.54265
6	2.01209
7	2.00053
8	3.09378
9	2.44982
10	2.46381
11	2.20494
12	3.05176
13	4.33384
14	2.17573
15	3.0785
16	2.11153
17	2.66279
18	2.17675
19	2.86255
20	4.77487
21	2.93115
22	2.06199
23	2.15497
24	2.87414
25	3.81605
26	2.61348
27	2.3921
28	2.72741
29	7.6443
30	5.02069
31	2.94363
32	2.01079
33	3.83237
34	2.34233
35	2.10516
36	2.86962
37	2.09134
38	2.35788
39	2.23612
40	2.12368
41	2.02573
42	2.33189
43	2.2751
44	2.90943
45	4.66852
46	2.09967
47	3.85098
48	2.11253
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.26818
3	2.11871
4	2.38838
5	3.37313
6	2.76792
7	2.11787
8	2.51173
9	2.43342
10	2.55117
11	2.23875
12	2.9354
13	3.10825
14	2.70913
15	5.63242
16	3.1675
17	2.17711
18	2.59633
19	2.33446
20	2.5282
21	2.89329
22	2.35322
23	3.77039
24	2.23127
25	9.18114
26	2.03275
27	2.5963
28	2.57209
29	6.83977
30	2.02515
31	2.37057
32	2.33834
33	2.81988
34	2.71188
35	2.12833
36	2.0331
37	2.31167
38	2.66292
39	4.04398
40	5.32281
41	4.09166
42	3.18729
43	2.22051
44	3.29175
45	2.28691
46	2.17364
47	2.07518
48	2.37231
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.46604
3	2.51833
4	2.90544
5	2.00037
6	3.00982
7	4.79672
8	2.56954
9	2.14692
10	2.5025
11	2.41596
12	2.67092
13	2.077
14	2.49556
15	3.23493
16	3.73449
17	2.76227
18	2.88799
19	2.36955
20	2.06921
21	2.16232
22	2.27435
23	2.47766
24	2.33319
25	2.47074
26	2.17375
27	2.28839
28	2.22672
29	9.92961
30	2.88084
31	3.72025
32	2.48922
33	2.11184
34	2.34765
35	2.94299
36	5.61773
37	3.30689
38	3.2017
39	2.37022
40	2.1604
41	2.33574
42	2.41448
43	3.2984
44	2.03565
45	2.18779
46	2.12581
47	2.52798
48	2.22843
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	3.06639
3	4.09881
4	2.34835
5	2.76839
6	3.08526
7	2.26563
8	2.01808
9	2.38898
10	2.72645
11	2.47253
12	3.00101
13	2.87653
14	2.54779
15	4.1335
16	2.03987
17	2.33719
18	3.2019
19	2.53468
20	2.36585
21	2.04893
22	2.48697
23	4.96169
24	2.00316
25	2.07434
26	5.10006
27	3.55036
28	3.0034
29	2.5479
30	6.97602
31	2.32356
32	2.52246
33	2.38246
34	2.01092
35	2.37011
36	3.55997
37	2.20276
38	2.90938
39	2.12655
40	2.13841
41	2.29628
42	2.00633
43	2.90327
44	2.4457
45	2.38604
46	2.17095
47	2.06042
48	2.36661
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.74543
3	2.16102
4	3.14738
5	2.0382
6	2.01341
7	2.66745
8	3.41739
9	5.60172
10	2.14514
11	2.59735
12	2.20766
13	2.45734
14	2.15977
15	2.41245
16	2.0244
17	2.56035
18	2.19977
19	2.50421
20	2.18114
21	2.23756
22	2.77901
23	2.36793
24	2.4806
25	2.67501
26	2.28256
27	2.85402
28	2.60647
29	4.69268
30	8.64878
31	2.07442
32	2.28064
33	2.26227
34	2.19672
35	2.71694
36	4.49176
37	2.44176
38	3.2176
39	2.81047
40	3.05372
41	3.4813
42	4.54231
43	3.60923
44	2.2184
45	3.06008
46	3.81687
47	2.10425
48	2.47193
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.52208
3	2.45673
4	3.12787
5	2.17237
6	2.14733
7	2.56824
8	2.07798
9	3.33647
10	2.5264
11	5.82414
12	2.37618
13	2.26975
14	3.06315
15	2.28649
16	2.79895
17	2.14235
18	2.27798
19	2.11001
20	2.23024
21	2.26788
22	2.57752
23	3.8422
24	2.40444
25	2.26698
26	2.32051
27	2.23112
28	3.32332
29	2.38681
30	2.62667
31	2.2515
32	2.19628
33	2.34029
34	2.52869
35	2.10498
36	2.65064
37	2.40712
38	2.51157
39	3.24602
40	2.21429
41	3.81001
42	2.84333
43	2.32324
44	2.42153
45	3.18351
46	2.26205
47	2.34459
48	2.59929
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.41431
3	2.08379
4	2.05254
5	3.15969
6	5.61431
7	2.11133
8	2.0626
9	2.37528
10	2.72583
11	2.14872
12	2.72718
13	2.18491
14	2.24074
15	2.52597
16	2.0152
17	2.8229
18	2.09306
19	2.0692
20	2.01908
21	2.00405
22	2.00769
23	2.76302
24	2.86959
25	2.18844
26	2.22051
27	2.48249
28	3.76226
29	2.10062
30	2.60738
31	3.57764
32	2.69643
33	2.05413
34	2.55314
35	2.46675
36	2.5597
37	5.08666
38	3.24557
39	2.12498
40	2.30001
41	2.39113
42	2.96405
43	2.37774
44	2.03739
45	2.46087
46	2.57228
47	2.2621
48	2.42763
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.01597
3	2.40696
4	3.64538
5	2.09089
6	2.03971
7	2.23024
8	3.42987
9	3.38273
10	2.76246
11	2.90319
12	2.5074
13	3.08034
14	2.17915
15	2.04741
16	2.31941
17	2.39616
18	2.29127
19	2.09863
20	3.57865
21	2.54341
22	2.54271
23	2.36448
24	2.5494
25	4.75746
26	2.79433
27	2.93494
28	2.84081
29	2.12896
30	2.02389
31	2.775
32	2.14561
33	2.33672
34	2.16906
35	2.20238
36	2.6832
37	3.26812
38	2.03894
39	3.43044
40	2.17561
41	4.73044
42	3.22228
43	2.29907
44	2.78542
45	2.11908
46	2.18036
47	2.26539
48	2.40012
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.44191
3	3.00265
4	2.01671
5	2.3133
6	2.40164
7	2.07872
8	2.3896
9	2.39483
10	2.11269
11	2.38207
12	2.35193
13	2.4138
14	2.1037
15	2.09929
16	2.07054
17	2.33945
18	3.3659
19	3.45672
20	2.12404
21	2.48217
22	2.16764
23	2.44751
24	3.00113
25	2.44193
26	2.58195
27	3.08677
28	2.01563
29	2.25075
30	2.41793
31	2.16154
32	2.07166
33	2.37354
34	2.08871
35	2.03723
36	2.55982
37	2.94927
38	2.0236
39	2.83423
40	3.33825
41	2.16608
42	2.12693
43	2.154
44	2.16413
45	3.22747
46	2.24005
47	2.20198
48	2.5591
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.06989
3	2.31787
4	2.44199
5	2.07525
6	2.34734
7	2.35168
8	2.52737
9	3.43327
10	3.58427
11	2.1269
12	2.17746
13	2.58481
14	2.02235
15	2.12873
16	2.32435
17	2.73822
18	3.80869
19	2.02555
20	2.21933
21	2.52137
22	2.37136
23	2.00896
24	2.85169
25	2.68968
26	3.05455
27	2.08432
28	2.01322
29	3.02649
30	2.18799
31	2.41767
32	2.20069
33	3.03712
34	2.04138
35	3.32335
36	2.36694
37	2.00106
38	2.00421
39	2.0563
40	2.44405
41	2.03933
42	3.19579
43	2.23157
44	3.0689
45	2.6655
46	2.09232
47	2.24321
48	3.30583
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	3.02974
3	3.15859
4	2.1862
5	2.03214
6	2.25918
7	2.60214
8	2.83294
9	2.718
10	2.17043
11	2.1509
12	2.19216
13	2.46238
14	2.0001
15	2.29355
16	3.15701
17	2.26575
18	2.40747
19	2.21022
20	2.66625
21	4.47522
22	3.04645
23	2.32064
24	2.45809
25	2.08702
26	2.39787
27	2.29335
28	2.20691
29	3.24878
30	2.29901
31	2.03952
32	2.09389
33	2.67019
34	2.71073
35	2.09496
36	2.29271
37	2.19856
38	2.18037
39	3.47943
40	2.0431
41	2.03574
42	2.2145
43	2.21353
44	3.20886
45	2.12595
46	2.4856
47	3.54624
48	2.75834
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.31494
3	2.70923
4	2.21427
5	2.26241
6	2.43251
7	2.91646
8	2.00593
9	2.13153
10	2.11798
11	2.70429
12	2.72806
13	2.87932
14	2.31734
15	2.2134
16	2.21143
17	2.42761
18	2.04705
19	2.20228
20	3.08261
21	2.34357
22	2.45212
23	2.24157
24	3.59208
25	2.68081
26	2.24932
27	2.03363
28	2.95542
29	2.76683
30	7.32628
31	2.93689
32	2.33398
33	2.00854
34	2.05576
35	2.71306
36	4.41855
37	2.39655
38	2.91691
39	4.39181
40	2.01484
41	2.59441
42	2.36528
43	2.3382
44	2.0775
45	2.08098
46	2.17216
47	2.52296
48	2.42841
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.19942
3	2.598
4	2.5982
5	2.10798
6	2.4885
7	2.25107
8	2.05233
9	2.17139
10	2.05385
11	2.14862
12	2.16564
13	2.43709
14	2.35836
15	2.04892
16	2.49935
17	2.56837
18	2.23079
19	2.09206
20	2.55817
21	2.21029
22	2.36763
23	2.64427
24	2.66438
25	3.9068
26	2.67474
27	2.48413
28	2.06853
29	2.95227
30	2.24959
31	2.35348
32	2.75361
33	2.00288
34	3.00327
35	2.15305
36	2.60665
37	2.19295
38	2.93503
39	4.76875
40	2.28481
41	2.51306
42	2.08165
43	2.0276
44	2.6497
45	3.35383
46	2.41874
47	2.05426
48	2.03372
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.13836
3	2.46388
4	2.71556
5	3.00121
6	2.58845
7	2.28037
8	2.33282
9	2.24225
10	2.07287
11	2.01353
12	2.18023
13	2.30465
14	2.2544
15	2.1726
16	2.00531
17	2.01603
18	2.03327
19	2.08037
20	2.06726
21	2.05532
22	2.20141
23	2.08111
24	2.01368
25	2.18627
26	2.81063
27	2.3558
28	2.32694
29	2.3975
30	2.42654
31	2.18623
32	2.0618
33	2.23358
34	2.27451
35	2.81676
36	-2.05655
37	-2.02691
38	-2.13156
39	-2.19641
40	-2.30919
41	-2.14529
42	-2.05666
43	-2.33831
44	-2.30003
45	-2.48857
46	-3.50863
47	-2.50776
48	-2.74772
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-2.80143
3	-2.01781
4	-3.63249
5	-2.24304
6	-2.15262
7	-2.02936
8	-3.43985
9	-4.19446
10	-3.78613
11	-2.10659
12	-2.18371
13	-2.01217
14	-4.78009
15	-2.51731
16	-2.53599
17	-2.87233
18	-2.04263
19	-2.58244
20	-2.01905
21	-2.11154
22	-3.63911
23	-2.68362
24	-2.67801
25	-2.47601
26	-2.39466
27	-2.18769
28	-2.37729
29	-2.31857
30	-2.47463
31	-2.1853
32	-2.47389
33	-2.12276
34	-2.06976
35	-6.16253
36	-2.09443
37	-2.47598
38	-2.63883
39	-2.08426
40	-2.10828
41	-2.11066
42	-2.00821
43	-2.28515
44	-2.01853
45	-2.33027
46	-2.44158
47	-2.74999
48	-2.32747
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-2.3636
3	-2.21984
4	-2.09805
5	-2.29557
6	-2.01649
7	-2.25576
8	-2.19301
9	-3.0789
10	-2.03149
11	-2.1372
12	-2.19036
13	-2.03777
14	-2.21266
15	-2.32388
16	-2.35834
17	-2.28655
18	-2.08782
19	-2.09695
20	-2.30789
21	-2.23992
22	-2.56739
23	-2.55287
24	-4.22011
25	-2.41251
26	-2.59648
27	-3.03398
28	-3.59323
29	-2.64213
30	-3.1933
31	-2.45344
32	-2.45304
33	-2.69601
34	-7.63736
35	-3.03568
36	-2.59443
37	-2.7705
38	-2.12051
39	-2.09411
40	-2.08639
41	-2.67484
42	-2.16109
43	-2.2683
44	-2.66463
45	-2.12189
46	-2.12392
47	-2.16227
48	-2.35743
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-2.04553
3	-2.66348
4	-2.89109
5	-2.43936
6	-3.12089
7	-2.31859
8	-3.40851
9	-2.36698
10	-2.08949
11	-2.04643
12	-2.27016
13	-2.52208
14	-3.78784
15	-2.72474
16	-2.24837
17	-2.2986
18	-2.19671
19	-2.26953
20	-2.36894
21	-2.14299
22	-2.33717
23	-2.65406
24	-2.47228
25	-2.16618
26	-2.56359
27	-3.03715
28	-2.12755
29	-2.29551
30	-2.47921
31	-2.25016
32	-2.20357
33	-3.04757
34	-3.15919
35	-2.88725
36	-2.28312
37	-2.83308
38	-2.56911
39	-3.07966
40	-2.2527
41	-2.00131
42	-3.06854
43	-2.34789
44	-3.23753
45	-2.12096
46	-4.92681
47	-2.19331
48	-3.07821
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-2.22543
3	-2.12813
4	-2.20688
5	-2.41836
6	-2.11208
7	-4.71308
8	-2.31429
9	-3.24178
10	-2.02054
11	-2.55294
12	-2.00477
13	-2.00661
14	-2.09294
15	-2.23993
16	-2.19981
17	-2.3463
18	-3.17914
19	-2.84499
20	-2.23953
21	-2.5606
22	-2.25235
23	-2.73184
24	-2.94816
25	-2.16211
26	-2.26539
27	-2.56458
28	-2.81438
29	-3.21514
30	-5.04986
31	-2.27463
32	-2.98796
33	-2.47022
34	-4.91684
35	-2.13115
36	-5.64856
37	-2.16923
38	-2.90991
39	-2.9967
40	-2.49891
41	-2.08135
42	-2.97964
43	-2.05228
44	-2.76091
45	-2.20381
46	-2.01944
47	-2.14617
48	-2.8793
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.79579
3	-2.50109
4	-2.02597
5	-2.47869
6	-2.29311
7	-2.01027
8	-3.223
9	-2.2737
10	-4.89308
11	-2.15244
12	-2.2635
13	-2.43879
14	-2.27602
15	-2.04803
16	-2.62243
17	-2.13684
18	-2.60138
19	-3.10131
20	-2.23537
21	-2.08005
22	-2.22098
23	-3.77149
24	-2.33019
25	-2.72337
26	-4.06718
27	-2.69505
28	-3.82397
29	-2.17199
30	-2.75086
31	-2.32059
32	-6.86108
33	-2.96931
34	-2.18295
35	-2.64418
36	-2.2651
37	-2.33561
38	-2.34794
39	-5.33611
40	-2.39135
41	-2.17376
42	-2.61656
43	-2.45094
44	-3.01374
45	-2.11544
46	-2.00881
47	-2.39007
48	-2.25457
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.20203
3	-2.28335
4	-3.75401
5	-2.16931
6	-3.00123
7	-2.02048
8	-2.00067
9	-3.79446
10	-2.1482
11	-2.39872
12	-3.49923
13	-3.44091
14	-2.74507
15	-2.66662
16	-2.60382
17	-2.79074
18	-3.14809
19	-2.12302
20	-2.07791
21	-2.71316
22	-2.46165
23	-2.14806
24	-2.1984
25	-2.55506
26	-2.22289
27	-3.49966
28	-2.27478
29	-4.71094
30	-2.02814
31	-2.12261
32	-2.61308
33	-3.1284
34	-2.92163
35	-4.5203
36	-2.06132
37	-2.01771
38	-2.61182
39	-2.47613
40	-2.02515
41	-2.28079
42	-2.20028
43	-2.5629
44	-2.1208
45	-2.53282
46	-2.37867
47	-2.15311
48	-2.53764
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-2.2622
3	-3.42766
4	-6.16576
5	-3.86692
6	-2.41239
7	-2.18396
8	-2.74629
9	-2.76436
10	-2.1192
11	-2.29838
12	-2.66973
13	-2.3064
14	-3.287
15	-2.89243
16	-3.32603
17	-2.47807
18	-2.41922
19	-2.46112
20	-3.20675
21	-3.2143
22	-2.78822
23	-2.03251
24	-2.00626
25	-9.42936
26	-3.39174
27	-3.38969
28	-2.34437
29	-2.25613
30	-6.62216
31	-2.12531
32	-2.09967
33	-2.45031
34	-2.63465
35	-9.19086
36	-2.14945
37	-3.24094
38	-5.92202
39	-2.49407
40	-2.21987
41	-2.25029
42	-2.12603
43	-2.98164
44	-2.66495
45	-3.35582
46	-2.97587
47	-2.66765
48	-6.37001
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-2.18409
3	-3.00712
4	-3.58763
5	-3.58527
6	-2.7811
7	-2.01984
8	-2.18716
9	-2.13413
10	-2.48585
11	-2.70816
12	-3.35352
13	-3.24165
14	-11.2264
15	-2.2013
16	-2.54026
17	-3.08511
18	-2.56785
19	-3.31049
20	-2.91628
21	-3.1007
22	-3.0335
23	-2.2907
24	-3.16892
25	-2.08336
26	-2.20655
27	-3.50354
28	-3.115
29	-2.0782
30	-2.56258
31	-2.32216
32	-2.99936
33	-4.18302
34	-2.10207
35	-2.13852
36	-2.51372
37	-2.01098
38	-2.9967
39	-2.7817
40	-2.20135
41	-4.94597
42	-3.91962
43	-3.02316
44	-3.62416
45	-2.28499
46	-3.67034
47	-2.66736
48	-5.46277
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-2.11659
3	-3.20859
4	-2.4263
5	-2.1808
6	-2.57754
7	-2.43344
8	-2.32347
9	-2.26253
10	-2.38839
11	-3.17357
12	-2.93141
13	-4.33819
14	-3.07647
15	-2.97464
16	-2.45918
17	-2.08885
18	-2.41152
19	-2.58817
20	-2.49894
21	-4.59807
22	-3.0334
23	-2.60948
24	-4.45681
25	-2.40249
26	-2.00629
27	-3.05122
28	-2.61584
29	-3.69415
30	-3.34218
31	-2.85332
32	-3.68966
33	-3.07921
34	-2.03675
35	-2.40841
36	-2.48089
37	-2.97171
38	-2.1504
39	-2.28304
40	-3.14694
41	-2.58822
42	-2.58546
43	-3.3609
44	-2.16763
45	-3.11741
46	-2.13697
47	-3.38757
48	-3.98218
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.55689
3	-2.97741
4	-2.32694
5	-4.07773
6	-2.09564
7	-2.44687
8	-2.47837
9	-3.65623
10	-6.87171
11	-3.10167
12	-3.43471
13	-2.39091
14	-2.16583
15	-2.43549
16	-2.14156
17	-2.20067
18	-2.32841
19	-2.77431
20	-2.73665
21	-3.01192
22	-4.56061
23	-3.07567
24	-3.10274
25	-7.59613
26	-2.08639
27	-2.70473
28	-3.0977
29	-3.37788
30	-2.01133
31	-4.30251
32	-18.9671
33	-2.67118
34	-2.77022
35	-2.26794
36	-2.50599
37	-2.03892
38	-2.33065
39	-2.82544
40	-4.78593
41	-3.01504
42	-2.44819
43	-12.1147
44	-2.32
45	-2.90518
46	-4.08351
47	-4.07764
48	-2.5387
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.87319
3	-9.01821
4	-4.08671
5	-2.609
6	-4.97528
7	-2.25274
8	-2.17346
9	-3.51992
10	-3.88937
11	-2.20365
12	-2.82799
13	-2.10102
14	-3.57909
15	-4.44521
16	-5.30804
17	-2.02039
18	-7.30321
19	-4.614
20	-2.21193
21	-2.73426
22	-3.08293
23	-2.49353
24	-2.27811
25	-3.7321
26	-4.42729
27	-3.67355
28	-2.85107
29	-2.11056
30	-4.33428
31	-4.02104
32	-5.11945
33	-2.04856
34	-2.00084
35	-4.08035
36	-3.64623
37	-5.30004
38	-2.27321
39	-2.43738
40	-2.03783
41	-2.83832
42	-2.18661
43	-3.00682
44	-2.68541
45	-2.28726
46	-4.3862
47	-2.24153
48	-4.0101
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-4.48828
3	-2.50033
4	-2.26152
5	-2.53587
6	-5.86323
7	-3.90406
8	-2.0029
9	-4.55308
10	-3.2723
11	-2.03988
12	-4.49558
13	-2.92077
14	-4.7
15	-2.70535
16	-3.00899
17	-2.93956
18	-3.32041
19	-3.086
20	-3.68545
21	-4.07235
22	-3.86935
23	-3.32231
24	-3.05988
25	-3.58997
26	-2.49019
27	-22.5119
28	-2.77448
29	-3.43595
30	-3.03899
31	-2.05633
32	-2.01341
33	-2.43264
34	-3.95099
35	-2.4577
36	-3.85601
37	-7.12798
38	-2.0336
39	-2.64373
40	-2.42738
41	-3.15736
42	-2.50945
43	-3.96565
44	-5.45258
45	-3.7421
46	-3.00865
47	-4.63241
48	-3.80908
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.88582
3	-5.37651
4	-4.19019
5	-3.63562
6	-2.63748
7	-2.13499
8	-2.69099
9	-4.49172
10	-4.98678
11	-2.6164
12	-3.7462
13	-3.43986
14	-3.7006
15	-2.03771
16	-4.28619
17	-3.04648
18	-2.65675
19	-2.61542
20	-4.01009
21	-2.43004
22	-3.05146
23	-4.79217
24	-2.58786
25	-3.90696
26	-2.73557
27	-4.72031
28	-2.95901
29	-2.22399
30	-4.63871
31	-2.65825
32	-3.15483
33	-3.08765
34	-16.8947
35	-3.07
36	-2.21943
37	-3.38204
38	-3.80259
39	-3.20109
40	-3.07147
41	-3.30317
42	-3.35531
43	-2.54868
44	-3.49824
45	-2.15665
46	-4.55516
47	-6.56797
48	-2.80187
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.37333
3	-2.20973
4	-2.57823
5	-2.46523
6	-5.90424
7	-2.15311
8	-4.91657
9	-16.6081
10	-4.51084
11	-2.26717
12	-2.44448
13	-2.33337
14	-2.06243
15	-4.09721
16	-6.31328
17	-2.13077
18	-4.61409
19	-4.68356
20	-3.20338
21	-3.24919
22	-3.33061
23	-3.26091
24	-3.81554
25	-3.98297
26	-3.20919
27	-2.09801
28	-2.58371
29	-3.82321
30	-6.53691
31	-2.95383
32	-2.46945
33	-2.80523
34	-4.00969
35	-4.8915
36	-3.62348
37	-4.25467
38	-3.20427
39	-3.0435
40	-3.21783
41	-2.05196
42	-2.54474
43	-3.3112
44	-2.7418
45	-3.25195
46	-4.63363
47	-2.36094
48	-4.63224
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.46934
3	-2.26244
4	-2.58659
5	-5.78349
6	-2.31894
7	-9.48554
8	-2.73815
9	-4.368
10	-4.15807
11	-3.6694
12	-3.94677
13	-2.00763
14	-2.81183
15	-3.12203
16	-2.08909
17	-2.92112
18	-4.55985
19	-6.93802
20	-6.34983
21	-5.15859
22	-3.44397
23	-2.16891
24	-4.52482
25	-5.24979
26	-5.45674
27	-2.86761
28	-5.2739
29	-3.69679
30	-3.17736
31	-2.20261
32	-2.53088
33	-3.91864
34	-4.09314
35	-2.2286
36	-2.91694
37	-2.46646
38	-3.53836
39	-2.01508
40	-5.67151
41	-5.74747
42	-5.94584
43	-4.51051
44	-2.83324
45	-5.44916
46	-2.8387
47	-4.71221
48	-9.86949
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-2.08886
3	-2.16666
4	-5.74851
5	-2.35303
6	-2.38277
7	-2.44085
8	-3.29986
9	-3.46188
10	-2.01361
11	-3.1422
12	-3.72975
13	-2.29975
14	-2.6129
15	-4.33409
16	-3.16749
17	-2.89277
18	-9.85799
19	-3.30882
20	-2.33762
21	-4.50568
22	-6.37701
23	-2.50807
24	-8.00355
25	-4.58041
26	-2.00534
27	-4.41325
28	-2.60163
29	-2.24213
30	-2.73569
31	-3.53882
32	-3.13732
33	-4.16649
34	-13.412
35	-5.5613
36	-2.47479
37	-4.49089
38	-3.38685
39	-4.58474
40	-3.81387
41	-4.44024
42	-2.03369
43	-5.02787
44	-2.88634
45	-2.26343
46	-3.39992
47	-4.79227
48	-3.52237
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.06218
3	-3.32801
4	-2.41207
5	-2.12841
6	-6.23748
7	-2.93763
8	-2.9845
9	-2.36778
10	-2.32566
11	-2.85952
12	-2.50341
13	-2.46014
14	-3.7919
15	-3.01123
16	-2.6225
17	-4.21549
18	-4.23083
19	-3.58488
20	-2.98431
21	-2.43362
22	-2.4941
23	-4.40215
24	-7.08059
25	-4.15482
26	-3.60262
27	-3.86384
28	-4.26728
29	-2.77983
30	-6.53464
31	-2.46983
32	-2.56684
33	-2.75427
34	-4.09386
35	-5.65057
36	-4.17634
37	-2.727
38	-29.3316
39	-3.23009
40	-2.39062
41	-2.49356
42	-3.895
43	-3.34757
44	-5.31024
45	-6.0288
46	-4.21487
47	-5.71079
48	-2.41857
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-2.60359
3	-3.18412
4	-4.86758
5	-7.16003
6	-3.11899
7	-2.83052
8	-4.03804
9	-4.30425
10	-2.89081
11	-7.81395
12	-3.70378
13	-2.21592
14	-2.03251
15	-2.96314
16	-5.92408
17	-4.66348
18	-3.71706
19	-3.69165
20	-3.28249
21	-3.43556
22	-2.11774
23	-5.77656
24	-2.76473
25	-2.04111
26	-3.6098
27	-2.5688
28	-3.31736
29	-8.42965
30	-5.73538
31	-3.49437
32	-4.98533
33	-2.46972
34	-5.74638
35	-3.8365
36	-3.95633
37	-2.68566
38	-5.28473
39	-5.32715
40	-2.86942
41	-3.05003
42	-3.34768
43	-5.70539
44	-5.07298
45	-13.2752
46	-2.48829
47	-3.598
48	-7.43463
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-2.57917
3	-4.00334
4	-3.77107
5	-2.53334
6	-3.14952
7	-4.03588
8	-2.50412
9	-11.1111
10	-2.33037
11	-6.06311
12	-3.26909
13	-7.16068
14	-2.24586
15	-5.34315
16	-7.58284
17	-6.98436
18	-2.50516
19	-3.40722
20	-5.85936
21	-2.07732
22	-4.53168
23	-3.42634
24	-2.69118
25	-2.90412
26	-8.28424
27	-2.81542
28	-2.43972
29	-3.36796
30	-2.42258
31	-6.51737
32	-6.81023
33	-2.58602
34	-2.92318
35	-2.17958
36	-3.20037
37	-7.33785
38	-3.74574
39	-3.71938
40	-3.50814
41	-2.28937
42	-4.082
43	-2.28014
44	-4.18715
45	-4.09585
46	-2.02032
47	-5.30404
48	-2.25962
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-4.80381
3	-3.97166
4	-3.06108
5	-3.11013
6	-4.95071
7	-7.67444
8	-3.54688
9	-4.54749
10	-2.07615
11	-6.47439
12	-2.4527
13	-4.1321
14	-3.08933
15	-2.74377
16	-2.14576
17	-4.94528
18	-2.32277
19	-2.37264
20	-3.06099
21	-6.99627
22	-4.02255
23	-6.68282
24	-6.99403
25	-7.69729
26	-3.13577
27	-8.32281
28	-7.6916
29	-3.10165
30	-2.37556
31	-5.26472
32	-3.8381
33	-3.97692
34	-2.63819
35	-2.46553
36	-2.34828
37	-5.84183
38	-6.13398
39	-3.12754
40	-2.67317
41	-3.05874
42	-4.34218
43	-4.25728
44	-2.81222
45	-6.93812
46	-2.66944
47	-4.81611
48	-6.93379
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.64461
3	-6.51808
4	-6.80186
5	-3.67761
6	-4.46851
7	-6.70142
8	-4.1883
9	-4.98917
10	-9.02166
11	-3.16351
12	-2.15195
13	-3.61484
14	-2.83251
15	-2.65143
16	-7.65616
17	-6.39056
18	-5.26383
19	-7.08248
20	-7.77309
21	-3.01858
22	-9.63781
23	-3.00229
24	-5.6986
25	-10.2627
26	-4.58635
27	-4.647
28	-6.68062
29	-7.2877
30	-7.35039
31	-7.57246
32	-5.27157
33	-10.7093
34	-2.33229
35	-10.7396
36	-4.56133
37	-5.53203
38	-2.10919
39	-3.63087
40	-5.05278
41	-7.30433
42	-2.78164
43	-3.1653
44	-4.52561
45	-5.54884
46	-6.34961
47	-6.67704
48	-6.7482
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-5.02598
3	-3.6026
4	-9.77415
5	-4.85859
6	-8.51896
7	-11.6826
8	-10.3162
9	-8.3707
10	-5.06087
11	-2.43691
12	-6.48134
13	-9.92224
14	-4.25278
15	-6.18278
16	-2.4785
17	-7.72966
18	-2.92714
19	-2.70475
20	-3.85011
21	-3.75825
22	-13.7095
23	-10.0701
24	-8.56266
25	-5.40367
26	-2.33728
27	-2.81799
28	-8.37418
29	-2.89674
30	-8.66041
31	-4.51347
32	-6.18674
33	-2.35849
34	-2.29616
35	-3.29615
36	-5.96406
37	-3.5394
38	-2.28649
39	-2.24985
40	-4.51386
41	-10.5795
42	-3.87254
43	-5.02538
44	-3.54211
45	-5.89977
46	-11.3787
47	-9.75288
48	-2.02462
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.1347
3	-5.15855
4	-10.9625
5	-2.92829
6	-11.7747
7	-7.58469
8	-8.05264
9	-17.1728
10	-3.56489
11	-3.39107
12	-3.7686
13	-7.27372
14	-6.23608
15	-8.36463
16	-3.15865
17	-3.19034
18	-14.6072
19	-6.89623
20	-3.52155
21	-2.80821
22	-3.69281
23	-6.25732
24	-3.05104
25	-5.60158
26	-4.01894
27	-9.97779
28	-5.82587
29	-12.6708
30	-5.25309
31	-8.24779
32	-3.88252
33	-7.62074
34	-9.08547
35	-3.22816
36	-2.7088
37	-2.19468
38	-2.44226
39	-4.06751
40	-8.39812
41	-10.9419
42	-20.9978
43	-20.6669
44	-2.23362
45	-7.12423
46	-12.2011
47	-11.4198
48	-3.1529
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.48986
3	-5.55932
4	-5.9517
5	-2.22771
6	-7.87148
7	-8.33464
8	-5.07089
9	-2.95132
10	-3.4143
11	-3.44602
12	-7.74177
13	-18.0799
14	-6.75795
15	-11.568
16	-5.69802
17	-2.03701
18	-7.3786
19	-4.93596
20	-9.06239
21	-3.71723
22	-3.626
23	-16.9962
24	-12.7821
25	-2.51339
26	-9.42204
27	-12.6436
28	-10.1591
29	-6.32945
30	-8.4651
31	-2.10043
32	-7.96198
33	-4.60482
34	-4.12251
35	-7.71163
36	-6.73413
37	-11.2411
38	-2.70873
39	-4.4194
40	-17.3133
41	-3.05012
42	-6.75536
43	-3.30584
44	-4.65059
45	-15.5787
46	-3.94489
47	-2.13863
48	-4.96765
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.30612
3	-12.8576
4	-15.0847
5	-7.51613
6	-6.13772
7	-7.39525
8	-5.77283
9	-5.26059
10	-3.23385
11	-6.11429
12	-2.59278
13	-3.86928
14	-10.7456
15	-5.40015
16	-4.04617
17	-2.26056
18	-19.5594
19	-5.63467
20	-3.19754
21	-8.01816
22	-2.2956
23	-10.8716
24	-3.19729
25	-4.13208
26	-13.2933
27	-6.21678
28	-3.47443
29	-3.08787
30	-3.01041
31	-12.5906
32	-2.65582
33	-5.93914
34	-11.1699
35	-4.62951
36	-6.75195
37	-10.8079
38	-8.83343
39	-5.90326
40	-10.9937
41	-3.21198
42	-3.78806
43	-5.91098
44	-10.7738
45	-18.8052
46	-11.6044
47	-6.93282
48	-6.78194
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.69471
3	-2.1977
4	-3.97159
5	-7.39196
6	-2.89616
7	-3.24869
8	-3.13056
9	-3.29406
10	-9.68062
11	-3.67871
12	-9.57484
13	-2.76337
14	-2.39194
15	-2.20618
16	-5.95769
17	-4.25723
18	-5.06867
19	-13.9633
20	-2.98504
21	-8.76132
22	-15.0644
23	-10.998
24	-13.1549
25	-10.5642
26	-17.4251
27	-2.16912
28	-9.33924
29	-11.9614
30	-5.69088
31	-4.82721
32	-14.3919
33	-2.52315
34	-4.13866
35	-5.88451
36	-9.27319
37	-9.10774
38	-3.1422
39	-5.34285
40	-11.9661
41	-12.8557
42	-19.205
43	-17.7798
44	-20.6404
45	-3.15996
46	-2.43405
47	-9.22544
48	-9.74923
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-2.55623
3	-5.47351
4	-4.23174
5	-3.98335
6	-5.44473
7	-10.7333
8	-5.13259
9	-13.1548
10	-4.57081
11	-2.2105
12	-10.5071
13	-20.0412
14	-6.44956
15	-21.0681
16	-2.36128
17	-21.8568
18	-2.85197
19	-3.35524
20	-3.52584
21	-19.9669
22	-2.4973
23	-15.4696
24	-19.2628
25	-5.9201
26	-26.8247
27	-11.2401
28	-20.7405
29	-29.3964
30	-2.18266
31	-7.91718
32	-23.332
33	-13.8774
34	-6.15591
35	-19.5687
36	-3.9883
37	-36.0359
38	-4.47158
39	-22.7596
40	-2.79681
41	-67.3686
42	-22.0073
43	-23.2021
44	-9.73127
45	-4.84987
46	-2.13621
47	-6.44019
48	-9.75023
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-3.37248
3	-4.82489
4	-2.24619
5	-14.2013
6	-4.03495
7	-11.3718
8	-10.3471
9	-4.72212
10	-10.6504
11	-29.0414
12	-4.21927
13	-3.23535
14	-8.89013
15	-4.79963
16	-3.12698
17	-10.9038
18	-2.43592
19	-16.1386
20	-29.3655
21	-5.0874
22	-15.3365
23	-13.5921
24	-2.28159
25	-11.5483
26	-19.8727
27	-6.44575
28	-2.25781
29	-3.43567
30	-6.58849
31	-9.903
32	-3.62583
33	-11.392
34	-2.58511
35	-2.61003
36	-34.4782
37	-7.80082
38	-3.87684
39	-4.25141
40	-8.23976
41	-39.1878
42	-29.9238
43	-9.38929
44	-5.6909
45	-2.70711
46	-48.5907
47	-10.7525
48	-4.34965
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	-8.83524
3	-17.5087
4	-28.2192
5	-48.5913
6	-51.3652
7	-16.3208
8	-11.3466
9	-7.22176
10	-4.88452
11	-16.7411
12	-47.7447
13	-3.97161
14	-33.851
15	-3.50127
16	-30.4949
17	-2.56689
18	-2.10632
19	-25.0385
20	-45.7399
21	-2.2821
22	-5.36778
23	-38.5578
24	-3.35219
25	-24.6396
26	-46.9619
27	-34.0703
28	-7.91715
29	-18.8878
30	-2.4743
31	-5.85672
32	-22.8112
33	-103.42
34	-24.4247
35	-8.29247
36	-59.8709
37	-50.073
38	-2.65885
39	-44.4051
40	-30.0183
41	-29.3218
42	-118.828
43	-6.61764
44	-4.51097
45	-10.7133
46	-12.4828
47	-5.31656
48	-4.99204
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1
2 -6.3995
3 -568.512
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Supplementary Table 4 aberrantly upregulated in common between STIC and invasive cancer (2 fold and					
Gene Symbol	RefSeq	Invasive SC vs. Normal oviduct		STIC vs. Nori	
		p-value	Fold-Change	p-value	
ASPM	NM_018136	2.60E-06	2.94409	1.33E-05	
CCDC144A	ENST00000443444	0.00213885	5.32473	0.0243328	
CCNE1	ENST00000262643	0.00572145	2.23008	0.0115957	
CDH6	NM_004932	0.00283368	2.1433	0.000295215	
CENPF	NM_016343	5.58E-07	3.37557	2.40E-06	
CKS2	NM_001827	0.0022546	2.89973	0.001283	
CLDN6	ENST00000396925	0.0104175	5.93699	0.00243631	
CLIC5	NM_001114086	0.009439	2.46718	0.00139079	
CRABP2	NM_001878	0.00755329	2.78862	0.0212031	
DBN1	NM_004395	2.24E-05	2.05241	2.64E-05	
DEK	ENST00000397239	0.000384725	2.32674	0.000217432	
DNAJB6	ENST00000262177	0.000272738	2.54209	0.00312649	
ECT2	NM_001258316	0.000212608	2.53965	0.00013513	
FIGN	ENST00000333129	0.0097029	2.50304	0.00128213	
FN1	ENST00000354785	0.00215023	4.76499	0.0446495	
GIN51	NM_021067	0.00684686	2.17969	0.0074439	
HIST1H2AE	NM_021052	3.44E-05	3.19263	0.000221535	
HIST1H2BC	NM_003526	0.0198544	2.24863	0.0371524	
HIST1H2BK	NM_080593	0.000451902	2.85981	0.00053831	
HIST1H2BO	NM_003527	0.00192634	2.62733	0.00989244	
HIST1H3F	NM_021018	0.00448196	3.10484	0.00305663	
HIST1H4C	NM_003542	0.00833898	2.18377	0.00595323	
HIST1H4L	NM_003546	0.000243457	3.58937	0.000175076	
HIST2H2AB	NM_175065	0.000637198	4.20247	0.000722952	
KPNA2	NM_002266	0.00344636	2.34762	0.0129578	
LOC441268	AK125166	0.000374969	4.11755	0.000820112	
MACC1	NM_182762	0.0304047	2.35567	0.0382608	
MKI67	ENST00000368654	0.00039812	2.5419	0.000512702	
MMP23B	NM_006983	0.0129185	2.51867	0.00175544	
MT1G	ENST00000444837	0.0428614	2.35685	0.00461934	
NREP	NM_001142481	0.000485486	3.15952	0.00240787	
PHOSPHO2-KLHL23	NM_001199290	0.000554576	2.64251	0.00116485	
PRAME	NM_206953	0.0297283	2.12296	0.00542624	
PRC1	ENST00000361188	0.000336928	2.21306	0.000736568	
PTH2R	NM_005048	0.00495188	2.23137	0.00544872	
PTTG1	ENST00000352433	0.00451955	2.80642	0.0390721	
PVRL3	NM_015480	0.00765987	2.68279	0.0137273	
RPL39L	ENST00000296277	0.0055029	2.62684	0.00333233	
RRM2	ENST00000360566	0.00383353	2.68346	0.0128528	
SKIL	NM_005414	0.0130943	2.03889	0.00849818	
SLC16A1	NM_001166496	0.00557925	2.30772	0.0072816	
SLC38A1	NM_030674	0.0010424	2.31448	0.0024103	
SMC4	NM_005496	4.93E-05	2.57383	0.000371199	

SPINT2	NM_021102	0.000296385	2.21178	0.000238397
STMN1	NM_203401	4.99E-06	3.48098	8.76E-07
TBL1XR1	ENST00000430069	0.0174733	2.05526	0.0189784
TIA1	NM_022037	0.00310822	2.37	0.00490998
TMSB10	NM_021103	3.32E-05	2.60096	2.32E-05
TOP2A	NM_001067	0.0001045	3.28641	0.000712484
TPMT	NM_000367	0.0107081	2.62068	0.0237245
TPX2	NM_012112	4.09E-05	3.27148	0.000258971
TXNDC9	NM_005783	0.00363903	2.0506	0.00286028
UBE2T	ENST00000367274	0.0043026	2.33065	0.00586935
URI1	ENST00000542441	0.0130175	2.43578	0.00507933
WRAP53	ENST00000316024	0.00287094	2.78275	0.00691762
ZC3HAV1L	BC020784	0.00870664	2.10747	0.0106318
ZIC1	ENST00000282928	0.0108722	2.60269	0.00477505
ZNF146	NM_007145	0.00509871	2.49424	0.00149398
ZNF345	NR_038362	0.00010634	2.33358	0.000569311
ZNF566	NM_001145345	0.000363159	2.17544	0.000559765
ZNF850	NM_001193552	0.000890238	2.03178	7.58E-05
ZNF93	NM_031218	0.00124937	3.25181	0.000421892

1	
2	d p < 0.05, 62 genes)
3	mal oviduct
4	Fold-Change
5	
6	2.55218
7	3.10055
8	2.04568
9	2.72304
10	2.94353
11	3.14103
12	9.14572
13	3.27737
14	2.35262
15	2.03034
16	2.45512
17	2.00273
18	2.65618
19	3.40042
20	2.52238
21	2.15762
22	2.62357
23	2.03615
24	2.80158
25	2.13867
26	3.30768
27	2.27842
28	3.75505
29	4.11536
30	2.00124
31	3.64794
32	2.25771
33	2.47644
34	3.46765
35	3.62657
36	2.57426
37	2.43506
38	2.76631
39	2.06902
40	2.20613
41	2.01265
42	2.44664
43	2.82552
44	2.26102
45	2.15188
46	2.23131
47	2.12583
48	2.15717
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1	
2	2.25367
3	4.23057
4	2.03246
5	2.24393
6	2.68618
7	2.63066
8	2.29851
9	2.67713
10	2.10144
11	2.2434
12	2.81859
13	2.45958
14	2.05689
15	2.97193
16	2.94787
17	2.03043
18	2.09682
19	2.52018
20	3.8168
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

1		
2	Supplementary Table 5 overlapped genes between immortalized and STIC (123 genes)-upregulated	
3		
4	Gene Symbol	Gene Title
5		
6	STMN1	stathmin 1
7	ZNF93	zinc finger protein 93
8	DCDC2	doublecortin domain containing 2
9	CENPF	centromere protein F, 350/400kDa (mitosin)
10	RPL39L	ribosomal protein L39-like
11	CDH6	cadherin 6, type 2, K-cadherin (fetal kidney)
12	RBBP4	Retinoblastoma binding protein 4
13	TPX2	TPX2, microtubule-associated, homolog (Xenopus laevis)
14	ECT2	epithelial cell transforming sequence 2 oncogene
15	TOP2A	topoisomerase (DNA) II alpha 170kDa
16	NREP	neuronal regeneration related protein homolog (rat)
17	ASPM	asp (abnormal spindle) homolog, microcephaly associated
18	FN1	(Drosophila) fibronectin 1
19	CDH2	cadherin 2, type 1, N-cadherin (neuronal)
20	MKI67	antigen identified by monoclonal antibody Ki-67
21	ZC3H11A	zinc finger CCCH-type containing 11A
22	UBE2T	ubiquitin-conjugating enzyme E2T (putative)
23	SMC4	structural maintenance of chromosomes 4
24	SKIL	SKI-like oncogene
25	ARHGAP29	Rho GTPase activating protein 29
26	CXCR4	chemokine (C-X-C motif) receptor 4
27	ZNF644	zinc finger protein 644
28	PRC1	protein regulator of cytokinesis 1
29	EPB41L5	erythrocyte membrane protein band 4.1 like 5
30	MSH2	mutS homolog 2, colon cancer, nonpolyposis type 1 (E. coli)
31	UBE2C	ubiquitin-conjugating enzyme E2C
32	MASTL	microtubule associated serine/threonine kinase-like
33	KIF23	kinesin family member 23
34	BUB1	budding uninhibited by benzimidazoles 1 homolog (yeast)
35	STAT1	signal transducer and activator of transcription 1, 91kDa
36	NUSAP1	nucleolar and spindle associated protein 1
37	PARP14	poly (ADP-ribose) polymerase family, member 14
38	TTK	TTK protein kinase
39	KPNA4	karyopherin alpha 4 (importin alpha 3)
40	ANP32E	acidic (leucine-rich) nuclear phosphoprotein 32 family, member E
41	CEP55	centrosomal protein 55kDa
42	CCDC88A	coiled-coil domain containing 88A
43	KIF20B	kinesin family member 20B
44	CREB1	cAMP responsive element binding protein 1
45	SYT11	synaptotagmin XI
46	IFIT2	interferon-induced protein with tetratricopeptide repeats 2
47	CDKN3	cyclin-dependent kinase inhibitor 3
48	PLEKHO1	pleckstrin homology domain containing, family O member 1
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

NDC80	NDC80 kinetochore complex component homolog (S. cerevisiae)
CHEK1	checkpoint kinase 1
PEA15	phosphoprotein enriched in astrocytes 15
FOXM1	forkhead box M1
KLHL24	kelch-like 24 (Drosophila)
KALRN	kalirin, RhoGEF kinase
SKA3	spindle and kinetochore associated complex subunit 3
CARD16	caspase recruitment domain family, member 16
CKAP2	cytoskeleton associated protein 2
CGGBP1	CGG triplet repeat binding protein 1
IFI44	interferon-induced protein 44
ANLN	anillin, actin binding protein
STAT2	signal transducer and activator of transcription 2, 113kDa
RAI14	retinoic acid induced 14
EMP1	epithelial membrane protein 1
KIF11	kinesin family member 11
CDK1	Cyclin-dependent kinase 1
NUF2	NUF2, NDC80 kinetochore complex component, homolog (S. cerevisiae)
NABP1	nucleic acid binding protein 1
KIF18A	kinesin family member 18A
PRKD3	protein kinase D3
MTHFD2	methylenetetrahydrofolate dehydrogenase (NADP+ dependent) 2
PTMS	parathymosin
SPECC1	sperm antigen with calponin homology and coiled-coil domains 1
EIF2AK2	eukaryotic translation initiation factor 2-alpha kinase 2
PRTFDC1	phosphoribosyl transferase domain containing 1
KIAA1524	KIAA1524
PTBP2	polypyrimidine tract binding protein 2
KIAA0101	KIAA0101
PTPN14	protein tyrosine phosphatase, non-receptor type 14
FBXO28	F-box protein 28
MX2	myxovirus (influenza virus) resistance 2 (mouse)
NCAPG	non-SMC condensin I complex, subunit G
CEP89	centrosomal protein 89kDa
CNPY3	canopy 3 homolog (zebrafish)
RIF1	RAP1 interacting factor homolog (yeast)
ATAD2	ATPase family, AAA domain containing 2
CALU	calumenin
FADS2	fatty acid desaturase 2
SLC16A4	solute carrier family 16, member 4 (monocarboxylic acid transporter 5)
ENPP5	ectonucleotide pyrophosphatase/phosphodiesterase 5 (putative)
BMPR2	bone morphogenetic protein receptor, type II (serine/threonine kinase)
SLC30A6	solute carrier family 30 (zinc transporter), member 6
ARHGAP11A	Rho GTPase activating protein 11A
LMO4	LIM domain only 4
RAB23	RAB23, member RAS oncogene family
BCAP29	B-cell receptor-associated protein 29

1		
2	DTL	denticleless E3 ubiquitin protein ligase homolog (Drosophila)
3	CLIC4	chloride intracellular channel 4
4	TLK2	tousled-like kinase 2
5	CDC5L	CDC5 cell division cycle 5-like (S. pombe)
6	CDK2	cyclin-dependent kinase 2
7	KLHL14	kelch-like 14 (Drosophila)
8	C12orf4	chromosome 12 open reading frame 4
9	CCDC77	coiled-coil domain containing 77
10	DPYSL3	dihydropyrimidinase-like 3
11	CTHRC1	collagen triple helix repeat containing 1
12	MLF1IP	MLF1 interacting protein
13	TRMT6	tRNA methyltransferase 6 homolog (S. cerevisiae)
14	NCAPH	non-SMC condensin I complex, subunit H
15	ZNF302	zinc finger protein 302
16	ZBTB2	zinc finger and BTB domain containing 2
17	PLEKHG4B	pleckstrin homology domain containing, family G member 4B
18	SGOL2	shugoshin-like 2 (S. pombe)
19	FGF12	fibroblast growth factor 12
20	HERC5	HECT and RLD domain containing E3 ubiquitin protein ligase 5
21	RFC3	replication factor C (activator 1) 3, 38kDa
22	FBXO5	F-box protein 5
23	PARPBP	PARP1 binding protein
24	DKK3	dickkopf 3 homolog (Xenopus laevis)
25	STAU2	staufen, RNA binding protein, homolog 2 (Drosophila)
26	SEC22B	SEC22 vesicle trafficking protein homolog B (S. cerevisiae) (gene/pseudogene)
27	RAD1	RAD1 homolog (S. pombe)
28	KIAA0355	KIAA0355
29	CCNA2	cyclin A2
30	RNF144A	ring finger protein 144A
31	STIL	SCL/TAL1 interrupting locus
32	MSH6	mutS homolog 6 (E. coli)
33	MCM4	minichromosome maintenance complex component 4
34	TMPO	thymopoietin
35	<hr/>	
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

Immortalized vs. normal SC		STIC vs. normal oviduct	
p-value	Fold-Change	p-value	Fold-Change
0.000283907	3.80725	8.76E-07	4.23057
0.0144245	2.87429	0.000421892	3.8168
0.00716298	13.1974	4.28E-06	2.99104
0.00282425	4.4932	2.40E-06	2.94353
0.0472861	2.37036	0.00333233	2.82552
0.000144791	16.6572	0.000295215	2.72304
0.0360557	2.07024	0.00182861	2.69556
0.0155442	3.41929	0.000258971	2.67713
0.000987003	2.69336	0.00013513	2.65618
0.0384599	3.66365	0.000712484	2.63066
0.049286	3.34473	0.00240787	2.57426
0.00995083	4.19182	1.33E-05	2.55218
0.000815221	7.51886	0.0446495	2.52238
0.00103662	26.8722	0.0442521	2.48339
0.00406514	2.92177	0.000512702	2.47644
0.0440437	2.07644	0.0102092	2.2883
0.0146618	2.60053	0.00586935	2.2434
0.021717	2.65716	0.000371199	2.15717
8.38E-06	6.69368	0.00849818	2.15188
0.000667348	6.11737	0.0160522	2.12452
0.000441767	12.0686	0.0203638	2.07604
0.00479026	2.08711	0.000646319	2.06913
0.0472451	3.40855	0.000736568	2.06902
0.0184493	3.71605	0.00312586	2.05776
0.0384693	3.04204	0.0062282	2.03844
0.00446833	3.63974	0.000282922	2.01489
0.0176956	3.4969	0.000964698	2.00404
0.0424054	3.89455	0.000618361	1.99464
0.00893113	4.51362	0.000357272	1.98425
0.0104007	12.2952	0.00151445	1.9638
0.00123492	4.91539	0.000469143	1.96106
0.000783412	7.93847	0.0084577	1.95012
0.0196974	2.55622	0.000316293	1.94746
0.00158105	3.71015	8.16E-05	1.94129
0.0462063	2.82448	0.00638506	1.91164
0.0390095	4.1117	0.00165101	1.90968
0.000140019	2.80443	2.09E-05	1.88932
0.000216432	2.09166	9.57E-05	1.88057
0.0314904	2.44408	0.00629166	1.87344
0.00807315	12.0806	0.000205062	1.8629
0.00426074	14.3947	0.0229778	1.84615
0.0101394	3.42749	0.0075941	1.84499
0.0253665	2.86124	0.00881319	1.84464

1				
2	0.0126441	5.27019	7.79E-05	1.83858
3	0.0191874	2.34074	0.00149298	1.83041
4	0.000268136	3.21355	0.00114403	1.82733
5	0.00369879	4.15964	0.00984894	1.8245
6	0.00407175	9.06502	0.00275194	1.82414
7	0.00083655	2.66607	0.000161309	1.80456
8	0.00520891	2.8186	1.07E-05	1.80031
9	0.0423289	3.741	0.0312376	1.79989
10	0.00469199	2.15955	0.00958603	1.79114
11	0.00550966	3.07566	0.0131361	1.78867
12	0.00161764	29.8796	0.0440225	1.77371
13	0.0130951	3.04741	0.00422736	1.76301
14	0.00875975	3.33513	0.00664215	1.75298
15	0.030317	3.5904	0.0100821	1.75181
16	0.039396	2.08173	0.0327551	1.74284
17	0.0428742	3.36452	0.000875107	1.73854
18	0.000234549	2.73747	0.0112627	1.73794
19	0.00183276	3.97249	0.00489193	1.737
20	0.00405556	3.08255	0.00350044	1.72237
21	0.00648228	2.47888	0.000740851	1.72116
22	0.00201868	3.3178	0.00488377	1.71706
23	0.00170041	2.14286	0.0218899	1.71534
24	0.0420002	2.24513	0.000834693	1.69995
25	0.0222086	2.49395	0.00973343	1.69965
26	5.14E-07	4.83426	0.00898711	1.6906
27	0.0209858	6.32114	5.02E-05	1.69015
28	0.000189528	6.15731	0.000338866	1.6883
29	0.00106914	2.11285	0.0205669	1.6871
30	0.0248471	3.29181	0.0408938	1.68567
31	0.000925396	2.37864	0.0244379	1.6841
32	0.0332968	2.00636	0.00621127	1.68318
33	4.11E-05	36.5634	0.0399436	1.68097
34	0.00692782	4.49406	0.000777004	1.67433
35	0.00588523	2.36836	0.00711967	1.67311
36	0.0111908	2.40382	0.00215059	1.67212
37	0.0335808	2.02439	0.00316773	1.67174
38	0.0230576	3.44623	0.00395446	1.66638
39	0.00520529	4.23804	0.0027015	1.64975
40	3.08E-06	3.2561	0.00322815	1.64855
41	1.07E-05	6.74615	0.00813651	1.64756
42	0.0200538	8.15037	0.0468952	1.64689
43	0.000752569	2.35956	0.0274736	1.6438
44	0.0188408	2.02722	0.0017683	1.64325
45	0.00178417	2.5401	0.00899648	1.63703
46	0.0476972	2.86426	0.000987487	1.6358
47	2.44E-06	3.29664	0.00897206	1.63094
48	0.0410158	2.72067	0.00775898	1.62293
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

1				
2	0.000617135	3.98727	0.00333312	1.62264
3	0.000602153	2.56418	0.0415462	1.6206
4	0.0436593	2.17529	0.0317785	1.6142
5	0.00100088	2.80715	0.0137566	1.61287
6	0.00630406	3.30955	0.0152348	1.61234
7	0.00367269	7.16821	0.0129579	1.61218
8	0.00724886	2.49163	0.0120534	1.61084
9	0.0465192	3.49878	0.000262927	1.60787
10	0.000118014	6.52417	0.0144391	1.59572
11	0.00549029	23.5167	0.0435348	1.58698
12	0.00074259	5.44894	0.00331259	1.57913
13	0.0147488	2.36385	0.0119903	1.57533
14	0.0109051	3.06047	0.00160924	1.57371
15	0.00872522	3.98681	0.00845558	1.57159
16	0.0254929	2.60135	0.0224159	1.56814
17	0.0150965	5.70056	0.00541019	1.55604
18	0.00666477	3.6087	1.00E-05	1.55527
19	0.0102868	2.52622	0.000725724	1.55182
20	1.57E-05	36.887	0.000644676	1.55154
21	0.0149205	2.13383	0.00265562	1.55106
22	0.046043	3.54316	0.00136405	1.54256
23	0.00316853	3.11433	0.000703062	1.53346
24	0.0339119	6.37923	0.0115379	1.52728
25	0.0387225	3.03602	0.00145672	1.52095
26	0.00153509	3.00068	0.0302589	1.51537
27	0.0113217	3.63938	0.00658345	1.51434
28	0.0117881	2.80383	0.00519076	1.51323
29	0.00595046	2.98481	0.0429142	1.51204
30	0.00866395	4.28053	0.00252979	1.51191
31	0.00235006	4.79982	0.00112532	1.51049
32	0.00172162	2.58461	0.0267306	1.50822
33	0.000521248	2.55083	0.0327635	1.50167
34	0.00251306	2.71931	0.00420601	1.50058
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

The PAX2-null immunophenotype defines multiple lineages with common expression signatures in benign and neoplastic oviductal epithelium

Gang Ning,^{1†} Jonathan G Bijron,^{2†} Yusuke Yamamoto,¹ Xia Wang,¹ Brooke E Howitt,³ Michael Herfs,⁴ Eric Yang,³ Yue Hong,¹ Maxence Cornille,¹ Lingyan Wu,⁵ Suchanan Hanamornroongruang,⁶ Frank D McKeon,^{1†} Christopher P Crum^{3†*} and Wa Xian^{1,†}

¹ Jackson Laboratory for Genomic Medicine, Farmington, CT, USA

² Department of Pathology, University of Utrecht, Utrecht, The Netherlands

³ Department of Pathology, Division of Women's and Perinatal Pathology, Brigham and Women's Hospital, Boston, MA, USA

⁴ Department of Pathology, University of Liège, Liège, Belgium

⁵ Genome Institute of Singapore, A*STAR, Singapore

⁶ Department of Pathology, Siriraj Hospital, Mahidol University, Bangkok, Thailand

*Correspondence to: Christopher P Crum, Department of Pathology, Division of Women's and Perinatal Pathology, Brigham and Women's Hospital, Boston, MA, USA. e-mail: ccrum@partners.org

†Shared equal responsibility as first and senior authors.

Abstract

The oviducts contain high-grade serous cancer (HGSC) precursors (serous tubal intraepithelial neoplasia or STINs), which are γ -H2AX⁺ and TP53 mutation-positive. Although they express wild-type p53, secretory cell outgrowths (SCOUTs) are associated with older age and serous cancer; moreover, both STINs and SCOUTs share a loss of PAX2 expression (PAX2[−]). We evaluated PAX2 expression in proliferating adult and embryonic oviductal cells, normal mucosa, SCOUTs, Walthard cell nests (WCNs), STINs, and HGSCs, and the expression of genes chosen empirically or from SCOUT expression arrays. Clones generated *in vitro* from embryonic gynaecological tract and adult Fallopian tube were Krt7⁺/PAX2[−]/EZH2⁺ and underwent ciliated (PAX2[−]/EZH2[−]/FOXJ1⁺) and basal (Krt7[−]/EZH2[−]/Krt5⁺) differentiation. Similarly, non-ciliated cells in normal mucosa were PAX2⁺ but became PAX2[−] in multi-layered epithelium undergoing ciliated or basal (WCN) cell differentiation. PAX2[−] SCOUTs fell into two groups: type 1 were secretory or secretory/ciliated with a 'tubal' phenotype and were ALDH1[−] and β -catenin^{mem} (membraneous only). Type 2 displayed a columnar to pseudostratified (endometrioid) phenotype, with an EZH2⁺, ALDH1⁺, β -catenin^{nc} (nuclear and cytoplasmic), stathmin⁺, LEF1⁺, RCN1⁺, and RUNX2⁺ expression signature. STINs and HGSCs shared the type 1 immunophenotype of PAX2[−], ALDH1[−], β -catenin^{mem}, but highly expressed EZH2⁺, LEF1⁺, RCN1⁺, and stathmin⁺. This study, for the first time, links PAX2[−] with proliferating fetal and adult oviductal cells undergoing basal and ciliated differentiation and shows that this expression state is maintained in SCOUTs, STINs, and HGSCs. All three entities can demonstrate a consistent perturbation of genes involved in potential tumour suppressor gene silencing (EZH2), transcriptional regulation (LEF1), regulation of differentiation (RUNX2), calcium binding (RCN1), and oncogenesis (stathmin). This shared expression signature between benign and neoplastic entities links normal progenitor cell expansion to abnormal and neoplastic outgrowth in the oviduct and exposes a common pathway that could be a target for early prevention.

Copyright © 2014 Pathological Society of Great Britain and Ireland. Published by John Wiley & Sons, Ltd.

Keywords: Fallopian tube; serous carcinoma; stem cell; PAX2; ALDH1

Received 29 May 2014; Revised 24 July 2014; Accepted 29 July 2014

No conflicts of interest were declared.

Introduction

Recent discoveries have strengthened the relationship between the distal Fallopian tube and epithelial malignancies traditionally attributed to the ovary, specifically high-grade serous carcinomas (HGSCs), the most lethal of ovarian cancers [1–3]. With these discoveries has emerged a collective effort to resolve the sequence of histological and molecular events giving rise to these

tumours in the Fallopian tube. The serous carcinogenic sequence involves not only frank malignancies with metastatic spread, but also serous cancer precursors, including latent precursors – the p53 signature – and serous tubal intraepithelial neoplasms (STINs). The latter include intramucosal carcinomas (STICs) and lesser but immunophenotypically similar atypias that are considered premalignant intraepithelial lesions (STILs) [4,5]. Virtually all serous cancer precursors

contain mutations in *TP53*, evidence of a DNA damage response (γ -H2AX^p), and predominate in the distal Fallopian tube [4]. Contiguous benign (p53 signatures) and malignant (STICs) epithelia have been documented with shared mutations in specific codons of *TP53* [4,6]. In addition, further studies have unearthed other benign epithelial alterations, termed secretory cell outgrowths (SCOUTs), that do not contain *TP53* mutations or evidence of a DNA damage response, yet share with precursors and carcinomas loss of PAX2 expression [7–9]. SCOUTs do not appear directly linked to HGSC, but have been documented at higher frequency in the normal tubes of postmenopausal women and those with HGSC [8,9]. Based on these properties, we have designated SCOUTs as ‘surrogate precursors’ and hypothesize that both SCOUTs and serous cancer precursors share properties or similar mechanisms in their pathogenesis, albeit with different potential outcomes.

The shared loss of PAX2 expression in both SCOUTs and many ‘true’ serous cancer precursors suggests that inactivation of this gene, while integral to neoplasia, has a wider range of associations and may signify a generic pathway common to epithelial cell expansion. The goals of this study were, firstly, to determine the breadth of the PAX2^{hi} immunophenotype in the Fallopian tube by examining ‘normal’ cell growth and differentiation *in vitro* and *in vivo*. Secondly, we wanted to characterize more fully the alterations in expression that typified SCOUTs by array analysis and employ a biomarker

profile to determine whether the SCOUT signature was recapitulated in STINs and HGSCs.

Materials and methods

Case material

This study was approved by the Brigham and Women’s Human Investigation Committee and involved the use of discarded fresh and archived tissues. Case material for antibody staining consisted of the following epithelia/lesions: (1) normal salpingeal epithelium ($n = 15$); (2) SCOUTs ($n = 44$) and other outgrowths such as transitional-like metaplasia [Walthard cell nests (WCNs), $n = 5$]; (3) serous tubal intraepithelial neoplasms (STINs) ($n = 18$); and (4) metastatic or invasive serous carcinomas ($n = 39$). In addition, cultured clonogenic cells from normal Fallopian tubes were examined for selected marker expression. Cases for immunohistochemistry were selected by one of us (CPC) using previously described criteria (Figure 1) [10].

Cell culture

Fimbrial tissue was obtained from discarded surgical specimens of women undergoing benign procedures. Discarded fetal oviductal tissues were obtained by parental consent under an approved IRB protocol. Disaggregated cells were cultivated onto a feeder layer




Figure 1. Entities associated with the PAX2^{hi} immunophenotype included (A) type 1 secretory cell outgrowths (SCOUTs), (B) type 2 SCOUTs, (C) Walthard cell nests, and (D) low- and (E) high- (serous tubal intraepithelial carcinoma) grade tubal intraepithelial neoplasia.

of lethally irradiated 3 T3-J2 cells in stem cell culturing media (Jackson Laboratory, scm003). Clonal analysis and *in vitro* 3D differentiation were based on previously described methods for lung epithelial stem cells [11].

Microarray and bioinformatics

In order to identify genes expressed in PAX2ⁿ epithelium, expression arrays were generated from formalin-fixed, laser-capture-micro-dissected (LCM) PAX2ⁿ SCOUTs and benign control oviductal epithelium. RNAs obtained from the LCM procedure were amplified using the Ovation FFPE WTA System, WT-Ovation Exon Module, and Encore Biotin Module (NuGEN Technologies, San Carlos, CA, USA) and hybridized onto GeneChip[®] Human Exon 1.0 ST Arrays. GeneChip operating software was used to process all the Cel files and calculate probe intensity values. To validate sample quality, hybridization ratios were calculated using Affymetrix Expression Console software. The intensity values were log₂-transformed and imported into the Partek Genomics Suite. Exons were summarized to genes and a one-way ANOVA was performed to identify differentially expressed genes. *p* values and fold change were calculated for each analysis. Heat maps were generated using Pearson's correlation and Ward's method with selected genes based on *p* value. Pathway analyses were performed using Gene Set Enrichment Analysis (GSEA) software. Candidate biomarkers were culled from these arrays and are summarized in Supplementary Table 1.

Immunohistochemistry

Immunostaining was performed with attention to the biomarkers in Supplementary Table 1, in which product information and dilutions are included. When normal-appearing epithelia were scanned for putative PAX2ⁿ secretory cells, sections were immunostained with two antibodies concurrently: PAX2, which stains non-ciliated cells, and FOXJ1, a ciliated cell marker. Antibodies to leukocyte common antigen (LCA) for CD3, as well as FASCIN, were also used to track intraepithelial lymphocytes and dendritic cells, which are normally PAX2ⁿ. Detection was completed with the Vectastain ABC kit (Cat No PK-6102; Vector Laboratories, Inc, Burlingame, CA, USA) with a liquid DAB-plus substrate kit (Cat No 00-2020). Slides were counterstained with Hematoxylin Stain 3 (Cat No CS402-1D). Antibody information is summarized in Supplementary Table 1. Reaction to antibody staining is indicated by superscripted 'p' or 'n' for positive or negative (PAX2, ALDH1, FOXJ1, etc), superscripted 'm' or 'wt' for mutated or wild type (p53), and superscripted 'nc' or 'mem' for nuclear and cytoplasmic versus membrane localization (β-catenin). Immunohistochemistry, immunofluorescence staining, and image acquisition were performed as previously described [9,11]. Proliferating clones were identified and immunostained for PAX2, PAX8, FOXJ1, Krt7, Krt5, p63, EZH2,

and Ki67. Evidence of ciliated cell differentiation was identified by immunostaining for FOXJ1 and acetylated alpha-tubulin. Basal cells were identified by Krt5 or p63 immunostaining.

Results

Histological sub-classification of SCOUTs and STINs

The lesions under study are illustrated in Figure 1. Based on previous studies, SCOUTs were subdivided into two general histological categories [8,12]. The first, designated as type 1 SCOUTs, consisted of a typical mono- or bi-phasic tubal epithelial composition with either single layers of tubal non-ciliated cells or (more commonly) a combination of non-ciliated and ciliated cells. The second, arbitrarily labelled type 2 SCOUTs, consisted of proliferations with mildly pseudostratified and closely arranged elongated fusiform nuclei, similar to endometrial epithelium, and also termed 'endometrioid' SCOUTs. Cells with ciliated differentiation (FOXJ1^p) were present, but were typically less than 30% of the cells and scattered throughout the epithelium. Walthard cell nests (WCNs), consisting of basal cell outgrowth with a squamo-transitional phenotype, were also studied because they signify another form of outgrowth derived from columnar epithelial cells, albeit metaplastic. STINs were sub-classified as previously described and contained strong p53 immunostaining and evidence of DNA damage by H2AX staining [5]. Those with mild or moderate atypia and preserved epithelial polarity were classified as low grade and are identical to lesions classified as 'STILs', 'TILTs', and atypical hyperplasia in other reports [13–15]. Those with conspicuous loss of epithelial polarity were classified as high grade, synonymous with serous tubal intraepithelial carcinoma (STIC). The latter have a 0–11% outcome risk of HGSC, based on recent studies [16–18]. The HGSC outcome risk of lower-grade STINs is unknown but presumed to be less than that of high-grade STINs.

In vitro and *in vivo* expression of PAX2 in the Fallopian tube mucosa

Cultured epithelial cells from the gynaecological tract, both in adults and at 20 weeks' gestation, were plated and colonies of clonogenic cells were characterized. The dominant immunophenotype associated with highly-proliferative clonogenic cell outgrowth was Krt7^p/PAX8^p/EZH2^p/ PAX2ⁿ/Krt5ⁿ/p63ⁿ (Figures 2A, 3A, and Supplementary Figure 2A). FOXJ1 expression indicating ciliated cell differentiation was also seen occasionally in the non-proliferative cells that were not stained positively with Ki67 (Figure 2A). To examine the differentiation ability of these cloned cells at the single-cell level, we established single-cell pedigree lines by subsequent rounds of plating and clone selection (Figure 2B). Pedigree lines of these cloned oviductal progenitor cells were differentiated

Progenitor cells in the Fallopian tube




Figure 2. *In vitro* propagation and differentiation of oviductal progenitor cells. (A) The cells cloned from fetal or adult oviduct are PAX2⁺, PAX8⁺ and occasionally express differentiation marker (FOXJ1) in non-proliferative cells (Ki67⁺). (B) Schematic diagram of pedigree cell line establishment. (C) Upper panel: representative image of fetal (20-week) oviductal progenitor cells differentiated in 3D Matrigel culture system. Lower panel: immunofluorescence image of human adult oviduct epithelium. Acetyl- α -tubulin (green) indicates ciliated cell differentiation. PAX8 (red) indicates non-ciliated cells. DAPI stains nuclei (blue). (D1) Combined staining of histological sections of normal tube with both PAX2 and FOXJ1 reveals widespread nuclear staining, except occasional lymphocytes (arrows). (D2) Occasional foci of multi-layered epithelium undergoing ciliated cell differentiation (positive nuclei) consist of some cells negative for PAX2. (D3) Tubal intraepithelial carcinoma with focal FOXJ1 staining (arrowheads) indicating ciliated cell differentiation. Circled focus of normal ciliated cells is an internal positive control.

in either an air–liquid interface (ALI) cell culture system or 3D Matrigel cultures for 10–20 days. In 3D Matrigel cultures, PAX8⁺ oviductal progenitor cells differentiated into columnar epithelium consisting of acetylated tubulin⁺/FOXJ1⁺/PAX8⁺ ciliated cells and PAX8⁺ non-ciliated cells, which resembles the human oviduct histology (Figure 2C). In the ALI culture system, a series of images of acetylated tubulin expression were taken at different time points during the differentiation and showed that the oviductal progenitor cells started to differentiate into ciliated cells at day 3 and became maturely differentiated at day 10 (Supplementary Figure 2B). At day 10 in the ALI culture system, the cloned oviductal progenitor cells formed a simple epithelium with ciliated cells marked by FOXJ1 and acetylated tubulin and non-ciliated cells marked by PAX2 (Supplementary Figure 2C). It is noteworthy that while the proliferating population is PAX2⁺ (Figure 2A), PAX2 expression was reclaimed in some non-ciliated (secretory) cells. This further indicates that the progeny of a single oviductal progenitor cell can

give rise to all epithelial lineages typically found in the oviduct, including not only mature ciliated cells but also non-ciliated (secretory) cells.

Immunostaining of both fetal and adult Fallopian tubes was performed to ascertain the distribution of PAX2-expressing cells and address the possibility that the PAX2⁺ immunophenotype was programmed earlier in development. Histological sections of fetal (at 21 weeks) and adult Fallopian tubes were examined. Fetal tubes contained an abundance of PAX2⁺ cells, with occasional interspersed ciliated cells (Supplementary Figure 1A). Expression of PAX8 was similar in distribution (Supplementary Figure 1B). Similarly, in normal adult tubes, PAX2 staining was extensive in cells that were not undergoing ciliated (tubulin⁺) differentiation (Supplementary Figure 1C). A summary of immunophenotypes for progenitor and adult cells is displayed in Supplementary Table 2.

In the adult tubes, sections were also stained with FOXJ1, and/or LCA to account for other PAX2⁺

cells that were either undergoing ciliated differentiation or were non-epithelial. Mono-layered or mildly pseudostratified normal Fallopian tube mucosa typically contained cells expressing either PAX2 or FOXJ1 (Figure 2D1). In occasional foci of prominent multi-layered epithelium with some cells staining positive with FOXJ1, loss of PAX2 nuclear staining could be seen (Figure 2D2), giving the impression that loss of PAX2 expression in non-ciliated cells was coordinated with cell growth in multi-layered epithelium. Albeit less so, FOXJ1 staining was also seen in STINs, supporting ciliated differentiation in PAX2⁺ neoplastic growth (Figure 2D3).

Metaplastic (WCNs) differentiation of PAX2⁺ columnar cells *in vitro* and *in vivo*

WCNs are foci of transitional-like metaplasia in the fimbria or adjacent peritoneal surface and are emblematic of basal cell outgrowth that can develop near the junctions

of disparate epithelial types [19]. Other sites include the gastro-oesophageal and cervical squamo-columnar junctions. Both have been designated as sites harbouring residual embryonic cells and studies of the latter have suggested that basal or reserve cells emerge from the overlying columnar cells and then undergo squamous metaplasia [20,21]. This process has been termed ‘top-down’ differentiation, ie the progeny (basal cells) emerge from beneath the progenitor population. However, no study has ever displayed this sequence *in vitro*. Fetal tubal cells propagated *in vitro* were strongly positive for both Krt7 and PAX8, in keeping with Müllerian epithelium (Figures 2A and 3A). Moreover, these progenitor cells did not express Krt5 or p63 (Figure 3A). Interestingly, when pedigree lines of these cloned oviductal progenitor cells were differentiated in 3D Matrigel cultures for 10–20 days, in addition to the typical ciliated cell differentiation (Figure 2C), subjacent p63/Krt5⁺ basal cells emerged (Figure 3B1) and expanded (Figure 3B3) in a pattern similar to that




Figure 3. *In vitro* and *in vivo* basal cell differentiation in the oviduct. (A) Colonies of Krt7⁺/Krt5⁻/p63⁻ cells from a 20-week-old fetal oviduct. (B1, B3) Single (p63, green) and multi-layered (Krt5, red) basal cell outgrowth seen in Matrigel cultures. (B2, B4) Similar basal cell growth highlighted by p63 and Krt5 in the adult fimbria. (C) Walthard cell nest in the adult tube is typically PAX2 and ALDH1 negative. Residual Krt7-positive cells (arrows) are displaced from beneath by an expanding Krt5 population.

Progenitor cells in the Fallopian tube




Figure 4. (A) Laser-captured micro-dissected SCOUTs (left) and a heat map comparison of SCOUTs and normal oviduct (right). (B) Arrays generated from PAX2ⁿ SCOUTs revealed genes differentially expressed across type 1 and type 2 SCOUTs, including ALDH1, LEF1, and RCN1 (right). (C) Coordinated expression of the above genes distinguish type 1 SCOUTs, which show membranous β-catenin localization and absent ALDH1 staining plus negative or weak staining for LEF1 and RCN1 staining (left), from type 2 SCOUTs, with nuclear and cytoplasmic β-catenin, strong ALDH1, LEF1, and RCN1 staining (right).

seen in p63/Krt5^p cells in WCNs in the adult tube (Figures 3B2 and 3B4). *In vitro*, the Krt5 and p63 immunopositive cells were superimposed, although the Krt5 staining index was higher (Supplementary Figure 2E). Analysis of WCNs in tissue sections (Figure 3C) revealed a strikingly similar pattern of growth and differentiation, arising either from beneath Krt7^p epithelial cells or in continuity with columnar epithelium typical of type 1 SCOUTs. The result was a PAX2ⁿ/ALDH1ⁿ transitional-like outgrowth that was strongly Krt5^p but stathminⁿ (not shown). Taken in the context of the *in vitro* findings, this observation further linked the PAX2ⁿ immunophenotype to cell outgrowth and a Krt7^p progenitor cell to the development of not only terminal (FOXJ1⁺) but also metaplastic (Krt5⁺) differentiation in the Fallopian tube.

Altered gene expression in PAX2ⁿ proliferations (SCOUTs, STINs, and HGSCs)

Supplementary Table 3 is a list of genes selected for analysis and found to be differentially expressed in SCOUTs relative to normal-appearing epithelium. Arrays generated from RNA extracted from formalin-fixed laser-capture micro-dissected SCOUTs yielded differentially expressed genes, illustrated in the representative heat map (Figures 4A, 4B, and Supplementary Figures 4 and 5). When stained with selected

markers, type 1 SCOUTs varied from strictly secretory to mixed secretory and ciliated, and were ALDH1ⁿ, β-catenin^{mem} and stained weakly or negative for LEF1, RCN1, RUNX2, and EZH2 (Figures 4C, 5, and Supplementary Figure 3). Type 2 SCOUTs stained variably for ciliated cell differentiation and were β-catenin^{nc} and ALDH1, LEF1, RCN1, EZH2, RUNX2 (not shown) and stathmin positive (Figures 4C, 5, and Supplementary Figure 3). Basal cell differentiation, signifying WCN development, was associated with PAX2ⁿ columnar epithelium, suggesting that this pathway of differentiation might initiate within type 1 PAX2ⁿ SCOUTs.

Figure 5 and Supplementary Figure 6 summarize the staining patterns observed in the different lesions. STINs and HGSCs shared expression of several markers with SCOUTs. Expression patterns for ALDH and β-catenin were identical to type 1 SCOUTs (ALDHⁿ and β-catenin^{mem}). In addition, like type 2 SCOUTs, there was increased staining for EZH2, stathmin, LEF1, RCN1, Krt5, and RUNX2 (not shown). Not surprisingly, no marker in this group separated STINs or HGSCs from SCOUTs. This is in contrast to other published markers such as Ki67, cyclin E, p16, and others, which are significantly more commonly expressed in STINs and HGSCs relative to benign Fallopian tube mucosa [4,5,15,22].




Figure 5. Shared expression of SCOUT markers with low- (LSTIN) and high- (HSTIN or STIC) grade serous tubal intraepithelial neoplasia and high-grade serous carcinoma (HGSC). Neoplasms (STINs, HGSCs) share with type 1 SCOUTs loss of PAX2 and ALDH1, and with type 2 SCOUTs, increased LEF1, EZH2, and stathmin and other markers (see text).

Discussion

Analysis of arrays generated from high-grade serous cancer has confirmed a transcriptome that parallels oviductal epithelium [23]. Given that these tumours are strongly positive for biomarkers (such as PAX8) typically assigned to non-ciliated (so-called secretory) cells, the assumption has been that the secretory cell is the cell of origin [1]. Levanon *et al* showed that PAX8-expressing (secretory) cells of the tube were uniquely susceptible to DNA damage imposed by irradiation, a finding that parallels similar observations in latent precursors (p53 signatures) and STINs that contain p53 mutations [5,24]. However, with the discovery of PAX2ⁿ SCOUTs and a similar PAX2ⁿ expression pattern in many STINs, it became clear that there may be a relationship between the two entities, despite the fact that SCOUTs are more ubiquitous in the Fallopian tube and do not arise in the setting of a DNA damage response and loss of p53 function. Although altered PAX2 expression has been associated with neoplasia, we hypothesized that the PAX2ⁿ immunophenotype typified a ‘generic’ series of molecular events that were the underpinning of stem cell expansion common to many proliferations.

We addressed PAX2 expression or loss in the Fallopian tube from three perspectives. The first was by analysing expression and differentiation in proliferating normal adult and fetal cells propagated *in vitro*. The second was by comparing the *in vitro* findings to expression in tissue sections from fetal and adult tubes. The third was to look for shared expression across PAX2ⁿ cells in cell proliferation and expansion (SCOUTs,

STINs, and HGSCs). We discovered that the PAX2ⁿ immunophenotype was particularly linked to *in vitro* and *in vivo* cell growth, not infrequently with an increase in EZH2 expression. Moreover, in highly clonogenic Krt7^p/FOXJ1ⁿ oviductal progenitor cells grown *in vitro*, we demonstrated for the first time that PAX2ⁿ expanding populations were capable of both ciliated (FOXJ1) and basal cell (Krt5) differentiation. This sequence of cell growth and differentiation was recapitulated in SCOUTs, STINs, and HGSCs, with progressively reduced ciliated differentiation in the type 2 SCOUTs, STINs, and HGSCs. We thus concluded that all of these entities were related to a similar progenitor cell.

The next goal was to determine if the cells involved in benign and neoplastic outgrowth shared common expression patterns and we chose to use the least proliferative lesions (SCOUTs) as the reference. One advantage of this approach is to identify events that occur prior to the more dramatic molecular changes that characterize malignancy that may have profound influences on expression. The study delineated two general groups of SCOUTs: the first (type 1) closely resembled normal tubal epithelium, histologically and in their expression profile (Figure 1D). The second (type 2) was composed of proliferations with less pronounced ciliated differentiation, many noticeably ‘endometrial’-like (Figure 1E). Accordingly, there was minimal difference in expression between type 1 SCOUTs and control epithelium, although they were consistently ALDH1ⁿ. In contrast, type 2 SCOUTs demonstrated nuclear and cytoplasmic β -catenin staining plus increased BCL2 (see ref 7), ALDH1, and Krt5 staining. This diversity in phenotype underscores the complexity of cell growth

and differentiation that can occur in the Fallopian tubes with age. Type 1 SCOUTs appear to signify very minor genomic changes, as evidenced by the similarities in transcription to normal controls. Thus, the alterations in transcription are limited to absence of ALDH1 expression. In contrast, type 2 SCOUTs, which exhibit a more divergent histology, have a common biomarker signature – stathmin, EZH2, LEF1, RCN1, and RUNX2 – that is more similar to premalignant (STINs) and malignant (HGSCs) entities in the tube (Figure 5).

A fundamental question stemming from the above observation is the relevance of the gene signature found in SCOUTs, STINs, and HGSCs to both stem cell biology and neoplasia. ALDH1 has been identified as a marker of epithelial stem cells. Its expression can be both increased or absent, the latter more typical of STINs and HGSCs [25,26]. EZH2 is a polycomb suppressor that is implicated in stem cell maintenance and regulation of differentiation. It is noteworthy that EZH2 expression typically increased in areas of cell expansion, in keeping with the coordinated suppression of PAX2 expression [27]. EZH2 is also a potential suppressor of tumour suppressor genes [28]. LEF1 is likewise expressed during lineage differentiation [29]. The function of RCN1 is less clear but this gene product is a calcium binder that is weakly expressed in renal tubular cells and up-regulated in renal cell carcinomas [30]. *RUNX2* is a gene involved in morphogenesis and osteoblastic differentiation [31]. Functions attributed to stathmin are multiple. It is a marker of P13 kinase

activation that has been linked to serous neoplasia in some studies, tumour progression and metastases in others, and regulates p53 stability in still others [32–34]. Its range of expression, including normal epithelium, SCOUTs, and STINs, is similar to that of these other markers, several of which (ALDH1, PAX2, EZH2) have also been linked to not only stem cells but also outcome or resistance to chemotherapy [35–37]. The significance of the unique β -catenin staining in type 2 SCOUTs, with a shift in distribution from the membrane to the cytoplasm and nucleus, is unclear but it is emblematic of Wnt pathway activation, and mutations in β -catenin are commonly found in endometrial and colon carcinomas [38].

Walther cell nests are a common benign condition seen in the distal Fallopian tube mucosa or the adjacent peritoneal reflection [19]. They bear a close resemblance to the cervical squamo-columnar junction, where columnar cells are undermined by p63-positive basal cells. These cells could be envisioned to either originate from the columnar epithelium or give rise to the overlying Krt7-positive epithelial cells. This study has made two novel observations. First, based on the Matrigel cell culture data, the basal cells emerge from the Krt7-positive columnar cells. Second, this process is marked by not only loss of PAX2 but also ALDH1 expression, similar to that seen in type 1 SCOUTs. The initiating cell, the Krt7^P non-ciliated epithelial cell, is remarkably similar to the cells seen in the squamo-columnar (SC) junction of the cervix from which squamous metaplasia is derived and this process is similar to so-called ‘top-down’ differentiation reported in the SC junction [21]. The fact that




Figure 6. A progenitor cell model for the Fallopian tube in which Krt7 identifies the progenitor cell and PAX2^N defines progenitor cell expansion. Expanding PAX2^N cells can differentiate into basal or ciliated cells in WCNs or type 1 SCOUTs, both of which approximate normal differentiation pathways, with loss of ALDH1 and normal or minimally increased expression of LEF1, RCN1, stathmin, and EZH2. In contrast, type 2 SCOUTs and STINs (right) share a different expression signature characterized by multiple genes, including EZH2, LEF1, RCN1, and stathmin and others, involved in a divergent pathway of progenitor cell growth.

WCNs are not considered direct precursors to malignancy is not surprising, in as much as they are terminally differentiated relative to their progenitors. This is similar to the cervix, where the progenitor cells in the SC junction are considered more vulnerable to neoplastic transformation than their metaplastic progeny [21]. What is interesting is the fact that WCNs underscore the existence of multi-potential cells in the distal Fallopian tube [12]. Given that 40–60% of HGSCs do not have a documented source (or STIN) in the Fallopian tube mucosa, coupled with the fact that a subset of HGSCs are strongly Krt5-positive, the possibility that cells involved in alternate differentiation pathways might contribute to a subset of these malignancies deserves further study (Hanamornroongruang S, Howitt BE, Crum CP, unpublished) [5,25].

Epithelia in virtually every organ (breast being a prime example) display a wide range of clonal expansions, some of which may be direct precursors to malignancy and others of which serve as risk factors for a malignant outcome. The model depicted in Figure 6 reflects a similar but novel scenario in the oviduct, with multiple categories of putative monoclonal cell outgrowth and striking similarities in expression across multiple genes between surrogate precursors and lesions that are considered premalignant or pre-metastatic. These findings emphasize the complexity of molecular and phenotypic perturbations that can take place in the Fallopian tubes during and following menopause. This complexity invites caution when considering the role (or diagnostic value) of newly discovered biomarkers as specific indicators of neoplasia. More importantly, it reveals a consistent disturbance in progenitor cell biology in keeping with a common pathway that is triggered by more than one initiating event. Thus, it introduces two approaches to cancer prevention, one directed at the initiating event and the other at the early perturbations in the pathway.

Acknowledgments

This work was supported by grants from the Department of Defense and National Cancer Institute (W81XWH-10-1-0289 and 5R21CA173190-02 to CC). We thank the Division of Gynecologic Oncology at Brigham and Women's Hospital and Dana Farber Cancer Institute for their contribution to the study, and Mei Zheng for assistance with the immunohistochemistry. We are also grateful for the support of this work by the Genome Institute of Singapore of the Agency for Science, Technology and Research, and a Bedside and Bench Grant from Singapore National Medical Research Council.

Author contribution statement

Contributions of the co-authors to design (1), data collection (2), data analysis (3), data interpretation (4), literature search (5), figures (6), and manuscript writing (7)

were as follows: GN (1–4, 6, 7); JGB (1–4, 6, 7); YY (1–3, 6); XW (2, 3); BEH (1, 2, 4, 5); MH (1–4); EY (1–3, 5); YH (2–4); MC (2–4); LW (2–4); SH (2–4); FDMcK (1, 4, 7); CPCr (1, 4, 7); and WX (1, 3, 4, 7).

Abbreviations

ALI, air–liquid interface culture; SCOUT, secretory cell outgrowth; STIN, serous tubal intraepithelial neoplasia; WCN, Walthard cell nest

References

1. Piek JM, van Diest PJ, Zweemer RP, et al. Dysplastic changes in prophylactically removed Fallopian tubes of women predisposed to developing ovarian cancer. *J Pathol* 2001; **195**: 451–456.
2. Kindelberger DW, Lee Y, Miron A, et al. Intraepithelial carcinoma of the fimbria and pelvic serous carcinoma: evidence for a causal relationship. *Am J Surg Pathol* 2007; **31**: 161–169.
3. Finch A, Shaw P, Rosen B, et al. Clinical and pathologic findings of prophylactic salpingo-oophorectomies in 159 BRCA1 and BRCA2 carriers. *Gynecol Oncol* 2006; **100**: 58–64.
4. Lee Y, Miron A, Drapkin R, et al. A candidate precursor to serous carcinoma that originates in the distal Fallopian tube. *J Pathol* 2007; **211**: 26–35. Erratum in *J Pathol* 2007; **213**: 116.
5. Crum CP, Herfs M, Ning G, et al. Through the glass darkly: intraepithelial neoplasia, top-down differentiation and the road to ovarian cancer. *J Pathol* 2013; **231**: 402–412.
6. Carlson JW, Miron A, Jarboe EA, et al. Serous tubal intraepithelial carcinoma: its potential role in primary peritoneal serous carcinoma and serous cancer prevention. *J Clin Oncol* 2008; **26**: 4160–4165.
7. Chen EY, Mehra K, Mehrad M, et al. Secretory cell outgrowth, PAX2 and serous carcinogenesis in the Fallopian tube. *J Pathol* 2010; **222**: 110–116.
8. Quick CM, Ning G, Bijron J, et al. PAX2-null secretory cell outgrowths in the oviduct and their relationship to pelvic serous cancer. *Mod Pathol* 2012; **25**: 449–455.
9. Bijron JG, Ning G, Laury AR, et al. Digital quantification of precursor frequency in the Fallopian tube and its significance. *Mod Pathol* 2012; **25**: 1654–1661.
10. Mehrad M, Ning G, Chen EY, et al. A pathologist's road map to benign, precancerous, and malignant intraepithelial proliferations in the Fallopian tube. *Adv Anat Pathol* 2010; **17**: 293–302.
11. Kumar PA, Hu Y, Yamamoto Y, et al. Distal airway stem cells yield alveoli *in vitro* and during lung regeneration following H1N1 influenza infection. *Cell* 2011; **147**: 525–538.
12. Laury AR, Ning G, Quick CM, et al. Fallopian tube correlates of ovarian serous borderline tumors. *Am J Surg Pathol* 2011; **35**: 1759–1765.
13. Vang R, Visvanathan K, Gross A, et al. Validation of an algorithm for the diagnosis of serous tubal intraepithelial carcinoma. *Int J Gynecol Pathol* 2012; **31**: 243–253.
14. Ning G, Bijron JG, Yuan J, et al. Differential expression of p-ERM, a marker of cell polarity, in benign and neoplastic oviductal epithelium. *Int J Gynecol Pathol* 2013; **32**: 345–352.
15. Lee S, Nelson G, Duan Q, et al. Precursor lesions and prognostic factors in primary peritoneal serous carcinoma. *Int J Gynecol Pathol* 2013; **32**: 547–555.
16. Wethington SL, Park KJ, Soslow RA, et al. Clinical outcome of isolated serous tubal intraepithelial carcinomas (STIC). *Int J Gynecol Cancer* 2013; **23**: 1603–1611.

17. Lowell CB, Swisher EM, Cass I, *et al.* Long term follow up of *BRCA1* and *BRCA2* mutation carriers with unsuspected neoplasia identified at risk reducing salpingo-oophorectomy. *Gynecol Oncol* 2013; **129**: 364-371.
18. Conner JR, Meserve E, Pizer E, *et al.* Outcome of unexpected adnexal neoplasia discovered during risk reduction salpingo-oophorectomy in women with germ-line *BRCA1* or *BRCA2* mutations. *Gynecol Oncol* 2014; **132**: 280-286.
19. Seidman JD, Yemelyanova A, Zaino RJ, *et al.* The Fallopian tube-peritoneal junction: a potential site of carcinogenesis. *Int J Gynecol Pathol* 2011; **30**: 4-11.
20. Wang X, Ouyang H, Yamamoto Y, *et al.* Residual embryonic cells as precursors of a Barrett's-like metaplasia. *Cell* 2011; **145**: 1023-1035.
21. Herfs M, Yamamoto Y, Laury A, *et al.* A discrete population of squamocolumnar junction cells implicated in the pathogenesis of cervical cancer. *Proc Natl Acad Sci U S A* 2012; **109**: 10516-10521.
22. Sehdev AS, Kurman RJ, Kuhn E, *et al.* Serous tubal intraepithelial carcinoma upregulates markers associated with high-grade serous carcinomas including Rsf-1 (HBXAP), cyclin E and fatty acid synthase. *Mod Pathol* 2010; **23**: 844-855.
23. Marquez RT, Baggerly KA, Patterson AP, *et al.* Patterns of gene expression in different histotypes of epithelial ovarian cancer correlate with those in normal Fallopian tube, endometrium, and colon. *Clin Cancer Res* 2005; **11**: 6116-6126.
24. Levanon K, Ng V, Piao HY, *et al.* Primary *ex vivo* cultures of human Fallopian tube epithelium as a model for serous ovarian carcinogenesis. *Oncogene* 2010; **29**: 1103-1113.
25. Deng S, Yang X, Lassus H, *et al.* Distinct expression levels and patterns of stem cell marker, aldehyde dehydrogenase isoform 1 (ALDH1), in human epithelial cancers. *PLoS One* 2010; **5**: e10277.
26. Flesken-Nikitin A, Hwang CI, Cheng CY, *et al.* Ovarian surface epithelium at the junction area contains a cancer-prone stem cell niche. *Nature* 2013; **495**: 241-245.
27. Chou RH, Yu YL, Hung MC. The roles of EZH2 in cell lineage commitment. *Am J Transl Res* 2011; **3**: 243-250.
28. Deb G, Singh AK, Gupta S. EZH2: not EZHY (easy) to deal. *Mol Cancer Res* 2014; **12**: 639-653.
29. Merrill BJ, Gat U, DasGupta R, *et al.* Tcf3 and Lef1 regulate lineage differentiation of multipotent stem cells in skin. *Genes Dev* 2001; **15**: 1688-1705.
30. Giribaldi G, Barbero G, Mandili G, *et al.* Proteomic identification of Reticulocalbin 1 as potential tumor marker in renal cell carcinoma. *J Proteomics* 2013; **91**: 385-392.
31. Yoshida T, Kanegane H, Osato M, *et al.* Functional analysis of *RUNX2* mutations in Japanese patients with cleidocranial dysplasia demonstrates novel genotype-phenotype correlations. *Am J Hum Genet* 2002; **71**: 724-738.
32. Karst AM, Levanon K, Duraisamy S, *et al.* Stathmin 1, a marker of PI3K pathway activation and regulator of microtubule dynamics, is expressed in early pelvic serous carcinomas. *Gynecol Oncol* 2011; **123**: 5-12.
33. Zheng P, Liu YX, Chen L, *et al.* Stathmin, a new target of PRL-3 identified by proteomic methods, plays a key role in progression and metastasis of colorectal cancer. *J Proteome Res* 2010; **9**: 4897-4905.
34. Sonego M, Schiappacassi M, Lovisa S, *et al.* Stathmin regulates mutant p53 stability and transcriptional activity in ovarian cancer. *EMBO Mol Med* 2014; **6**: 295.
35. Hueber PA, Waters P, Clark P, *et al.* PAX2 inactivation enhances cisplatin-induced apoptosis in renal carcinoma cells. *Kidney Int* 2006; **69**: 1139-1145.
36. Han X, Du F, Jiang L, *et al.* A2780 human ovarian cancer cells with acquired paclitaxel resistance display cancer stem cell properties. *Oncol Lett* 2013; **6**: 1295-1298.
37. Rizzo S, Hersey JM, Mellor P, *et al.* Ovarian cancer stem cell-like side populations are enriched following chemotherapy and overexpress EZH2. *Mol Cancer Ther* 2011; **10**: 325-335.
38. van der Zee M, Jia Y, Wang Y, *et al.* Alterations in Wnt- β -catenin and Pten signalling play distinct roles in endometrial cancer initiation and progression. *J Pathol* 2013; **230**: 48-58.

SUPPORTING INFORMATION ON THE INTERNET

The following supporting information may be found in the online version of this article:

Figure S1. Pax2 and acetyl-alpha-tubulin (cilia) expression in fetal and adult Fallopian tubes.

Figure S2. *In vitro* differentiation of oviduct progenitor cells.

Figure S3. Two types of PAX2⁺ SCOUTs are distinguished in these panels with β -catenin, keratin 5, and LEF1 staining.

Figure S4. Heat map comparing type 1 and type 2 SCOUTs with normal tubal epithelium and high-grade serous cancer.

Figure S5. A depiction, in tabular (A) and graphical format (B), of genes up-regulated with the two-fold change in type 2 relative to type 1 SCOUTs, several of which have been linked to STIN and HGSC.

Figure S6. H&E, p53, and PAX2 staining of cases under study (see Figure 5).

Table S1. Biomarkers selected for analysis of clonogenic cells, SCOUTs, and STINs.

Table S2. Summary of immunophenotypes in cultured progenitor cells and adult cells in tissue sections.

Table S3. Upregulated genes in Type 2 SCOUTs in comparison with Type 1 SCOUTs (3 fold and $p < 0.05$).

Cloning and variation of ground state intestinal stem cells

Xia Wang^{1*}, Yusuke Yamamoto^{1*}, Lane H. Wilson^{1,2}, Ting Zhang³, Brooke E. Howitt⁴, Melissa A. Farrow⁵, Florian Kern³, Gang Ning¹, Yue Hong¹, Chiea Chuen Khor^{3,6}, Benoit Chevalier¹, Denis Bertrand³, Lingyan Wu³, Niranjan Nagarajan³, Francisco A. Sylvester⁷, Jeffrey S. Hyams⁸, Thomas Devers⁹, Roderick Bronson¹⁰, D. Borden Lacy⁵, Khek Yu Ho¹¹, Christopher P. Crum⁴, Frank McKeon^{1,3,11,12} & Wa Xian^{1,2,4,11,12}

Stem cells of the gastrointestinal tract, pancreas, liver and other columnar epithelia collectively resist cloning in their elemental states. Here we demonstrate the cloning and propagation of highly clonogenic, ‘ground state’ stem cells of the human intestine and colon. We show that derived stem-cell pedigrees sustain limited copy number and sequence variation despite extensive serial passaging and display exquisitely precise, cell-autonomous commitment to epithelial differentiation consistent with their origins along the intestinal tract. This developmentally patterned and epigenetically maintained commitment of stem cells is likely to enforce the functional specificity of the adult intestinal tract. Using clonally derived colonic epithelia, we show that toxins A or B of the enteric pathogen *Clostridium difficile* recapitulate the salient features of pseudomembranous colitis. The stability of the epigenetic commitment programs of these stem cells, coupled with their unlimited replicative expansion and maintained clonogenicity, suggests certain advantages for their use in disease modelling and regenerative medicine.

While dominating prospective strategies for regenerative medicine, embryonic stem cells and induced pluripotent stem cells (iPSCs) face formidable challenges including risk of teratoma, complex guiding protocols for lineage specificity, and limited regenerative capacity of the lineages ultimately produced^{1–8}. The success and promise of iPSCs have largely overshadowed efforts to harness stem cells intrinsic to regenerative tissues. Green and colleagues developed methods for cloning epidermal stem cells⁹ that form a stratified epithelium upon engraftment, and these methods have been successfully applied to corneal, thymic and airway epithelia^{10–12}. However, stem cells of columnar epithelial tissues resist cloning in a manner that maintains their immaturity during proliferative expansion, and instead must be carried forward as regenerative, differentiating ‘organoids’^{13–18}. Despite their obvious potential in regenerative medicine and constant improvement¹⁹, the very low percentage of clonogenic cells in organoids limits the kinetics of their propagation as well as their utility for exploring the elemental stem cell.

The present study reports the cloning and propagation of ‘ground state’ human intestinal stem cells (ISC^{GS}). This technology offers insights into the molecular and functional features of columnar epithelial stem cells and their utility for disease modelling and regenerative medicine.

Cloning human fetal intestinal stem cells

We developed media (herein SCM-6F8) containing novel combinations of growth factors and regulators of TGF- β /BMP (transforming growth factor- β /bone morphogenetic protein), Wnt/ β -catenin, EGF (epidermal growth factor), IGF (insulin-like growth factor) and Notch

pathways^{9,20,21} that supports the maintenance of human intestinal stem cells in a highly clonogenic, ground state form. Thus single-cell suspensions of intestinal epithelia derived from 20- to 21-week-old fetal demise cases yield colonies comprised of highly immature cells in which differentiation markers can be induced by Notch suppression (Fig. 1a). Following induced differentiation via Wnt withdrawal, we were unable to recover ground state stem cells by our methods (Extended Data Fig. 1a–c).

The clonogenicity of cells in the colonies was determined by single-cell transfer to be greater than 50% (Fig. 1b). This high clonogenicity permits the rapid generation of single-cell ‘pedigree’ lines for expansion and characterization of lineage fates upon differentiation¹² (Fig. 1b). Pedigree lines of ISC^{GS} and tracheobronchial stem cells (TBSC^{GS})¹² grown for several months in culture were differentiated in air–liquid interface (ALI) cultures for 10–30 days (Fig. 1c). The ISC^{GS} formed a highly uniform, 3D serpentine pattern, whereas TBSC^{GS} produced a stratified epithelium with apically positioned ciliated and goblet cells. Histological sections of differentiated ISC^{GS} revealed a columnar epithelium of villus-like structures marked by goblet (Muc2⁺), endocrine (chromogranin A⁺), and Paneth cells and polarized villin expression (Fig. 1d; Extended Data Fig. 1d), indicating that the progeny of a single ISC^{GS} can give rise to all epithelial lineages typically found in the small intestine. Importantly, differentiation of these ground state stem cells is accomplished by exposure to an ALI rather than a removal of factors such as Wnt that maintain immaturity.

While principal component analysis (PCA) of differentially expressed genes of ground state stem cells and ALI-differentiated

¹The Jackson Laboratory for Genomic Medicine, Farmington, Connecticut 06032, USA. ²Department of Genetics and Developmental Biology, University of Connecticut Health Center, Farmington, Connecticut 06032, USA. ³Genome Institute of Singapore, Agency for Science, Technology and Research, 138672 Singapore. ⁴Department of Pathology, Brigham and Women’s Hospital, Boston, Massachusetts 02118, USA. ⁵Department of Pathology, Microbiology, and Immunology, Vanderbilt University School of Medicine, Nashville, Tennessee 37232, USA. ⁶Department of Ophthalmology, Yong Loo Lin School of Medicine, National University of Singapore, 119228 Singapore. ⁷Department of Pediatrics, Division of Gastroenterology, The University of North Carolina at Chapel Hill, Chapel Hill, North Carolina 27599, USA. ⁸Division of Digestive Diseases, Hepatology, and Nutrition, Connecticut Children’s Medical Center, Hartford, Connecticut 06106, USA. ⁹Department of Medicine, University of Connecticut Health Center, Farmington, Connecticut 06032, USA. ¹⁰Department of Microbiology and Immunobiology, Harvard Medical School, Boston, Massachusetts 02115, USA. ¹¹Department of Medicine, National University of Singapore, 119228 Singapore. ¹²Multiclonal Therapeutics, Inc., Farmington, Connecticut 06032, USA.

*These authors contributed equally to this work.




Figure 1 | Cloning stem cells from fetal intestine. **a**, Left, Sox9 expression in fetal intestine, scale bar, 25 μ m; colonies from intestine ($n = 10$ biological replicates; colonies of ISC pedigree ($n = 30$ independent experiments). Scale bar, 75 μ m. Right, ISC colonies stained with indicated antibodies. $n = 4$ technical replicates. Bottom, marker expression following Notch inhibition. $n = 4$ technical replicates. **b**, Left, ISC colony growth. Scale bar, 75 μ m. Right, clonogenicity of colony cells. $n = 3$ biological replicates. **c**, ISC and TBSC pedigrees and ALI differentiation (tubulin, green; Muc5AC, red). Scale bar, 50 μ m left, 25 μ m right top, 25 μ m bottom right; $n = 7$ biological replicates; $n = 3$ technical replicates; 3 independent experiments. **d**, ALI-differentiated ISC. Scale bar, 50 μ m. $n = 7$ biological replicates; $n = 3$ technical replicates; 3 independent experiments. H&E, haematoxylin and eosin staining. **e**, PCA using 2,158 genes (> 2 -fold, $P < 0.05$ by Student's t -test) of ISC and TBSC and corresponding ALI-differentiated epithelia. **f**, Expression heat map of markers in ISC and TBSC. Scale, -2.5 -fold (extreme blue) to $+2.5$ -fold (extreme red). $n = 3$ technical replicates.

tissue showed great divergence as expected for columnar and stratified epithelia, the gene expression profiles of undifferentiated ISC^{GS} and TBSC^{GS} differed by less than 4% (> 2.0 -fold, $P < 0.05$) (Fig. 1e). ISC^{GS} showed high expression of intestinal stem-cell markers such as OLFM4, CD133 (ref. 22), Lgr5 (ref. 23) and Lrig1 (ref. 24), whereas those from the airways had the typical stem cells markers of stratified epithelia (Krt14, Krt5 and Tp63 (ref. 11)) (Fig. 1f).

Intestinal stem cell variation

Approximately one in 2,000 cells from duodenum (I^{du}SC), jejunum (I^{je}SC) and ileum (I^{il}SC) of a 21-week-old fetal intestine form a colony (Fig. 2a). Although these colonies were morphologically indistinguishable in culture, whole-genome expression analysis of multiple pedigrees showed a consistent, region-specific signature of 24–178 genes (> 1.5 -fold, $P < 0.05$; Fig. 2b; Extended Data Fig. 2a).

After 10 days at an ALI, I^{du}SC and I^{je}SC gave rise to a finer pattern of epithelial folds than that produced by I^{il}SC (Fig. 2c). By histology, villi appear progressively more robust along the anterior–posterior axis, with I^{il}SC producing the larger villi and more numerous goblet cells (Fig. 2d, e). Interestingly, the epithelia derived from I^{du}SC expressed markers more typical of gastric epithelium (for example,




Figure 2 | Stem cells from fetal small intestine. **a**, Depiction of small intestine and clones derived from each. Scale bar, 400 μ m; $n = 3$ biological replicates. **b**, Heat map of pedigrees from duodenum (Duo), jejunum (Jeje) and ileum (Ile). **c**, Surface views of ALI cultures. Scale bar, 200 μ m; $n = 30$ technical replicates. **d**, **e**, Histological sections through ALI cultures at low (scale bar, 150 μ m) and high (scale bar, 50 μ m) magnification. **f**, Immunofluorescence on sections of ALI cultures with indicated antibodies. ECAD, E-cadherin. Scale bar, 75 μ m; $n = 3$ technical replicates. **g**, PCA map of stem cell gene expression from the three major regions of the small intestine together with their corresponding ALI-differentiated epithelia.

TFF2 and Muc5AC), consistent with duodenum's location between the stomach and the small intestine (Extended Data Fig. 2b). I^{je}SC-derived epithelium, however, expressed Muc2, consistent with intestinal epithelium (Extended Data Fig. 2c), and I^{il}SC produced an epithelium more akin to colon (Fig. 2f). The pattern of proliferation in the ALI epithelia as measured by Ki67 staining was generally confined to cells proximal to the support membrane (Fig. 2e, f). PCA mapping of gene expression revealed more divergence among ALI-differentiated tissue than among the intestinal stem cells (Fig. 2g).

Colon stem cells

We also generated single-cell pedigree lines from the ascending, transverse, and descending colon from the same 21-week fetal demise case (Fig. 3a). The variation in gene expression between the stem cells of these colonic segments was minimal with signatures of 19–28 genes (> 1.5 -fold, $P < 0.05$; Fig. 3b). As with pedigrees derived from the intestinal epithelium, those from the colon could be propagated for months without loss of clonogenicity (not shown). Differentiation of these colon pedigrees under identical ALI conditions employed for the intestinal stem cells resulted in networks of 3D, large-diameter structures (Fig. 3c). Consistently, the histology of these ALI cultures revealed patterns of broad intestinal glands dominated by goblet cells (Fig. 3d). These ALI-generated tissues showed strong staining for




Figure 3 | Stem cells of fetal colon. **a**, Depiction of colon and clones derived from each. Scale bar, 75 μ m; $n = 3$ biological replicates. AC, TC and DC, ascending, transverse and descending colon, respectively. **b**, Expression heat map of pedigrees from the three major divisions of the colon. **c**, Surface images of ALI cultures. Scale bar, 100 μ m; $n = 20$ technical replicates. **d**, Histological sections through ALI cultures of colon stem cells. Scale bar, 75 μ m. **e**, Immunofluorescence on sections through ALI cultures with indicated antibodies. Scale bar, 50 μ m. **f**, PCA map of gene expression of colon and intestine stem cells. **g**, Expression heat map of stem cells of small intestine and colon. **h**, PCA map of gene expression profiles of intestinal stem cells and their corresponding ALI-differentiated epithelia.

intestinal goblet cell marker *Muc2*, as well as polarized villin and *Krt20*, typical of differentiated colonic epithelium (Fig. 3e). And while the colonic stem cells as a group showed minor differences in gene expression (see Figure 3b), they gave rise to epithelia with more distinct gene expression profiles (Extended Data Fig. 3). PCA mapping of these expression data showed a clustering of the colon stem cells relative to the intestinal stem cells, with increasingly distant spaces occupied by stem cells of the ileum, jejunum and duodenum, respectively (Fig. 3f). This distinction in global gene expression patterns is reflected, for instance, in the differential expression of transcription factors. In particular, *ONECUT2*, *NR0B2*, *TRPS1* and *ZNF503* show relatively high expression in the small intestine stem cells, whereas those of the colon showed a bias for *Hox* genes as well as the global chromatin organizer genes *SATB1* and *SATB2* (Fig. 3g, h).

Columnar versus stratified epithelia

The expression profiles of stem cells of human intestinal tract enabled a detailed comparison with those of stratified epithelia including human epidermis, corneal epithelium, mammary gland, prostate gland and upper airway. From this analysis it is clear that stratified epithelia, all of which depend on the p53-related stem-cell marker *p63* for long-term self-renewal¹¹, occupy a distinct expression space from that of the intestinal stem cells or other columnar epithelial stem cells (Fig. 4a). A survey of genes whose expression is associated with stem cells of one of these two major classes of epithelia revealed a strong bias for *Olfm4*, *CD133* (ref. 22), *Lgr5* (ref. 23), *Nr5a2* (ref. 25), *Id2*, *Lrig1* (ref. 24), *EphB2*, *Ascl2* and *EphB3* in the intestinal stem cells, while the stratified epithelial stem cells expressed *ZNF750*, *TP63* and *KRT5* (Fig. 4b). Many of the markers differentially appearing in the intestinal stem cells, such as *Olfm4*, *Lgr5* and *Ascl2*, are not general




Figure 4 | Differential gene expression in stem cells of stratified and columnar epithelia. **a**, PCA map of stem cells of stratified epithelia (cornea, corneal epithelium; MG, mammary gland; PG, prostate gland; TBSC, tracheo-bronchial epithelial stem cells) and columnar epithelia (FTSC, fallopian tube epithelium). **b**, Gene expression in stem cells (stratified epithelia $n = 3$ technical replicates; columnar epithelia $n = 2$ technical replicates). **c**, Transcription

factors differentially expressed in TBSC and ISC. **d**, ALI-differentiated adult terminal ileum stem cells derived from endoscopic biopsy. Scale bar, 50 μ m; $n = 10$ technical replicates. **e**, PCA map of stem cells of adult terminal ileum, colon, fetal ISCs, and stratified epithelia. **f**, Stem cell markers in adult terminal ileum stem cells and TBSCs.




Figure 5 | Genomic stability of ISC in culture. **a**, Clone selection for pedigree generation. Scale bar, 200 μ m. **b**, Serial passaging of pedigrees. **c**, CNV, BAF (B allele frequency) and LRR (log R ratio) profiles of pedigrees at P5 to P20 and trisomy 12 indicated (circle). **d**, ALI-differentiated pedigree 2 at P7, P17, and P27 stained with H&E (top), Alcian blue (middle), and periodic acid Schiff (bottom). Scale bar, 100 μ m; $n = 4$ technical replicates. **e**, Clonogenicity assay revealing Rhodamine red-stained colonies grown 20 days following seeding 1,000 passaged cells. Scale bar, 10mm; $n = 3$ technical replicates. **f**, Quantification of clonogenicity at indicated passage number of ground state stem cells from jejunum ($I^{le}SC$) and ileum ($I^{le}SC$). $n = 3$ biological replicates; error bars, s.d.

columnar epithelial stem cell markers as evidenced by their absence in fallopian tube stem cells, although *Lrig1* is more highly expressed in fallopian tube stem cells than either those of the intestine or the colon (Extended Data Fig. 4a). Notably, *Bmi1*, a member of the Polycomb group (PcG) PRC1-like complex implicated in self-renewal in both haematopoietic²⁶ and as reserve cells for proliferating, *Lgr5*⁺ intestinal stem cells^{27–29}, was not differentially expressed in the cloned intestinal versus stratified epithelial stem cells. And while many of the typical markers of intestinal stem cells such as *Lgr5*, *CD44*, *Lrig1*, *EphB2* and *ASCL2* show a decrease in expression as the intestinal stem cells are differentiated in ALI cultures, *Bmi1* did not (Extended Data Fig. 4b, c). These findings suggest that we are cloning either crypt cells or so-called ‘+4’ cells that have become crypt-like in their expression patterns. We also examined transcription factors differentially expressed in ISC compared to stratified epithelial stem cells in an effort to understand the regiospecificity of commitment programs of stem cells along the intestinal tract (Fig. 4c). In addition to six transcription factors that were uniformly highly expressed in stem cells of the intestinal tract (*CREB3L1*, *Myb*, *NR5A2*, *IRF8*, *HNF4G* and *Mx2*) versus tracheobronchial stem cells, this analysis revealed limited sets of transcription factors differentially expressed in stem cells along the anterior–posterior axis of the intestinal tract that conceivably function in maintaining commitment states. For instance, and consistent with previous observations³⁰, *GATA4* and *GATA6* were expressed most strongly in the anterior portions of the intestinal tract (Fig. 4c). Significantly, the selective deletion of *GATA4*

and *GATA6* in the murine duodenum and jejunum promotes ileal properties and a detrimental phenotype^{30,31}, suggesting a role for these transcription factors in maintaining segmental identity acting at the level of the stem cell. Similarly, the requirement for *Oncut2* in the duodenum³² might be at the level of the duodenal stem cells. It is likely that analyses of cloned stem cells from the various segments of the intestinal tract will help to unravel the roles of such segment-specific transcription factors in the establishment of commitment and differentiation programs. Importantly, the overall properties of ISCs from fetal sources are conserved in those derived from endoscopic biopsies of paediatric and adult cases (Fig. 4d–f).

Genomic and lineage stability

Human embryonic stem cells and iPSC lines acquire with successive passages genomic structural variations, including some that confer a selective advantage^{33,34}. To assess the genomic stability of our ISC^{GS} , we examined copy number (CNV) and single nucleotide variation (SNV) in two independent ISC^{GS} pedigrees derived from the ileum of one fetal demise case after 50 (passage 5; P5), 100 (P10), 150 (P15), and 200 days (P20) of continuous proliferation (Fig. 5a, b). At P5, when single ISC^{GS} pedigrees can be amplified to an estimated 300 million to 75 billion cells, no chromosomal aneuploidies were detected, although one pedigree showed three interstitial deletions affecting two genes (Fig. 5c; Extended Data Fig. 5a; Supplementary Information Table 1). This low level of structural variation was maintained through passage 10, although increased by P15 and at P20 one of the pedigrees showed a frank trisomy of chromosome 12 (Fig. 5c; Extended Data Fig. 5a; Supplementary Information Table 1). A similar upward trend in CNV as a function of passage number was observed in five intestinal pedigrees (pedigrees 3–7) derived from a separate fetal demise case (Extended Data Figs 5, 6; Supplementary Information Tables 1, 2).

By exome sequencing, our original two pedigrees showed few (0–1) non-synonymous mutations through passage 10, and these increased modestly (1–2 new non-synonymous mutations) through P15 and P20 (Extended Data Fig. 5a). None of these non-synonymous mutations have been reported as driver genes in human cancers. A similar trend was observed in the five pedigrees from the second fetal demise case followed through P5 and P25. By P25 the range of non-synonymous SNVs increased to 2–10 per clone, and while not involving obvious cancer driver genes, did include genes such as *ECT2L* and *EP300* that might provide a selective growth advantage (Extended Data Fig. 5c). These data indicate that most pedigrees sustain few genomic changes within the first 100 days of proliferative expansion. By P15 and through P25, however, half the pedigrees showed evidence for aneuploidy as well as an increase in interstitial CNV and SNVs with allele frequencies nearing 0.5, suggesting the rise of an advantaged subclone. We asked how these late-passage genomic changes might affect differentiation by comparing early and late passages of pedigree 2 in ALI differentiation. By all histological criteria, including Alcian blue staining for goblet cells and intestinal marker staining, we could not distinguish the ALI-differentiated epithelia derived from P7, P17 and P27 (Fig. 5d; Extended Data Fig. 7). Similarly, we note that these intestinal stem cell pedigrees do not lose (or gain) clonogenicity when tested at P7 and P16, which remain stably above 50% (Fig. 5e, f). Lastly, we found no evidence of tumorigenicity by these ground state intestinal stem cells, including those at P25 harbouring aneuploidies, following their subcutaneous implantation to immunodeficient (NOD.Cg-Prkdc^{scid} Il2rg^{tm1Wjl}/SzJ) mice³⁵ (Extended Data Fig. 8).

Modelling *Clostridium difficile* infections

C. difficile is a Gram-positive, spore-forming bacterium and the primary cause of nosocomial diarrhoea and pseudomembranous colitis³⁶. The pathogenicity of *C. difficile* is linked to its production of two similar, high molecular weight toxins TcdA and TcdB. While together TcdA and TcdB cause fluid secretion, inflammation, and colonic




Figure 6 | *C. difficile* toxin B effects on *in vitro*-generated colonic epithelia. **a**, TcdB effects on colonic stem cell-derived epithelia. Scale bar, 100 μ m. $n = 4$ technical replicates. **b**, Tight junction protein claudin 3 (CLDN3; red) and adherens junction marker cadherin-17 (CDH17; green) in ALI colonic epithelium treated with TcdB. Scale bar, 50 μ m; $n = 4$ biological replicates. **c**, Dextran permeability assay on TcdB-treated ALI colonic epithelia. **d**, 3D plot

tissue damage, their respective and possible synergistic roles have been difficult to ascertain^{37–39}. We therefore challenged colonic epithelia derived from cloned, ground state colonic stem cells with recombinant TcdB (Fig. 6a, b; Extended Data Fig. 9a, b). At higher concentrations or longer time points there is a loss of goblet cells, disruption of the crypt architecture, cell polarity, and a specific loss of tight versus adherens junction proteins that correlates with increased dextran permeability (Fig. 6c). These dose–response changes in the ALI colonic epithelium mirror those of *C. difficile*-associated pseudomembranous colitis (Fig. 6d, Extended Data Fig. 9a, b). Microarray analysis of ALI-generated colonic epithelia following nine TcdB treatment conditions revealed alterations in gene expression in a time- and dose-dependent manner (Fig. 6e, f; Extended Data Fig. 9c–f). Pathway analysis indicated that TcdB triggers changes in gene expression related to inflammation, RhoB-mediated actin regulation, and junctional dynamics previously implicated in *C. difficile* pathology^{40,41}. In addition, this analysis revealed that *DUOX2* and *DUOX2* were consistently the two highest upregulated genes (Fig. 6e, f). These proteins form an enzyme capable of producing hydrogen peroxide and have been implicated in the inflammation of inflammatory bowel disease (IBD)⁴². Finally, we also tested *C. difficile* TcdA in our model. TcdA is reported to be a specific enterotoxin^{36,37}, and indeed we found that it triggers similar cytopathic and permeability changes in ALI models of human colonic epithelium (Extended Data Fig. 10), albeit at lower doses than those effective for TcdB. Together these findings underscore the potential of this model system to recapitulate and elucidate *C. difficile* pathology.

Discussion

Adult stem cells of the highly regenerative intestinal tract remain largely defined by metabolic, marker profiling, or lineage tracing

of histological scoring by gastrointestinal pathologist according to a standard 0–3 rating for colonic epithelial integrity. **e**, Heat map of 39 genes differentially expressed between TcdB (500 pM, 24 h) and controls (> threefold and $P < 0.05$ by Student's *t*-test). **f**, 3D plot of seven selected genes at time points and doses indicated. $n = 2$ technical replicates.

experiments *in vivo* or transplantation of cells from intestinal organoids^{23,43,44}. As stem cells comprise only a minor component of organoids—perhaps less than 1%⁴⁵—the molecular features of stem cells of columnar epithelia such as the intestinal tract have remained unclear. Therefore the selective cloning and proliferative expansion of highly clonogenic, ground state intestinal stem cells described here offers a first glimpse into the molecular properties of these cells. Our inability to convert differentiated cells to clonogenic cells supports the notion that we are cloning resident stem cells rather than somehow ‘reprogramming’ differentiated enterocytes. These resident stem cells possess robust epigenetic programs of commitment to regiospecific intestinal differentiation that are stable despite more than six months of continuous propagation. This cell-autonomous regiospecificity of stem cells along the intestinal tract argues against a unitary ‘intestinal stem cell’ or even one each for the histologically recognized segments, but rather a developmentally established spectrum of stem cells that ultimately maintains the histological and functional properties that define these segments. A heuristic deciphering of the commitment code from the regiospecific expression patterns presented here will guide parallel efforts with iPSCs to achieve appropriate lineage fates⁴⁶. Interestingly, many inductive signalling pathways and transcription factors implicated in embryonic gut formation⁴⁷ may act to reinforce commitment codes via continued expression in stem cells of the intestinal tract.

We anticipate that the ability to maintain these stem cells in their elemental state will enable the discovery of epigenetic mechanisms that underlie properties of very long-term self-renewal, exquisitely precise lineage commitment, and the intrinsically directed, self-assembly of differentiated epithelia. Although we demonstrate the potential of clonally-derived colonic epithelia to model the pathogenesis of *C. difficile* toxins, we anticipate the need to restore complexity

in the form of mesenchyme, immune cells, enteric neurons and perhaps components of the microbiome⁴⁸ to fully recapitulate disease dynamics. In particular, enteric maladies such as inflammatory bowel disease represent important medical challenges whose aetiologies most likely reside in interactions between the immune system, intestinal mucosa and intestinal flora^{49,50}. Finally, the ability to clone patient-specific, ground state stem cells from columnar epithelia via endoscopic biopsies, coupled with their orders-of-magnitude expansion kinetics over organoids, favours their use in regenerative medicine, pre-clinical trials and disease modelling.

Online Content Methods, along with any additional Extended Data display items and Source Data, are available in the online version of the paper; references unique to these sections appear only in the online paper.

Received 20 December 2014; accepted 14 April 2015.

Published online 3 June 2015.

- Tabar, V. & Studer, L. Pluripotent stem cells in regenerative medicine: challenges and recent progress. *Nature Rev. Genet.* **15**, 82–92 (2014).
- Okano, H. & Yamanaka, S. iPS cell technologies: significance and applications to CNS regeneration and disease. *Mol. Brain* **7**, 22 (2014).
- Müller, A. M. & Dzierzak, E. A. ES cells have only a limited lymphopoietic potential after adoptive transfer into mouse recipients. *Development* **118**, 1343–1351 (1993).
- Helgason, C. D., Sauvageau, G., Lawrence, H. J., Largman, C. & Humphries, R. K. Overexpression of HOXB4 enhances the hematopoietic potential of embryonic stem cells differentiated *in vitro*. *Blood* **87**, 2740–2749 (1996).
- Bonde, S., Dowden, A. M., Chan, K. M., Tabayoyong, W. B. & Zavazava, N. HOXB4 but not BMP4 confers self-renewal properties to ES-derived hematopoietic progenitor cells. *Transplantation* **86**, 1803–1809 (2008).
- Iuchi, S., Dabelsteen, S., Easley, K., Rheinwald, J. G. & Green, H. Immortalized keratinocyte lines derived from human embryonic stem cells. *Proc. Natl Acad. Sci. USA* **103**, 1792–1797 (2006).
- Amabile, G. *et al.* *In vivo* generation of transplantable human hematopoietic cells from induced pluripotent stem cells. *Blood* **121**, 1255–1264 (2013).
- Suzuki, N. *et al.* Generation of engraftable hematopoietic stem cells from induced pluripotent stem cells by way of teratoma formation. *Mol. Ther.* **21**, 1424–1431 (2013).
- Rheinwald, J. G. & Green, H. Serial cultivation of strains of human epidermal keratinocytes: the formation of keratinizing colonies from single cells. *Cell* **6**, 331–343 (1975).
- Rama, P. *et al.* Limbal stem-cell therapy and long-term corneal regeneration. *N. Engl. J. Med.* **363**, 147–155 (2010).
- Senoo, M., Pinto, F., Crum, C. P. & McKeon, F. p63 is essential for the proliferative potential of stem cells of stratified epithelia. *Cell* **129**, 523–536 (2007).
- Kumar, P. A. *et al.* Distal airway stem cells yield alveoli *in vitro* and during lung regeneration following H1N1 influenza infection. *Cell* **147**, 525–538 (2011).
- Matsuura, R. *et al.* Crucial transcription factors in endoderm and embryonic gut development are expressed in gut-like structures from mouse ES cells. *Stem Cells* **24**, 624–630 (2006).
- Sato, T. *et al.* Single Lgr5 stem cells build crypt-villus structures *in vitro* without a mesenchymal niche. *Nature* **459**, 262–265 (2009).
- Ootani, A. *et al.* Sustained *in vitro* intestinal epithelial culture within a Wnt-dependent stem cell niche. *Nature Med.* **15**, 701–706 (2009).
- Sato, T. *et al.* Paneth cells constitute the niche for Lgr5 stem cells in intestinal crypts. *Nature* **469**, 415–418 (2011).
- Fordham, R. P. *et al.* Transplantation of expanded fetal intestinal progenitors contributes to colon regeneration after injury. *Cell Stem Cell* **13**, 734–744 (2013).
- Middendorp, S. *et al.* Adult stem cells in the small intestine are intrinsically programmed with their location-specific function. *Stem Cells* **32**, 1083–1091 (2014).
- Yin, X. *et al.* Niche-independent high-purity cultures of Lgr5⁺ intestinal stem cells and their progeny. *Nature Methods* **11**, 106–112 (2014).
- Kim, K. A. *et al.* Mitogenic influence of human R-spondin1 on the intestinal epithelium. *Science* **309**, 1256–1259 (2005).
- Dreesen, O. & Brivanlou, A. H. Signaling pathways in cancer and embryonic stem cells. *Stem Cell Rev.* **3**, 7–17 (2007).
- Zhu, L. *et al.* Prominin 1 marks intestinal stem cells that are susceptible to neoplastic transformation. *Nature* **457**, 603–607 (2009).
- Barker, N. *et al.* Identification of stem cells in small intestine and colon by marker gene *Lgr5*. *Nature* **449**, 1003–1007 (2007).
- Powell, A. E. *et al.* The pan-ErbB negative regulator Lig1 is an intestinal stem cell marker that functions as a tumor suppressor. *Cell* **149**, 146–158 (2012).
- Botrugno, O. A. *et al.* Synergy between LHR-1 and beta-catenin induces G1 cyclin-mediated cell proliferation. *Mol. Cell* **15**, 499–509 (2004).
- Lessard, J. & Sauvageau, G. Bmi-1 determines the proliferative capacity of normal and leukaemic stem cells. *Nature* **423**, 255–260 (2003).
- Sangiorgi, E. & Capecchi, M. R. Bmi1 is expressed *in vivo* in intestinal stem cells. *Nature Genet.* **40**, 915–920 (2008).
- Tian, H. *et al.* A reserve stem cell population in small intestine renders Lgr5-positive cells dispensable. *Nature* **478**, 255–259 (2011).
- Metcalfe, C., Kijavini, N. M., Ybarra, R. & de Sauvage, F. J. Lgr5⁺ stem cells are indispensable for radiation-induced intestinal regeneration. *Cell Stem Cell* **14**, 149–159 (2014).
- Battle, M. A. *et al.* GATA4 is essential for jejunal function in mice. *Gastroenterology* **135**, 1676–1686 (2008).
- Walker, E. M., Thompson, C. A. & Battle, M. A. GATA4 and GATA6 regulate intestinal epithelial cytodifferentiation during development. *Dev. Biol.* **392**, 283–294 (2014).
- Dusing, M. R., Maier, E. A., Aronow, B. J. & Wiginton, D. A. Onecut-2 knockout mice fail to thrive during early postnatal period and have altered patterns of gene expression in small intestine. *Physiol. Genomics* **42**, 115–125 (2010).
- International Stem Cell Initiative. Screening ethnically diverse human embryonic stem cells identifies a chromosome 20 minimal amplicon conferring growth advantage. *Nature Biotechnol.* **29**, 1132–1144 (2011).
- Avery, S. *et al.* BCL-XL mediates the strong selective advantage of a 20q11.21 amplification commonly found in human embryonic stem cell cultures. *Stem Cell Rep.* **1**, 379–386 (2013).
- Shultz, L. D. *et al.* Human cancer growth and therapy in immunodeficient mouse models. *Cold Spring Harb. Protoc.* <http://dx.doi.org/10.1101/pdb.top073585> (2014).
- Voth, D. E. & Ballard, J. D. *Clostridium difficile* toxins: mechanism of action and role in disease. *Clin. Microbiol. Rev.* **18**, 247–263 (2005).
- Carter, G. P., Rood, J. I. & Lyras, D. The role of toxin A and toxin B in the virulence of *Clostridium difficile*. *Trends Microbiol.* **20**, 21–29 (2012).
- Lyas, D. *et al.* Toxin B is essential for virulence of *Clostridium difficile*. *Nature* **458**, 1176–1179 (2009).
- Farrow, M. A. *et al.* *Clostridium difficile* toxin B-induced necrosis is mediated by the host epithelial cell NADPH oxidase complex. *Proc. Natl Acad. Sci. USA* **110**, 18674–18679 (2013).
- Huelsbeck, J. *et al.* Upregulation of the immediate early gene product RhoB by exoenzyme C3 from *Clostridium limosum* and toxin B from *Clostridium difficile*. *Biochemistry* **46**, 4923–4931 (2007).
- Aktories, K., Schmidt, G. & Just, I. Rho GTPases as targets of bacterial protein toxins. *Biol. Chem.* **381**, 421–426 (2000).
- MacFie, T. S. *et al.* DUOX2 and DUOX2A form the predominant enzyme system capable of producing the reactive oxygen species H₂O₂ in active ulcerative colitis and are modulated by 5-aminosalicylic acid. *Inflamm. Bowel Dis.* **20**, 514–524 (2014).
- Cheng, H. & Leblond, C. P. Origin, differentiation and renewal of the four main epithelial cell types in the mouse small intestine. V. Unitarian theory of the origin of the four epithelial cell types. *Am. J. Anat.* **141**, 537–561 (1974).
- Yui, S. *et al.* Functional engraftment of colon epithelium expanded *in vitro* from a single adult Lgr5⁺ stem cell. *Nature Med.* **18**, 618–623 (2012).
- Wang, F. *et al.* Isolation and characterization of intestinal stem cells based on surface marker combinations and colony-formation assay. *Gastroenterology* **145**, 383–395 (2013).
- Watson, C. L. *et al.* An *in vivo* model of human small intestine using pluripotent stem cells. *Nature Med.* **20**, 1310–1314 (2014).
- Sheaffer, K. L. & Kaestner, K. H. Transcriptional networks in liver and intestinal development. *Cold Spring Harb. Perspect. Biol.* **4**, a008284 (2012).
- Nicholson, J. K. *et al.* Host-gut microbiota metabolic interactions. *Science* **336**, 1262–1267 (2012).
- Brandl, K. & Beutler, B. Creating diseases to understand what prevents them: genetic analysis of inflammation in the gastrointestinal tract. *Curr. Opin. Immunol.* **24**, 678–685 (2012).
- Lees, C. W., Barrett, J. C., Parkes, M. & Satsangi, J. New IBD genetics: common pathways with other diseases. *Gut* **60**, 1739–1753 (2011).

Supplementary Information is available in the online version of the paper.

Acknowledgements This work was supported by grants from Connecticut Innovations (W.X., F.M.), the Joint Council Office of the Agency for Science Technology Research Agency (A*STAR), Singapore (W.X., F.M.), the National Medical Research Council, Singapore (BNB101677A to H.K.Y., F.M., and W.X.; BNB11dec063 to N.N., F.M. and W.X.), the Department of Defense (W81XWH-10-1-0289 to C.P.C.) and the National Institute of Health (AI09575504 to D.B.L.). We thank M. LaLande, B. Lane and B. Seet for support, B. Tennent, B. Knowles and T. McLaughlin for comments on the manuscript, J. Hammer for artwork, L. Lapierre and J. Franklin for histology evaluation. We thank H. Green for advice and support.

Author Contributions Experimental design and conception were done by W.X., F.M., D.B.L., K.Y.H. and C.P.C.; X.W. cloned and differentiated the intestinal stem cells with help from L.H.W., F.K., G.N., B.E.H. and Y.H.; Y.Y., X.W. prepared the genomic and gene expression analyses together with F.K., G.N., C.C.K. and L.W.; T.Z., D.B. and N.N. performed all computational and bioinformatics work. B.H. and C.P.C. obtained fetal tissues and F.A.S., J.S.H. and T.D. provided endoscopic biopsies, and R.B. analysed the xenografts. The *C. difficile* experiments were designed and executed by B.C., L.H.W., M.A.F. and D.B.L.; W.X. and F.M. wrote the manuscript with input from all other authors.

Author Information Data sets generated for this study have been submitted to the National Center for Biotechnology Information Gene Expression Omnibus (GEO) database and the European Nucleotide Archive under accession numbers GSE66749 and SRP056402. Reprints and permissions information is available at www.nature.com/reprints. The authors declare no competing financial interests. Readers are welcome to comment on the online version of the paper. Correspondence and requests for materials should be addressed to W.X. (xianmckeon2014@gmail.com) or F.M. (mckeon.xian@gmail.com).

METHODS

In vitro culture of human small intestinal and colonic epithelial stem cells.

Intestinal tissue from 20- to 21-week-old late fetal demise cases were obtained under parent consent as de-identified material under approved institutional review board protocols at the Brigham and Women's Hospital, Boston, MA, USA (2009P002281). Terminal ileum endoscopic biopsies were obtained under informed consent and institutional review board approval at the Connecticut Children's Medical Center, Hartford, Connecticut USA (15-047-2). Fetal intestinal tissue or 1 mm endoscopic biopsies from terminal ileum were collected into cold F12 media (Gibco, USA) with 5% fetal bovine serum (HyClone, USA) and then minced by sterile scalpel into 0.2–0.5 mm³ sizes to a viscous and homogeneous appearance. The minced tissue was digested in 2 mg ml⁻¹ collagenase type IV (Gibco, USA) at 37 °C for 30–60 min with agitation. Dissociated cells were passed through a 70-µm Nylon mesh (Falcon, USA) to remove aggregates and then were washed four times in cold F12 media, and then seeded onto a feeder layer of lethally irradiated 3T3-J2 cells^{9,12} in c-FAD media⁹ modified to SCM-6F8 media by the addition of 125 ng ml⁻¹ R-spondin1 (R&D systems, USA), 1 µM Jagged-1 (AnaSpec Inc., USA), 100 ng ml⁻¹ human Noggin (Peprotech, USA), 2.5 µM Rock-inhibitor (Calbiochem, USA), 2 µM SB431542 (Cayman chemical, USA), and 10 mM nicotinamide (Sigma-Aldrich, USA). Cells were cultured at 37 °C in a 7.5% CO₂ incubator. The culture media was replaced every two days. Colonies were digested by 0.25% trypsin-EDTA solution (Gibco, USA) for 5–8 min and passaged every 7 to 10 days. To obtain single-cell suspensions colonies were trypsinized by TrypLE Express solution (Gibco, USA) for 8–15 min at 37 °C and cell suspensions were passed through 30-µm filters (Miltenyi Biotec, Germany). Approximately 20,000 epithelial cells were seeded to each well of 6-well plate. Cloning cylinder (Pyrex, USA) and high vacuum grease (Dow Corning, USA) were used to select single colonies for pedigrees. Gene expression analyses were performed on cells derived from passage 4–8 (P4–P8) cultures.

Histology and immunostaining. Histology, haematoxylin and eosin (H&E), Alcian blue, periodic acid-Schiff (PAS), rhodamine B staining, immunohistochemistry, and immunofluorescence were performed using standard techniques. For immunofluorescence and immunohistochemistry, 4% paraformaldehyde-fixed, paraffin-embedded tissue sections were subjected to antigen retrieval in citrate buffer (pH 6.0, Sigma-Aldrich, USA) at 120 °C for 20 min, and a blocking procedure was performed with 5% bovine serum albumin (BSA, Sigma-Aldrich, USA) and 0.05% Triton X-100 (Sigma-Aldrich, USA) in phosphate-buffered saline (PBS; Gibco, USA) at room temperature for 1 h. Primary antibodies used in this study and staining condition were listed in Supplementary Information Table 3. All images were captured by using the Inverted Eclipse Ti-Series (Nikon, Japan) microscope with Lumencor SOLA light engine and Andor Technology Clara Interline CCD camera and NIS-Elements Advanced Research v.4.13 software (Nikon, Japan) or LSM 780 confocal microscope (Carl Zeiss, Germany) with LSM software. Bright field cell culture images were obtained on an Eclipse TS100 microscope (Nikon, Japan) with Digital Sight DSFi1 camera (Nikon, Japan) and NIS-Elements F3.0 software (Nikon, Japan).

Stem cell differentiation. Air–liquid interface (ALI) culture of TBSCs was performed as described^{12,51}. Briefly, for ALI culture of intestinal and colonic epithelial stem cells, Transwell inserts (Corning, USA) were coated with 20% Matrigel (BD Biosciences, USA) and incubated at 37 °C for 30 min to polymerize. 200,000 irradiated 3T3-J2 cells were seeded to each transwell insert and incubated at 37 °C, 7.5% CO₂ incubator overnight. QuadroMACS Starting Kit (LS) (Miltenyi Biotec, Germany) was used to purify the stem cells by removal of feeder cells. 200,000–300,000 stem cells were seeded into each Transwell insert and cultured with SCM-6F8. At confluency (3–7 days), the apical media was removed through careful pipetting and the cultures were continued for an additional 6–12 days before analysis.

Clostridium difficile toxin treatment and epithelial permeability assay. *Clostridium difficile* toxins A and B (TcdA, TcdB) were prepared as described⁵². Intestinal stem cells were differentiated in air–liquid interface cultures as described above and treated with 100, 250, 500 pM and 10 nM TcdA or TcdB for 0, 8, 16, and 24 h). At these time points, membranes with differentiated epithelia were collected for histology and microarray analysis. 4 kDa FITC-dextran (Sigma-Aldrich, USA) was added to the apical chamber of the Transwell chambers for a final concentration of 0.5 mg ml⁻¹. Media was removed from the bottom compartment after different incubation times and fluorescence was read by fluorometer (Infinite M1000 PRO, excitation 490 nm, emission 520 nm, Tecan, USA).

Implantation of intestinal stem cells. Intestinal stem cells (1.5 million cells) from different pedigrees with 50% of Matrigel (BD Bioscience, USA) were subcutaneously implanted into female, six- to eight-week-old immunodeficient (NOD.Cg-Prkdc^{scid} Il2rg^{tm1Wjl}/Sz) mice³⁵ under IACUC approval (100533-

1115) To test spontaneous transformation of the stem cells, mice were monitored every month (up to 4 months).

RNA and genomic DNA sample preparation. For stem cell colonies, RNA was isolated using PicoPure RNA Isolation Kit (Life Technologies, USA). For ALI-differentiated epithelia, RNA was isolated using TRIzol RNA Isolation Kit (Life Technologies, USA). RNA quality (RNA integrity number, RIN) was measured by analysis Agilent 2100 Bioanalyzer and Agilent RNA 6000 Nano Kit (Agilent Technologies, USA). RNAs having a RIN > 8 were used for microarray analysis. Genomic DNA was extracted with DNeasy Blood & Tissue kit (Qiagen, Netherlands) from intestinal and colonic stem cells for CNV analysis and exome capture sequencing. For genomic DNA extraction, human intestinal and colonic stem cells were isolated from mouse 3T3 feeder layer using QuadroMACS Starting Kit (Miltenyi Biotec, Germany). Genomic DNA concentration was measured with Qubit dsDNA BR Assay Kit (Life Technologies, USA).

Expression microarray and bioinformatics. Total RNAs obtained from immature colonies and ALI-differentiated structure were used for microarray preparation with WT Pico RNA Amplification System V2 for amplification of DNA and Encore Biotin Module for fragmentation and biotin labelling (NuGEN Technologies, USA). RNA quality (RNA integrity number, RIN) was measured by analysis using an Agilent 2100 Bioanalyzer and Agilent RNA 6000 Nano Kit (Agilent Technologies, USA). RNAs having a RIN > 8 were used for microarray analysis. All samples were prepared according to manufacturer's instructions and hybridized onto GeneChip Human Exon 1.0 ST Array (Affymetrix, USA). GeneChip operating software was used to process all the Cel files and calculate probe intensity values. To validate sample quality, quality checks were conducted using Affymetrix Expression Console software. The intensity values were log₂-transformed and imported into the Partek Genomics Suite 6.6 (Partek Incorporated, USA). Exons were summarized to genes and a 1-way ANOVA was performed to identify differentially expressed genes. For two-sample statistics, *P* values were calculated by Student's *t*-test for each analysis. Unsupervised clustering and heat map generation were performed with sorted data sets by Euclidean distance based on average linkage clustering, and principal component analysis (PCA) map was conducted using all or selected probe sets by Partek Genomics Suite 6.6. Gene set enrichment analysis (GSEA)⁵³ was performed for *C. difficile* toxin B treatment. For the region-specific gene signature of small intestine and colon comparison (PD, PJ and MI for Fig. 2b and AC, TC and DC for Fig. 3b), differentially-expressed genes were selected with a cut-off value of 1.5-fold and *P* < 0.05 in each comparison (for example, (1) PD vs. PJ and (2) PD vs. MI) and then intersected genes in 2 gene lists of each comparison were taken as region-specific gene sets. In the heat maps (Fig. 2b and 3b), 3 regionspecific gene sets (PD, PJ and MI, or AC, TC and DC) were combined, and the heat maps were made with Euclidean distance based on average linkage clustering. For *C. difficile* toxin B treatment data sets, samples from indicated time points and dosages were compared with control (untreated samples). Differentially-expressed genes (two-fold upregulated and downregulated genes) were counted and plotted in 3D column plots (Extended Data Fig. 8c). In comparison of 500 pM 24 h toxin B treatment with control, 39 genes were significantly upregulated (cut-off value: 3-fold and *P* < 0.05) and a heat map (Fig. 6e) was made with 39 genes using all samples. The whole genome expression data of 500 pM 24 h toxin B treatment vs. control were applied to GSEA program to detect significantly enriched pathway in toxin B treatment. Selected pathways (from KEGG) were shown in Fig. 6d. Data sets generated for this study have been submitted to the National Center for Biotechnology Information Gene Expression Omnibus (GEO) database under accession number GSE66749.

No statistical methods were used to predetermine sample size.

Copy number variation. For copy number variation analysis of stem cell pedigrees and passage 0 pooled sample, genomic DNA samples were genotyped with HumanOmniExpress BeadChip Kit for clone 1 and 2 (passage 5, 10, 15 and 20) (Illumina, USA) and Illumina HumanOmniZhonghua BeadChip Kit for clones 3 to 7 (passage 5 and 25) following the manufacturer's instructions. Analysis of BeadChip was performed using GenomeStudio Software (Illumina, USA). Illumina high-density SNP genotyping data was converted to kilobase-resolution detection of copy number variation. CNV detected in passage 0 pooled samples are considered as germline CNVs and removed in the analysis. The data was generated by PennCNV⁵⁴. Genes within 10 kb of CNV regions are reported. The parameter is set as “-expandleft 10k” and “-expandright 10k”. Other parameters are default. Confidence score > 10 was used as a cutoff. The call rates for CNV were all greater than 99%, and two larger CNV amplification and deletion events were validated by quantitative PCR.


Exome capture sequencing. For exome capture and high-throughput sequencing for intestinal stem cells (pedigree 1 and 2), 50 ng of genomic DNA was used to perform Nextera Expanded Exome Kit (Illumina, USA). For pedigree 3 to 7, 1 µg of genomic DNA was sheared using a Covaris S1 Ultrasonicator (Covaris, USA),

end-repaired, A-tailed, and Adaptor-ligated. Exome capture was performed using a Tru-seq Exome Enrichment Kit (Illumina, USA) following the manufacturer's instructions. Multiplexed libraries were sequenced on an Illumina HiSeq sequencer using 101-bp paired-end reads. Reads were aligned to the reference genome (UCSC hg19) using Burrows Wheeler Aligner (BWA, 0.6.2)⁵⁵. PCR duplicates were removed using PICARD-1.94 (<http://picard.sourceforge.net>). The Genome Analysis Toolkit (GATK framework version 2.6.4)⁵⁶ was used to realign reads near indels and to recalibrate base quality values.

When running GATK, the minimum phred-scaled confidence threshold at which variants were called (-stand_call_conf) was 50, and the minimum phred-scaled confidence threshold at which variants were emitted (-stand_emit_conf) is 30. The criteria of GATK Variant Filtration is as follows: --clusterWindowSize 10--filterExpression "MQ0 > 4 && ((MQ0/(1.0*DP)) > 0.1)"--filterName "HARD_TO_VALIDATE"--filterExpression "DP < 5"--filterName "LowCoverage"--filterExpression "QUAL < 30"--filterName "VeryLowQual"--filterExpression "QUAL > 30 && QUAL < 50"--filterName "LowQual"--filterExpression "QD < 1.5"--filterName "LowQD"--filterExpression "FS > 150"--filterName "StrandBias". Potential mouse genomic DNA contaminant reads were detected by alignment to the mouse genome (UCSC mm10) and those containing less than 3 mismatches were removed from further analysis. SNVs were called in each sample separately using SAMtools v0.1.19⁵⁷ and GATK in the exome capture targeted regions. Variants with at least Q50 confidence, phred-scaled quality score more than 40 and coverage higher than 10 were considered as true SNVs. Variants were annotated with ANNOVAR (version 11 Feb, 2013)⁵⁸. Identical variant calls in intestinal stem cells (passage 5 and higher) when compared to passage 0 pooled samples were used to identify germline SNVs. Sanger sequencing validation was performed using primers designed with Primer3 software

version 4.0 (<http://frodo.wi.mit.edu/>). Extracted genomic DNA was amplified with titanium Taq polymerase (Clontech Laboratories, CA, USA) and purified PCR products were sequenced in the forward directions using ABI PRISM BigDye Terminator Cycle Sequencing Ready Reaction kits and an ABI PRISM 3730 Genetic Analyzer (Applied Biosystems, CA, USA). We validated by PCR and Sanger sequencing 13 of 14 non-synonymous mutations called by our sequencing efforts suggesting a false discovery rate of less than 10%. Other quality control parameters are shown in Supplementary Information Table 4.

51. Schmidt, D., Hübsch, U., Wurzer, H., Heppt, W. & Aufderheide, M. Development of an *in vitro* human nasal epithelial (HNE) cell model. *Toxicol. Lett.* **88**, 75–79 (1996).
52. Chumbler, N. M. *et al.* *Clostridium difficile* toxin B causes epithelial cell necrosis through an autoproduct-independent mechanism. *PLoS Pathog.* **8**, e1003072 (2012).
53. Subramanian, A. *et al.* Gene set enrichment analysis: a knowledge-based approach for interpreting genome-wide expression profiles. *Proc. Natl Acad. Sci. USA* **102**, 15545–15550 (2005).
54. Wang, K. *et al.* PennCNV: an integrated hidden Markov model designed for high-resolution copy number variation detection in whole-genome SNP genotyping data. *Genome Res.* **17**, 1665–1674 (2007).
55. Li, H. & Durbin, R. Fast and accurate short read alignment with Burrows-Wheeler Transform. *Bioinformatics* **25**, 1754–1760 (2009).
56. McKenna, A. *et al.* The Genome Analysis Toolkit: a MapReduce framework for analyzing next-generation DNA sequencing data. *Genome Res.* **20**, 1297–1303 (2010).
57. Li, H. *et al.* The Sequence Alignment/Map format and SAMtools. *Bioinformatics* **25**, 2078–2079 (2009).
58. Wang, K., Li, M. & Hakonarson, H. ANNOVAR: functional annotation of genetic variants from high-throughput sequencing data. *Nucleic Acids Res.* **38**, e164 (2010).



Extended Data Figure 1 | Loss of clonogenicity in differentiated ISC.


a, Schematic of ISC differentiation using either the γ -secretase inhibitor dibenzazepine (DBZ) or withdrawal of the Wnt regulator R-spondin 1 (Rspo1). ISCs were plated on day 0, DBZ added or Rspo1 removed at day 2, and colonies passaged en masse at day 7. At day 14, after 7 days of continuous growth, colonies were counted. **b**, Micrographs show immunofluorescence at day 7 colonies grown without Rspo1 or in the presence of DBZ for 5 days using antibodies to Ki67, chromogranin A (CHGA), keratin 20 (Krt20), E-cadherin (E-cad), and mucin 2 (Muc2). Scale bar, 50 μ m; $n = 4$ technical replicates. **c**, Histogram shows colony formation in each condition normalized to control ISCs. $n = 4$ biological replicates; error bars, s.d. **d**, Staining of ALI-differentiated intestinal stem cells with monoclonal antibody HD6 directed to Paneth cells. Scale bar, 50 μ m; $n = 4$ technical replicates.

a

Cell types	Gene symbol											
Du-high 133 genes	ABCB6	ABHD2	ABHD2	ACOX1	ADAM28	AHNAK	AKR1B10	ALDH3A1	ANXA1	ANXA10	ANXA5	ARHGAP24
	ARL4C	BACE2	BCAS1	BICC1	BTD	C11orf9	C4orf34	CA2	CAPG	CAPN6	CD24	CD59
	CLDN18	CNOT7	CRIP1	CTSD	CXCL17	CYP2C18	CYP3A5	CYSTM1	DNM2	DPCR1	EHF2	EPB41L1
	FAM110B	FAM177B	FAM189A2	FN1	FOSB	FSIP2	FUT9	FXD3	GALNT3	GALNT7	GNAQ	GPR87
	GPRC5B	HIPK2	HMGC52	HOXB8	HS3ST5	HSPB1	HTR1B	IL18R1	IL2RA	KCNE3	KLF4	LEPREL1
	LGMN	LPAR1	LRP1	LYPD6B	MAOB	MEIS2	METTL7A	MFSD1	MITF	MLPH	MSMB	MUC1
	MXD1	MYEOV	NDUFB1P1	NEK6	NFAT5	NKX6-3	NTRK2	OASL	P4HA1	PART1	PCDH7	PGC
	PLA2G10	PLXNA2	PP7080	PPARGC1A	PSCA	PVRIG	PXDC1	QKI	RAB27B	RBMS1	RERG	RETSAT
	RGNEF	RHBDL2	RHOBTB1	RNF128	RNF183	ROBO1	S100P	SCIN	SFTA2	SGK2	SLC16A3	SLC19A3
	SLC26A9	SLC41A2	SLC44A4	SLC45A3	SLC4A4	SLC9A1	SLC9A2	SLC9A3	SMPDL3A	SPINK1	STEAP1	SULT1C2
	SYT9	TFF1	TFF2	TFF3	TM4SF1	TPBG	TRAK1	TSHZ2	TSPAN1	TSPAN31	UGDH	VSIG1
	VSIG2											
Je-high 24 genes	BDKRB2	C2CD4A	CCR1	CHRM3	CPVL	CYP2A13	EPHB1	FAM47B	FMOD	GLDC	HSD17B7P2	IFITM3
	LGR5	ODAM	OR8J1	PHYHIP1	RTP4	SESNI	SHPK	SLC26A2	STARD13	TPH1	UNC93A	ZRSR2
	ABCB1	ABCC2	ABCG2	ACE2	ACOX2	ADH4	ADH6	AKAP7	ALDOB	ANPEP	ANXA2P2	APOB
	AREG	BTNL3	C17orf72	C1orf201	C1orf21	C3orf26	C3orf52	C4BPB	CACNA1E	CCL25	CCND2	CD52
	CDH17	CDX2	CEACAM1	CEACAM5	CELA3A	CELA3B	CHGA	CIDEA	CLCA1	CLIC5	CLRN3	CPE
	CSF1R	CYBRD1	CYP2A7	DACH1	DENND1A	DHRS11	DKK1	DMBT1	DOK3	DPP4	DSG3	DUSP5
	EFCAB4B	EGR2	EML1	EREG	F2R	FABP2	FABP6	FAM105A	FCGBP	FGF23	FITM2	FOLH1
	FRZB	GALNT8	GBA3	GCET2	GDAP1	GFOD1	GHRL	GIP	GJA1	GLS	GPA33	GSDMB
	GSTA2	GUCY2C	HEPACAM2	HHLA2	HLA-DRB1	HNF4G	HTR1D	IL18	IL2RG	IL32	INE1	IRF8
	ITLN1	JAG1	KIAA0226L	KIRREL	KLF7	KRT20	KRT33B	KRT80	L1TD1	LCT	LEAP2	LGALS2
	LGALS3	LINC00483	LOC100132099	MANBAL	MAOA	MARCH3	MARCH8	MB21D2	MEP1A	MEP1B	MICAL2	MIR17HG
	MLN	MOGAT3	MRPS18A	MUC13	MUC17	MYO1A	MYO1E	MYO7B	NABP1	NELL2	NIPAL1	NME5
	NODAL	NOX1	NPY6R	NR1H4	O3FAR1	OSR2	OSTBETA	OSTalpha	OTC	PADI2	PAPSS2	PDE10A
178 genes	PDE3A	PDP1	PI3	PLA2G12B	PLK1S1	PMP22	PRAP1	RASGRF2	RBP2	RGS2	RHOB	RNF182
	RNF217	SARM1	SATB2	SEMA3D	SEMA6D	SERTAD1	SI	SIDT1	SLC17A4	SLC2A5	SLC30A2	SLC46A3
	SLC6A20	SLC7A6	SNX10	TCEANC	TGFB1	THEM4	TM4SF20	TM6SF2	TMEM45B	TRIM36	TUBAL3	TUFT1
	UGT2B15	VTN	XDH	YAE1D1	ZG16	ZNF208	ZNF347	ZNF502	ZNF705G	ZYX		


b

Duodenum SC ALI




c

Jejunum SC ALI




Extended Data Figure 2 | Intestinal stem cell expression profiles. a, List of genes differentially expressed in ISC derived from duodenum, jejunum and ileum. These data correspond to heat map of Fig. 2b. b, Immunofluorescence labelling of ALI-differentiated ISCs from duodenum with antibodies against

Tff2, mucin 5AC, villin, E-cadherin, and mucin 2. c, Immunofluorescence labelling of ALI-differentiated epithelia from jejunum stem cells with antibodies to E-cadherin, mucin 2, villin, and mucin 5AC. Scale bar, 50 μ m; $n = 10$ technical replicates.



Extended Data Figure 3 | Differential gene expression in epithelia derived from colonic stem cells. Heat map of differentially expressed (>1.5 -fold, $P < 0.05$) genes in ALI cultures derived from stem cell pedigrees of ascending, transverse, and descending colon.



Extended Data Figure 4 | Differential gene expression across columnar and stratified epithelial stem cells. **a**, Histograms of expression microarray signal intensity of selected genes across averaged intestine and colon ISCs, stratified epithelial stem cells, and stem cells of the fallopian tube (FT). Biological replicas $n = 2-6$ (FT = 2, stratified epithelia = 3, colon, intestine = 6); error bars, s.d. **b**, Dot plot showing expression microarray data of indicated genes for stem cell pedigrees (ISC; Duo, duodenum; Jej, jejunum; Ile, ileum; AC, ascending colon; TC, transverse colon; DC, descending colon) derived from various regions of the intestinal tract before and after air-liquid interface (ALI) differentiation. Biological replicas $n = 2$ (total 12 data sets) for stem cells, technical replicas $n = 2$ for ALI. **c**, Chart of aggregate P values by Student's t -test for gene expression changes between ground state stem cells and their ALI-differentiated counterparts.

a CNVs and SNVs in 2 clones of Fetus-1

CNV	Pedigree 1				Pedigree 2			
	P5	P16	P16	P20	P5	P16	P16	P20
amp	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	9 (4)	1 (1) + Chr12 ^a
del	2 (2)	0 (0)	2 (13)	4 (13)	0 (0)	1 (1)	1 (1)	1 (1)
SNV	Not detected	Not detected	SPEF2 (ns)	SPEF2 (ns)	IL1RAP (ns)	IL1RAP (ns)	IL1RAP (ns), CMYA5 (ns)	IL1RAP (ns), CMYA5 (ns)


b Gene list for CNVs in 5 clones of Fetus-2

Genes affected by amplified region		Gene symbol	
Pedigree 3	P5	No genes	
P25		C15orf81, CADM4, IRGC, HGG, PLAUR, SRRM5, ZNF428, ZNF578, MIR196A2, SATB1	
Pedigree 4	P5	ACAP2	
P25		Chr 11 isomy	
Pedigree 5	P5	SEPSEC5	
P25		Chr 2, 7, 10 and 12 isomy	
Pedigree 6	P5	No genes	
P25		SATB1, Chr 12 isomy	
Pedigree 7	P5	No genes	
P25		LOC152225	
Genes affected by deleted region		Gene symbol	
Pedigree 3	P5	GPCRLTM7, NCK1, RIMS2	
P25		ACAP2, APBB1P, ASXL2, BMPR2, BNIP2, CFL2, FAM193A, FANCA, FARS2, FHTL, HERC1, HERC4, IL2RA, IL2RA, LUC7L2, MAPK6, MARVELD2, MIR1288, MYPN, NBEAL1, NCK1, NFAT5, PHC3, PIGL, RNF150, RNF216, RNF4, RPRGIP1, SIRT1, SKI, SLG2SF2, SNORA70B, SPPL2A, TMC07, TMEM116, TMEM22, TRPM7, WWDX, ZER	
Pedigree 4	P5	No genes	
P25		FHTL	
Pedigree 5	P5	AQB2, ARCN1, C1orf73, CLDN3, CLPTM1, GABPB2, HERC4, ITFG3, LOC401109, MLT11, NCRNA00254, PIGL, PKD1L2, PTPRJ, SIRT1, WWP2, ZNF664A	
P25		BNIP2, C1orf129, C4orf34, CBNPV, CFL2, CRYM, FANCA, GPR180, GTF2A2, IL4, KIF3A, LOC644656, MIR1288, NCK1, NCRNA00169, NFAT5, PHC3, PIGL, SNORA23, TMEM22, TRPM7, WEE1, ZNF143	
Pedigree 6	P5	ADR, ASH1L, C1orf85, OSBPL1A, PNP1, POU5F1P4, RAB39, RNF111, SAP30, SCRG1, SPPL2A, ZNF43	
P25		FHTL	
Pedigree 7	P5	No genes	
P25		FHTL	


c Gene list for SNVs in 5 clones of Fetus-2

Clone No.	Passage	Gene symbol of nonsynonymous SNV	
Pedigree 3	Passage 5	BSN	
	Passage 25	KIAA0226, APTA	
Pedigree 4	Passage 5	RBMXL1	
	Passage 25	DOCK10, CXCR7, FAM135A, CYP11B2, PTGS2, COH8, KRTAP3-5, PSMC5, BRPFC, ANKRD50	
Pedigree 5	Passage 5	No SNVs	
	Passage 25	BAI1, CACNA1B, ASUN, LRRC37A3	
Pedigree 6	Passage 5	FAM157A, KCNMA1	
	Passage 25	TMEM46, OCT3, ECEL1, ECT2L, CAMK2B, VIPR2, KCNMA1, DTX4, PVRL2	
Pedigree 7	Passage 5	No SNVs	
	Passage 25	ANKRD17, ADAMTS12, KCNHE, KIF19, KRTAP23-1, EP309	


Extended Data Figure 5 | Genes affected by CNV and SNV events in intestinal stem cell pedigrees during passaging. **a**, Summary of CNV (events (genes affected)) and non-synonymous SNV in pedigrees 1 and 2 at P5 to P20. **b**, Summary of genes altered by interstitial CNV amplifications (top) or deletions (bottom) in ISC pedigrees 3 to 7 at P5 and P25. **c**, Summary of genes sustaining non-synonymous SNV in five ISC pedigrees at P5 and P25.




Extended Data Figure 6 | Whole-genome CNV profiles for intestinal stem cell pedigrees 3–7 at P5 and P25. Regions marked by ovals represent aneuploidy.



Extended Data Figure 7 | Impact of ISC^{GS} passaging on ALI differentiation. ALI differentiation of intestinal pedigree 2 initiated from cells at the indicated passage number. As indicated, histological sections of differentiated epithelia were stained with antibodies to either E-cadherin (ECAD, green) and mucin 2 (Muc2, red), or Ki67 (green) and chromogranin A (CHGA, red). Scale bar, 75 μ m; n = 4 technical replicates.




Extended Data Figure 8 | ISC^{GS} tumorigenicity assays in immunodeficient mice. **a**, Quantification of tumour formation assessments at 4–16 weeks following subcutaneous inoculation of two million cells of the indicated ISC pedigrees at passage 6 or passage 25 at 4–16 weeks. ‘Pool’ indicates total set of clones derived from P0 ileum culture before pedigree generation. ‘Cancer cells’ refers to propagating cells from case of high-grade serous ovarian cancer. **b**, Left, histological section through site of injection of 1 million cells from pedigree 3. Right, section of injection site stained with antibody (STEM121) to human epithelial cells (brown) revealing benign cysts. Scale bar, 15 μ m.



Extended Data Figure 9 | Dose- and time-dependency of TcdB pathology in

ALI-generated colonic epithelia. **a**, Immunofluorescence localization of adherens junction marker E-cadherin and tight junction marker claudin 3 in ALI-differentiated epithelia derived from transverse colon stem cells following exposure to 100 pM TcdB for the indicated durations. $n = 4$ technical replicates. Scale bar, 100 μm . **b**, Representative H&E images of ALI cultures at indicated times and concentration of TcdB exposure. Scale bar, 250 μm ; $n = 4$ technical replicates. **c**, Gene set enrichment analysis of whole-genome expression data from colonic epithelia treated with 500pM TcdB for 24 h and control samples showing enriched KEGG pathway sets. NES, normalized enrichment score; NOM P value, nominal P value. **d**, 3D plot of upregulated genes at the indicated time points and dosages $> \text{twofold}$, $P < 0.05$. $n = 2$ technical replicates. **e**, Heat map of upregulated genes in 500 pM TcdB samples. The genes (237 genes) were chosen by cutoff values ($> \text{twofold}$, $P < 0.05$). Three time points (8, 16 and 24 h) are shown. **f**, 3D plot of downregulated genes at the indicated time points and dosages $> \text{twofold}$, $P < 0.05$. $n = 2$ technical replicates.



Extended Data Figure 10 | Dose- and time-dependency of TcdA pathology in ALI-generated colonic epithelia. **a**, Left, representative H&E images of ALI cultures at indicated times and concentration of TcdA exposure; right, immunofluorescence localization of adherens junction marker E-cadherin (ECAD; green) and mucin 2 (MUC2; red) in ALI-differentiated epithelia derived from transverse colon stem cells following incubation with 10 nM TcdA for the indicated durations. Scale bar, 100 μ m; n = 4 technical replicates. **b**, 3D plot of histological scoring of representative H&E time points and concentrations performed by a gastrointestinal pathologist according to a standard 0–3 rating for colonic epithelial integrity. **c**, Distribution of tight junction marker claudin 3 (Cldn3) and adherens junction marker (Cdh17) following treatment of ALI colonic epithelium with TcdA for the indicated times and doses. Scale bar, 50 μ m; n = 4 technical replicates. **d**, Histogram of permeability of ALI colonic epithelium (Papp) to small molecules (FD4, molecular mass 4,400 Da) following exposure to the indicated doses of TcdA for the indicated times.

AUTHOR QUERY FORM

**LIPPINCOTT
WILLIAMS AND WILKINS**

JOURNAL NAME: PAS
ARTICLE NO: AJSP_D_14_00447
QUERIES AND / OR REMARKS

QUERY NO.	Details Required	Author's Response
Q1	A running head short title was not supplied; please check if this one is suitable and, if not, please supply a short title of up to 50 characters that can be used instead.	Please see edited short title
Q2	Please confirm whether the conflict of interest statement is correct. If there are any conflicts of interest to be declared, please provide a statement to that effect.	correct.
Q3	As per style all gene names should be in italics. Please italicize all occurrences of gene names in the article.	done.
Q4	Key words included from he title page of the pdf, please confirm.	confirmed, with edits.

Evidence for a Dualistic Model of High-grade Serous Carcinoma

BRCA Mutation Status, Histology, and Tubal Intraepithelial Carcinoma

Brooke E. Howitt, MD,* Suchanan Hanamornroongruang, MD,† Douglas I. Lin, MD, PhD,*
James E. Conner, MD, PhD,* Stephanie Schulte, MD, PhD,* Neil Horowitz, MD,‡§
Christopher P. Crum, MD,* and Emily E. Meserve, MD, MPH*

Abstract: Most early adnexal carcinomas detected in asymptomatic women with germline *BRCA* mutations (*BRCA*⁺) present as serous tubal intraepithelial carcinomas (STIC). However, STICs are found in only 40% of symptomatic high-grade serous carcinomas (HGSCs) and less frequently in pseudoendometrioid variants of HGSC. Consecutive cases of untreated HGSC from *BRCA*⁺ and *BRCA*[−] women with detailed fallopian tube examination (SEE-FIM protocol) were compared. STIC status (+/−) was determined, and tumors were classified morphologically as SET (“SET”, >50% solid, pseudoendometrioid, or transitional) or classic predominate (“Classic”). SET tumors trended toward a higher frequency in *BRCA*⁺ versus *BRCA*[−] women (50% vs. 28%, *P* = 0.11), had a significantly younger mean age than those with classic HGSC in *BRCA*[−] women (mean 56.2 vs. 64.8 y, *P* = 0.04), and displayed a better clinical outcome in both groups combined (*P* = 0.024). STIC was significantly more frequent in tumors from the *BRCA*[−] cohort (66% vs. 31%, *P* = 0.017) and specifically the *BRCA*[−] tumors with classic morphology (83%) versus those with SET morphology (22%, *P* = 0.003). Overall, several covariables—histology, *BRCA* status, age, coexisting STIC, and response to therapy—define 2 categories of HGSC with differences in precursor (STIC) frequency, morphology, and outcome. We introduce a dualistic HGSC model that could shed light on the differences in frequency of STIC between symptomatic and asymptomatic

women with HGSC. This model emphasizes the need for further study of HGSC precursors to determine their relevance to the prevention of this lethal malignancy.

Key Words: fallopian tube, neoplasia, serous carcinoma, *BRCA*, endometrioid, tubal intraepithelial carcinoma, risk-reduction salpingo-oophorectomy

(*Am J Surg Pathol* 2014;00:000–000)

In the last decade, the origin of ovarian cancer has become the subject of intense study, and the distal fallopian tube has emerged as a potential origin for a significant proportion of high-grade serous carcinomas (HGSCs).^{1,2} Evidence in support of the distal fallopian tube as a site of origin has been (1) the discovery of tubal epithelial atypia in women with *BRCA1* or *BRCA2* mutations, (2) detection of high-grade serous tubal intraepithelial neoplasia (STIC) in risk-reducing salpingo-oophorectomies (RRSOs), (3) the finding of STIC in fallopian tubes of women with advanced carcinoma, and (4) identification of a credible precursor spectrum spanning both normal and neoplastic tubal mucosa.^{1,3–5} The latter has been characterized by evidence of DNA damage, p53 mutation, and progressive molecular perturbations that have been reproduced in both cell culture and animal models.^{6–8}

The percentage of HGSCs whose origins can be traced to the distal fallopian tube has increased, in part attributable to the use of sampling protocols (SEE-FIM) that more thoroughly examine the distal fallopian tube and fimbria. Identification of STIC supports, if not confirms, a tubal origin in 18% to 60% of cases of advanced or symptomatic HGSCs.² Still, in a significant percentage of cases, a tubal carcinogenic sequence has not been confirmed by detection of an intramucosal carcinoma. In contrast, when HGSCs are discovered early or in asymptomatic women (RRSO), approximately 80% coexist with STIC.^{9–11}

In recent publications, the spectrum of HGSC has been expanded to include endometrioid or endometrioid-like (pseudoendometrioid) tumors, largely because of the observation of an identical immunophenotype using p53, PTEN, and Pax2 as well as similar rates of p53 mutation.¹² Of interest, Roh et al¹³ found that the

From the *Department of Pathology, Division of Women’s and Perinatal Pathology; §Department of Obstetrics and Gynecology, Division of Gynecologic Oncology, Brigham and Women’s Hospital; ‡Dana Farber Cancer Institute, Boston MA; and †Department of Pathology, Siriraj Hospital, Mahidol University, Bangkok, Thailand. Presented at the 103rd United States and Canadian Academy of Pathology Annual Meeting in San Diego, CA.

C.P.C. and E.E.M. contributed equally.

Conflicts of Interest and Source of Funding: Supported by a grant from the Department of Defense (W81XWH-10-1-0289 to C.P.C.). The authors have disclosed that they have no significant relationships with, or financial interest in, any commercial companies pertaining to this article.

Correspondence: Christopher P. Crum, MD, Department of Pathology, Brigham and Women’s Hospital, Boston, MA 02115 (e-mail: ccrum@partners.org).

Copyright © 2014 by Lippincott Williams & Wilkins

endometrioid subset had a lower frequency of associated STIC. This finding was of borderline statistical significance but raised the possibility that certain tumor morphologies might be less likely to arise from STIC. Recently, Soslow et al¹⁴ reported that particular patterns of HGSC—differentiation, namely solid, pseudoendometrioid, and transitional (SET; Fig. 1), were seen more commonly in association with *BRCA1/2* mutations. This, combined with the observations of Roh and colleagues, suggested that endometrioid or SET histology might not only be more commonly found in women with *BRCA* mutations but paradoxically less likely to be associated with a STIC as currently described. The purpose of this study was to examine this paradox from the perspective of symptomatic malignancies in women with (*BRCA*⁺) and without (*BRCA*[−]) germline mutations in the *BRCA1* or *BRCA2* genes.

MATERIALS AND METHODS

Patient Samples and Case Selection

This study was approved by the institutional review boards at Brigham and Women's Hospital (BWH) and Dana Farber Cancer Institute (DFCI). All cases of HGSC resected at BWH from 2005 to 2013 were identified from archival records. Careful examination of the tubes and ovaries, including the SEE-FIM protocol, was performed in all cases as previously described.³ This cohort was cross-indexed with genetic testing records in the Center for Cancer Genetics and Prevention at DFCI to identify 2 cohorts of women with HGSC: those who were confirmed to have *BRCA1/2* germline mutations and those documented to be negative for these mutations. Patients who received neoadjuvant chemotherapy were excluded from this study. Between 2005 and 2013, 387




FIGURE 1. Histologic features of HGSC. Classic patterns include papillary (A), micropapillary (B), and infiltrative (C). SET patterns include solid (D), endometrioid-like (E), and transitional (F).

1 patients underwent surgery at BWH for a diagnosis of
2 HGSC. Within this group, 116 underwent germline test-
3 ing for **BRCA1** or **BRCA2** mutations. A germline mu-
4 tation in either **BRCA1** or **BRCA2** (**BRCA**⁺) was
5 detected by direct sequence analysis in 47 patients. No
6 **BRCA1** or **BRCA2** germline mutation was detected in 69
7 patients (**BRCA**⁻). Forty-one patients had undergone
8 neoadjuvant chemotherapy treatment (10 **BRCA**⁺, 31
9 **BRCA**⁻) and were excluded from the study. Slides were
10 unavailable for histologic review in 17 cases (11 **BRCA**⁺,
11 6 **BRCA**⁻). Clinical outcome data including the time to
12 last follow-up, and clinical status at last follow-up were
13 extracted from the electronic medical record.

15 **Histologic Review and Classification**

16 **Invasive Tumors**

17 Tumors were reviewed without knowledge of their
18 **BRCA** mutation status and classified as previously de-
19 scribed into the following groups by 2 coauthors (B.E.H.,
20 C.P.C.):

- 21 • *Classic Predominate HGSC Histology* (“*Classic*”):
22 > 50% of the tumor demonstrates papillary, micro-
23 papillary, or infiltrative architecture, and often desmo-
24 plastic stroma.
- 25 • *SET Predominate HGSC Histology* (“*SET*”): > 50%
26 of the tumor displays 1 or more variant features,
27 including solid growth, gland formation, and papillary
28 transitional patterns.

29 The percentage of tumor containing SET versus
30 classic histology was estimated in each case (in increments
31 of 10%).

33 **STIC Diagnosis**

34 STIC was identified and confirmed as previously
35 described.^{4,5}

37 **Statistical Analysis**

38 Age and predominant morphologic pattern were
39 compared between **BRCA**⁺ and **BRCA**⁻ women by the
40 Student *t* test and χ^2 test. Age was compared between
41 tumors with SET and classic predominant morphology by
42 the Student *t* test. Subgroup analyses of frequency of
43 STIC were performed by the Fisher exact test. Analysis of
44 survival using Kaplan-Meier curves and log rank tests
45 was performed.

47 **RESULTS**

49 **Study Population**

50 The study group comprised 26 **BRCA**⁺ cases in-
51 cluding 21 advanced (stage 3-4) and 5 early (stage 1-2)
52 carcinomas and 32 advanced **BRCA**⁻ cases, all of which
53 were evaluated by the SEE-FIM protocol. The 5 early
54 carcinomas were all identified in RRSO specimens. Table 1
55 summarizes the 2 groups.

56 In 16 (8 **BRCA**⁺ and 8 **BRCA**⁻) of the 58 cases, a
57 grossly normal-appearing portion of distal fallopian tube
58 was sampled (one half of 1 fimbriated end) for research
59 immediately after excision and before processing. In 6, a

TABLE 1. Summary of **BRCA**⁺ and **BRCA**⁻ Tumor Histology, STIC Status, and Age

	Age (y)	No. STIC ⁺ Cases (%)
BRCA ⁺ (all; n = 26)	52.9*	8 (31)
SET (n = 13)	49.7	3 (23)
Classic (n = 13)	55.4	5 (38)
BRCA ⁻ (all; n = 32)	62.5*	21 (66)
SET (n = 9)	56.2**	2 (22)***
Classic (n = 23)	64.8**	19 (83)***

**P* = 0.0007.
***P* = 0.04.
****P* = 0.003.

STIC was ultimately identified in permanent sections from
the main specimen. Ten samples taken for special studies
were from specimens in which no STIC was identified in the
permanent sections. Of these, 8 were examined by frozen
section of the banked tissue, none of which revealed a
STIC. No pathologic information was available on the re-
maining 2 samples taken for special studies.

BRCA⁺ Women With HGSC Are Significantly
Younger Than **BRCA**⁻ Women

The study group included 17 women with **BRCA1**
and 9 with **BRCA2** mutations. The mean age of **BRCA**⁺
women was 52.9 years (range 42 to 76 y) and was sig-
nificantly younger than that of the **BRCA**⁻ population
(62.5 y; range 38 to 80 y; *P* = 0.0007).

BRCA⁺ Tumors Trend Toward a Higher
Frequency of SET Morphology

Figure 2 and Table 1 summarize the comparison of
BRCA⁺ and **BRCA**⁻ patients by predominant morpho-
logic pattern. **BRCA**⁺ tumors were more likely to have
SET morphology (50%) when compared with **BRCA**⁻
tumors, of which 28% were SET predominate (*P* = 0.11).

In BRCA⁻ Tumors, SET Morphology Is Seen in
Younger Patients Compared With Those With
Classic Morphology

Within the **BRCA**⁻ cohort, tumors with SET
morphology had a younger mean age compared with
those with classic morphology (56.2 vs. 64.8 y; *P* = 0.04).
The **BRCA**⁺ patients with SET morphology tended to be
younger (mean 49.7 vs. 55.4 y), although this difference
was not statistically significant (*P* = 0.13).

SET Morphology in BRCA⁻ Tumors Is Less Likely
to be Associated With STIC

Figure 2 and Table 1 summarize and graphically
illustrate the frequency and morphology of STIC in
BRCA⁺ and **BRCA**⁻ tumors. Eight of 26 (31%)
BRCA⁺ and 21 of 32 (66%) **BRCA**⁻ tumors contained
STIC (*P* = 0.017). In the **BRCA**⁺ group, 38% and 23%
of classic and SET tumors, respectively, were associated
with STIC (*P* = 0.3). In contrast, 83% and 22% of classic
and SET **BRCA**⁻ tumors were associated with STIC,
respectively (*P* = 0.003). When both **BRCA**⁺ and
BRCA⁻ groups were combined, the frequency of STIC in




FIGURE 2. Comparison of $BRCA^{+}$ and $BRCA^{-}$ patients by predominant ($>50\%$) morphologic pattern and STIC status. Each column represents a single patient's tumor, with percent tumor demonstrating SET morphology quantified in red and classic morphology in blue.

classic and SET tumors was 67% and 23%, respectively ($P = 0.003$).

Although most STICs associated with SET tumors were morphologically indistinguishable from those with classic tumors, 1 $BRCA^{+}$ case revealed a STIC with a more solid morphology similar to that seen in the associated SET tumor (Fig. 3). The significance of this is unclear at this point.

Clinical Outcome of Tumors With SET Versus Classic Morphology

Table 2 summarizes the clinical outcome of advanced cases with SET versus classic morphology. In general, $BRCA^{+}$ patients were less likely to be dead of disease (DOD) at last clinical follow-up; however, 1 $BRCA^{+}$ patient with SET morphology who died also had widely metastatic breast carcinoma and so was excluded from this analysis. Five $BRCA^{+}$ HGSCs were early stage and detected in RRSO and were also excluded from the clinical outcome analysis. Of note, 4 of 5 (80%) early HGSCs demonstrated SET predominant morphology, whereas 1 of 5 (20%) demonstrated a predominantly classic pattern. All 5 of these $BRCA^{+}$ patients were alive without evidence of disease (ANED) at last follow-up (mean 72.5 mo; range 48.3 to 106.5 mo). Of the $BRCA^{+}$ patients with advanced disease (mean follow-up time 48.5 mo; range 6.4 to 107.2 mo), 5 of 9 (56%) patients with SET tumors were ANED, in contrast to 3 of 12 (25%) patients with classic morphology who were ANED. Within the $BRCA^{-}$ cohort (mean follow-up time 30.4 mo; range 8.5 to 55.5 mo), a favorable effect on clinical outcome was seen in patients with SET predominant tumors when compared with those

with classic morphology (1/12 [8%] DOD vs. 8/20 [40%] DOD). After combining both $BRCA^{+}$ and $BRCA^{-}$ women, SET tumors were significantly more likely to trend toward a less severe outcome ($P = 0.024$, χ^2 test for trend).

DISCUSSION

Beginning in 2000, a wealth of information has progressively linked the distal fallopian tube to the origin of HGSC by the discovery of HGSC precursors in the tubal mucosa. This has produced a paradigm shift in the field of ovarian cancer and prompted recent claims that this disease can be partially prevented by opportunistic salpingectomy. The strongest endorsement of a tubal origin has been studies of early carcinomas, which are discovered in approximately 5% to 10% of asymptomatic $BRCA^{+}$ women; 80% are associated with a tubal intraepithelial carcinoma (STIC). The distribution of disease in this early “snapshot” of HGSC was heavily weighted toward the fimbria and prompted speculation that the tube was responsible for virtually all HGSCs. However, 2 subsequent observations suggested that the pathogenesis (and possibly origin) of HGSC is more complex. First, a multitude of studies on average have detected STICs in only 40% (on average) of advanced HGSC. Second, a study showed that “endometrioid” variants of HGSC had a lower frequency of STIC (8%) than HGSC with classic morphology, albeit not significant ($P = 0.09$).¹³ Another study showed that tumors with SET morphology (solid, pseudoendometrioid, transitional) were more likely to be associated with $BRCA^{+}$ status.¹⁴ Taken together, these studies raised the possibilities that the pathway to HGSC




FIGURE 3. Histology of intraepithelial carcinoma (A, C, E) and associated invasive tumor (B, D, F) in a $BRCA^{-}$ (A and B) case and $BRCA^{+}$ (C–F) case. At higher magnification, the similarity in morphology of 1 $BRCA^{+}$ STIC (E) and associated tumor with SET morphology (F) is evident.

might be more diverse than expected, both in precursor and cell type.

This study establishes further that HGSC, in both $BRCA^{+}$ and $BRCA^{-}$ women, is not a homogenous disease.

In our study of $BRCA^{+}$ and $BRCA^{-}$ groups, we found that several variables, including histology, coexisting STIC, age, and clinical outcome segregated 2 general tumor groups. Further studies will be needed to flesh out the particulars,

TABLE 2. Clinical Outcome in Advanced HGSC by *BRCA* Status and Tumor Morphology

	<i>BRCA</i> ⁺		<i>BRCA</i> [−]	
	SET	Classic	SET	Classic
ANED	5	3	6	4
AWD	1	7	5	8
DOD	2	2	1	8
Total	9	12	12	20

SET tumors displayed a statistically significant trend toward a more favorable outcome ($P = 0.024$, χ^2 test for trend).
AWD indicates alive with evidence of disease.

but the following observations from this study—witnessed in both *BRCA*⁺ and/or *BRCA*[−] tumors—suggest >1 form of HGSC. (1) Multiple histologic patterns are observed in HGSC, and the SET pattern seems more common in *BRCA*⁺ women albeit the significance of this association varies depending on the criteria for defining SET morphology and the study population.¹⁴ (2) A significant inverse correlation exists between SET histology and STIC in *BRCA*[−] tumors. (3) SET histology in *BRCA*[−] tumors is associated with a significantly younger mean age. (4) A generally more favorable outcome exists for women with SET histology. Further study is warranted to determine whether there is a consistent association of SET histology with chemo-responsiveness and whether the SET group of HGSCs explains why *BRCA*⁺ tumors are generally more chemo-responsive.

The negative correlation between SET histology and coexisting STIC observed in both *BRCA*⁺ and *BRCA*[−] tumors in this study suggests that the differences in morphology may reflect different pathways of tumor evolution.^{13,14} First, we found that SET tumors were associated with a significantly younger mean age than classic HGSCs. Second, a recent report looking at fallopian tubes from low-

risk women who underwent surgery for benign conditions suggests that isolated STICs in asymptomatic women are more common than previously appreciated.¹⁵ Moreover, in *BRCA*⁺ women STICs in isolation confer a low risk for HGSC, and when HGSC does develop, there is a lag period of 2 to 5 years after discovery of the STIC.^{9,10} The implications are that progression from STIC to HGSC does not always occur, and when it does it may take years. The classic tumors—which have high association with STIC—fit nicely into the model proposed by Brown and Palmer¹⁶ that allows an interval of a few years between initiation of carcinogenesis and symptomatic disease, during which a defined precursor (STIC) develops and evolves. With the observed younger mean age of discovery and lower frequency of STIC, SET tumors do not fit as cleanly into this model.

Figure 4 accounts for the possibility of a second pathway to HGSC and depicts a dualistic model of tumor development in HGSC that incorporates the 2 variables of a defined precursor (STIC) and tumor histology (SET vs. classic). At one pole of this model is classic STIC, which develops and may spread, but demonstrates lag phases both from precursor to STIC and from STIC to symptomatic metastatic tumor, leading to an older average age of clinical presentation. At the other pole are SET tumors that could arise from STIC, from some other tubal precursor, or from elsewhere and become clinically apparent at a younger mean age. This admixture of 2 different tumor biologies would explain 1 prior observation, which is the rather narrow age gap between *BRCA*⁺ women with STIC versus women with more advanced disease.^{9,10}

This study separated classic and SET tumors on the basis of the assignment of the predominant histologic pattern, and it remains to be determined how this translates biologically and whether the associations seen will be reproduced and consistently reveal 2 separable entities. However, it should be emphasized that type II “ovarian” cancers (HGSCs) are increasingly being subdivided, and the notion that these tumors invariably evolve rapidly may be an oversimplification. For example, in the breast, multiple pathogenetic tumor types have emerged, with *BRCA1* disease most frequently associated with a basal (including triple negative) breast cancer phenotype and an obscure or particularly high-grade precursor that evolves rapidly.^{17,18} Another tumor phenotype, luminal A, is associated with defined precursors, develops more slowly, and as expected is more likely to be detected on screening studies.^{19–21} Additional studies are introducing dualistic classifications of HGSC in *BRCA*⁺ and *BRCA*[−] women that correlate molecular profiles with outcome.^{22,23} In parallel with arguments for multiple tumor origins, others have divided tumors prognostically into ovarian surface or tubal origin on the basis of expression signatures.^{24,25} Such studies beg the correlation of molecular pathways, tumor morphology, and outcome with closer examination of the fallopian tube and its environs to identify novel precursors to explain different biological behaviors within the spectrum of HGSC. The answers bear not only on our understanding of type II HGSCs but also on expectations both from serologic screening and prophylactic salpingectomy.




FIGURE 4. A summative model of HGSC pathogenesis with respect to clinical features (age, outcome), precursor lesion, and tumor evolution. In this model, tumor morphology in HGSC could signal a greater likelihood of a certain tumor cell origin and/or biological behavior. The classic pathway involves a STIC and possibly a protracted period from precursor to HGSC. The SET pathway evolves differently as implied by lower frequency of STIC and a younger mean age at discovery. The 2 pathways also seem to differ in terms of responsiveness to chemotherapy and PARP inhibitors.

ACKNOWLEDGMENTS

The authors thank Drs Ross Berkowitz, Michael Muto, Colleen Feltmate, and Donald Goldstein and Ursula Matulonis in the Divisions of Gynecologic Oncology at BWH and DFCI and Dr Judy Garber and Ms Elizabeth Root in the Division of Medical Oncology at the Dana Farber Cancer Institute for their contribution to the study, and Mei Zheng and Christine Lam for assistance with the histology and immunohistochemistry. Dr Hanina Hibshoosh of Columbia University provided helpful discussions regarding the comparison of fallopian tube and breast neoplasia.

REFERENCES

- Piek JM, van Diest PJ, Zweemer RP, et al. Dysplastic changes in prophylactically removed Fallopian tubes of women predisposed to developing ovarian cancer. *J Pathol*. 2001;195:451–456.
- Crum CP, Herfs M, Ning G, et al. Through the glass darkly: intraepithelial neoplasia, top-down differentiation, and the road to ovarian cancer. *J Pathol*. 2013;231:402–412.
- Kindelberger DW, Lee Y, Miron A, et al. Intraepithelial carcinoma of the fimbria and pelvic serous carcinoma: evidence for a causal relationship. *Am J Surg Pathol*. 2007;31:161–169.
- Jarboe E, Folkins A, Nucci MR, et al. Serous carcinogenesis in the fallopian tube: a descriptive classification. *Int J Gynecol Pathol*. 2008;27:1–9.
- Vang R, Visvanathan K, Gross A, et al. Validation of an algorithm for the diagnosis of serous tubal intraepithelial carcinoma. *Int J Gynecol Pathol*. 2012;31:243–253.
- Levanon K, Ng V, Piao HY, et al. Primary ex vivo cultures of human fallopian tube epithelium as a model for serous ovarian carcinogenesis. *Oncogene*. 2010;29:1103–1113.
- Perets R, Wyant GA, Muto KW, et al. Transformation of the fallopian tube secretory epithelium leads to high-grade serous ovarian cancer in Brca;Tp53;Pten models. *Cancer Cell*. 2013;24:751–765.
- Lee Y, Miron A, Drapkin R, et al. A candidate precursor to serous carcinoma that originates in the distal fallopian tube. *J Pathol*. 2007;211:26–35.
- Powell CB, Swisher EM, Cass I, et al. Long term follow up of BRCA1 and BRCA2 mutation carriers with unsuspected neoplasia identified at risk reducing salpingo-oophorectomy. *Gynecol Oncol*. 2013;129:364–371.
- Conner JR, Meserve E, Pizer E, et al. Outcome of unexpected adnexal neoplasia discovered during risk reduction salpingo-oophorectomy in women with germ-line BRCA1 or BRCA2 mutations. *Gynecol Oncol*. 2014;132:280–286.
- Gilbert L, Basso O, Sampalis J, et al. Assessment of symptomatic women for early diagnosis of ovarian cancer: results from the prospective DOVE pilot project. *Lancet Oncol*. 2012;13:285–291.
- Köbel M, Kalloger SE, Lee S, et al. Ovarian Tumor Tissue Analysis consortium. Biomarker-based ovarian carcinoma typing: a histologic investigation in the ovarian tumor tissue analysis consortium. *Cancer Epidemiol Biomarkers Prev*. 2013;22:1677–1686.
- Roh MH, Yassin Y, Miron A, et al. High-grade fimbrial-ovarian carcinomas are unified by altered p53, PTEN and PAX2 expression. *Mod Pathol*. 2010;23:1316–1324.
- Soslow RA, Han G, Park KJ, et al. Morphologic patterns associated with BRCA1 and BRCA2 genotype in ovarian carcinoma. *Mod Pathol*. 2012;25:625–636.
- Rabban JT, Garg K, Crawford B, et al. Early detection of high-grade tubal serous carcinoma in women at low risk for hereditary breast and ovarian cancer syndrome by systematic examination of fallopian tubes incidentally removed during benign surgery. *Am J Surg Pathol*. 2014;38:729–742.
- Brown PO, Palmer C. The preclinical natural history of serous ovarian cancer: defining the target for early detection. *PLoS Med*. 2009;6:e1000114.
- Anders CK, Carey LA. Biology, metastatic patterns, and treatment of patients with triple negative breast cancer. *Clin Breast Cancer*. 2009;9(suppl 2):S73–S81.
- Dabbs DJ, Chivukula M, Carter G, et al. Basal phenotype of ductal carcinoma in situ: recognition and immunohistologic profile. *Mod Pathol*. 2006;19:1506–1511.
- Kurpel S. In search of triple-negative DCIS: tumor-type dependent model of breast cancer progression from DCIS to the invasive cancer. *Tumour Biol*. 2013;34:1–7.
- Abdel-Fatah TM, Powe DG, Hodi Z, et al. Morphologic and molecular evolutionary pathways of low nuclear grade invasive breast cancers and their putative precursor lesions: further evidence to support the concept of low nuclear grade breast neoplasia family. *Am J Surg Pathol*. 2008;32:513–523.
- Turashvili G, Hayes M, Gilks B, et al. Are columnar cell lesions the earliest histologically detectable non-obligate precursor of breast cancer? *Virchows Arch*. 2008;452:589–598.
- Espinosa I, Catusas L, Canet B, et al. Gene expression analysis identifies two groups of ovarian high-grade serous carcinomas with different prognosis. *Mod Pathol*. 2011;24:846–854.
- George J, Alsop K, Etemadmoghadam D, et al. Nonequivalent gene expression and copy number alterations in high-grade serous ovarian cancers with BRCA1 and BRCA2 mutations. *Clin Cancer Res*. 2013;19:3474–3484.
- Merritt MA, Bentink S, Schwede M, et al. Gene expression signature of normal cell-of-origin predicts ovarian tumor outcomes. *PLoS One*. 2013;8:e80314.
- Auersperg N. The stem-cell profile of ovarian surface epithelium is reproduced in the oviductal fimbriae, with increased stem-cell marker density in distal parts of the fimbriae. *Int J Gynecol Pathol*. 2013;32:444–453.

The PAX2-null immunophenotype defines multiple lineages with common expression signatures in benign and neoplastic oviductal epithelium

Gang Ning,^{1†} Jonathan G Bijron,^{2†} Yusuke Yamamoto,¹ Xia Wang,¹ Brooke E Howitt,³ Michael Herfs,⁴ Eric Yang,³ Yue Hong,¹ Maxence Cornille,¹ Lingyan Wu,⁵ Suchanan Hanamornroongruang,⁶ Frank D McKeon,^{1†} Christopher P Crum^{3†*} and Wa Xian^{1,†}

¹ Jackson Laboratory for Genomic Medicine, Farmington, CT, USA

² Department of Pathology, University of Utrecht, Utrecht, The Netherlands

³ Department of Pathology, Division of Women's and Perinatal Pathology, Brigham and Women's Hospital, Boston, MA, USA

⁴ Department of Pathology, University of Liège, Liège, Belgium

⁵ Genome Institute of Singapore, A*STAR, Singapore

⁶ Department of Pathology, Siriraj Hospital, Mahidol University, Bangkok, Thailand

*Correspondence to: Christopher P Crum, Department of Pathology, Division of Women's and Perinatal Pathology, Brigham and Women's Hospital, Boston, MA, USA. e-mail: ccrum@partners.org

†Shared equal responsibility as first and senior authors.

Abstract

The oviducts contain high-grade serous cancer (HGSC) precursors (serous tubal intraepithelial neoplasia or STINs), which are γ -H2AX⁺ and TP53 mutation-positive. Although they express wild-type p53, secretory cell outgrowths (SCOUTs) are associated with older age and serous cancer; moreover, both STINs and SCOUTs share a loss of PAX2 expression (PAX2[−]). We evaluated PAX2 expression in proliferating adult and embryonic oviductal cells, normal mucosa, SCOUTs, Walthard cell nests (WCNs), STINs, and HGSCs, and the expression of genes chosen empirically or from SCOUT expression arrays. Clones generated *in vitro* from embryonic gynaecological tract and adult Fallopian tube were Krt7⁺/PAX2[−]/EZH2⁺ and underwent ciliated (PAX2[−]/EZH2[−]/FOXJ1⁺) and basal (Krt7[−]/EZH2[−]/Krt5⁺) differentiation. Similarly, non-ciliated cells in normal mucosa were PAX2⁺ but became PAX2[−] in multi-layered epithelium undergoing ciliated or basal (WCN) cell differentiation. PAX2[−] SCOUTs fell into two groups: type 1 were secretory or secretory/ciliated with a 'tubal' phenotype and were ALDH1[−] and β -catenin^{mem} (membraneous only). Type 2 displayed a columnar to pseudostratified (endometrioid) phenotype, with an EZH2⁺, ALDH1⁺, β -catenin^{nc} (nuclear and cytoplasmic), stathmin⁺, LEF1⁺, RCN1⁺, and RUNX2⁺ expression signature. STINs and HGSCs shared the type 1 immunophenotype of PAX2[−], ALDH1[−], β -catenin^{mem}, but highly expressed EZH2⁺, LEF1⁺, RCN1⁺, and stathmin⁺. This study, for the first time, links PAX2[−] with proliferating fetal and adult oviductal cells undergoing basal and ciliated differentiation and shows that this expression state is maintained in SCOUTs, STINs, and HGSCs. All three entities can demonstrate a consistent perturbation of genes involved in potential tumour suppressor gene silencing (EZH2), transcriptional regulation (LEF1), regulation of differentiation (RUNX2), calcium binding (RCN1), and oncogenesis (stathmin). This shared expression signature between benign and neoplastic entities links normal progenitor cell expansion to abnormal and neoplastic outgrowth in the oviduct and exposes a common pathway that could be a target for early prevention.

Copyright © 2014 Pathological Society of Great Britain and Ireland. Published by John Wiley & Sons, Ltd.

Keywords: Fallopian tube; serous carcinoma; stem cell; PAX2; ALDH1

Received 29 May 2014; Revised 24 July 2014; Accepted 29 July 2014

No conflicts of interest were declared.

Introduction

Recent discoveries have strengthened the relationship between the distal Fallopian tube and epithelial malignancies traditionally attributed to the ovary, specifically high-grade serous carcinomas (HGSCs), the most lethal of ovarian cancers [1–3]. With these discoveries has emerged a collective effort to resolve the sequence of histological and molecular events giving rise to these

tumours in the Fallopian tube. The serous carcinogenic sequence involves not only frank malignancies with metastatic spread, but also serous cancer precursors, including latent precursors – the p53 signature – and serous tubal intraepithelial neoplasms (STINs). The latter include intramucosal carcinomas (STICs) and lesser but immunophenotypically similar atypias that are considered premalignant intraepithelial lesions (STILs) [4,5]. Virtually all serous cancer precursors

contain mutations in *TP53*, evidence of a DNA damage response (γ -H2AX^p), and predominate in the distal Fallopian tube [4]. Contiguous benign (p53 signatures) and malignant (STICs) epithelia have been documented with shared mutations in specific codons of *TP53* [4,6]. In addition, further studies have unearthed other benign epithelial alterations, termed secretory cell outgrowths (SCOUTs), that do not contain *TP53* mutations or evidence of a DNA damage response, yet share with precursors and carcinomas loss of PAX2 expression [7–9]. SCOUTs do not appear directly linked to HGSC, but have been documented at higher frequency in the normal tubes of postmenopausal women and those with HGSC [8,9]. Based on these properties, we have designated SCOUTs as ‘surrogate precursors’ and hypothesize that both SCOUTs and serous cancer precursors share properties or similar mechanisms in their pathogenesis, albeit with different potential outcomes.

The shared loss of PAX2 expression in both SCOUTs and many ‘true’ serous cancer precursors suggests that inactivation of this gene, while integral to neoplasia, has a wider range of associations and may signify a generic pathway common to epithelial cell expansion. The goals of this study were, firstly, to determine the breadth of the PAX2ⁿ immunophenotype in the Fallopian tube by examining ‘normal’ cell growth and differentiation *in vitro* and *in vivo*. Secondly, we wanted to characterize more fully the alterations in expression that typified SCOUTs by array analysis and employ a biomarker

profile to determine whether the SCOUT signature was recapitulated in STINs and HGSCs.

Materials and methods

Case material

This study was approved by the Brigham and Women’s Human Investigation Committee and involved the use of discarded fresh and archived tissues. Case material for antibody staining consisted of the following epithelia/lesions: (1) normal salpingeal epithelium ($n=15$); (2) SCOUTs ($n=44$) and other outgrowths such as transitional-like metaplasia [Walthard cell nests (WCNs), $n=5$]; (3) serous tubal intraepithelial neoplasms (STINs) ($n=18$); and (4) metastatic or invasive serous carcinomas ($n=39$). In addition, cultured clonogenic cells from normal Fallopian tubes were examined for selected marker expression. Cases for immunohistochemistry were selected by one of us (CPC) using previously described criteria (Figure 1) [10].

Cell culture

Fimbrial tissue was obtained from discarded surgical specimens of women undergoing benign procedures. Discarded fetal oviductal tissues were obtained by parental consent under an approved IRB protocol. Disaggregated cells were cultivated onto a feeder layer




Figure 1. Entities associated with the PAX2ⁿ immunophenotype included (A) type 1 secretory cell outgrowths (SCOUTs), (B) type 2 SCOUTs, (C) Walthard cell nests, and (D) low- and (E) high- (serous tubal intraepithelial carcinoma) grade tubal intraepithelial neoplasia.

of lethally irradiated 3 T3-J2 cells in stem cell culturing media (Jackson Laboratory, scm003). Clonal analysis and *in vitro* 3D differentiation were based on previously described methods for lung epithelial stem cells [11].

Microarray and bioinformatics

In order to identify genes expressed in PAX2ⁿ epithelium, expression arrays were generated from formalin-fixed, laser-capture-micro-dissected (LCM) PAX2ⁿ SCOUTs and benign control oviductal epithelium. RNAs obtained from the LCM procedure were amplified using the Ovation FFPE WTA System, WT-Ovation Exon Module, and Encore Biotin Module (NuGEN Technologies, San Carlos, CA, USA) and hybridized onto GeneChip® Human Exon 1.0 ST Arrays. GeneChip operating software was used to process all the Cel files and calculate probe intensity values. To validate sample quality, hybridization ratios were calculated using Affymetrix Expression Console software. The intensity values were log₂-transformed and imported into the Partek Genomics Suite. Exons were summarized to genes and a one-way ANOVA was performed to identify differentially expressed genes. *p* values and fold change were calculated for each analysis. Heat maps were generated using Pearson's correlation and Ward's method with selected genes based on *p* value. Pathway analyses were performed using Gene Set Enrichment Analysis (GSEA) software. Candidate biomarkers were culled from these arrays and are summarized in Supplementary Table 1.

Immunohistochemistry

Immunostaining was performed with attention to the biomarkers in Supplementary Table 1, in which product information and dilutions are included. When normal-appearing epithelia were scanned for putative PAX2ⁿ secretory cells, sections were immunostained with two antibodies concurrently: PAX2, which stains non-ciliated cells, and FOXJ1, a ciliated cell marker. Antibodies to leukocyte common antigen (LCA) for CD3, as well as FASCIN, were also used to track intraepithelial lymphocytes and dendritic cells, which are normally PAX2ⁿ. Detection was completed with the Vectastain ABC kit (Cat No PK-6102; Vector Laboratories, Inc, Burlingame, CA, USA) with a liquid DAB-plus substrate kit (Cat No 00-2020). Slides were counterstained with Hematoxylin Stain 3 (Cat No CS402-1D). Antibody information is summarized in Supplementary Table 1. Reaction to antibody staining is indicated by superscripted 'p' or 'n' for positive or negative (PAX2, ALDH1, FOXJ1, etc), superscripted 'm' or 'wt' for mutated or wild type (p53), and superscripted 'nc' or 'mem' for nuclear and cytoplasmic versus membrane localization (β-catenin). Immunohistochemistry, immunofluorescence staining, and image acquisition were performed as previously described [9,11]. Proliferating clones were identified and immunostained for PAX2, PAX8, FOXJ1, Krt7, Krt5, p63, EZH2,

and Ki67. Evidence of ciliated cell differentiation was identified by immunostaining for FOXJ1 and acetylated alpha-tubulin. Basal cells were identified by Krt5 or p63 immunostaining.

Results

Histological sub-classification of SCOUTs and STINs

The lesions under study are illustrated in Figure 1. Based on previous studies, SCOUTs were subdivided into two general histological categories [8,12]. The first, designated as type 1 SCOUTs, consisted of a typical mono- or bi-phasic tubal epithelial composition with either single layers of tubal non-ciliated cells or (more commonly) a combination of non-ciliated and ciliated cells. The second, arbitrarily labelled type 2 SCOUTs, consisted of proliferations with mildly pseudostratified and closely arranged elongated fusiform nuclei, similar to endometrial epithelium, and also termed 'endometrioid' SCOUTs. Cells with ciliated differentiation (FOXJ1^p) were present, but were typically less than 30% of the cells and scattered throughout the epithelium. Walthard cell nests (WCNs), consisting of basal cell outgrowth with a squamo-transitional phenotype, were also studied because they signify another form of outgrowth derived from columnar epithelial cells, albeit metaplastic. STINs were sub-classified as previously described and contained strong p53 immunostaining and evidence of DNA damage by H2AX staining [5]. Those with mild or moderate atypia and preserved epithelial polarity were classified as low grade and are identical to lesions classified as 'STILs', 'TILTs', and atypical hyperplasia in other reports [13–15]. Those with conspicuous loss of epithelial polarity were classified as high grade, synonymous with serous tubal intraepithelial carcinoma (STIC). The latter have a 0–11% outcome risk of HGSC, based on recent studies [16–18]. The HGSC outcome risk of lower-grade STINs is unknown but presumed to be less than that of high-grade STINs.

In vitro and *in vivo* expression of PAX2 in the Fallopian tube mucosa

Cultured epithelial cells from the gynaecological tract, both in adults and at 20 weeks' gestation, were plated and colonies of clonogenic cells were characterized. The dominant immunophenotype associated with highly-proliferative clonogenic cell outgrowth was Krt7^p/PAX8^p/EZH2^p/PAX2ⁿ/Krt5ⁿ/p63ⁿ (Figures 2A, 3A, and Supplementary Figure 2A). FOXJ1 expression indicating ciliated cell differentiation was also seen occasionally in the non-proliferative cells that were not stained positively with Ki67 (Figure 2A). To examine the differentiation ability of these cloned cells at the single-cell level, we established single-cell pedigree lines by subsequent rounds of plating and clone selection (Figure 2B). Pedigree lines of these cloned oviductal progenitor cells were differentiated




Figure 2. *In vitro* propagation and differentiation of oviductal progenitor cells. (A) The cells cloned from fetal or adult oviduct are PAX2⁺, PAX8⁺ and occasionally express differentiation marker (FOXJ1) in non-proliferative cells (Ki67⁺). (B) Schematic diagram of pedigree cell line establishment. (C) Upper panel: representative image of fetal (20-week) oviductal progenitor cells differentiated in 3D Matrigel culture system. Lower panel: immunofluorescence image of human adult oviduct epithelium. Acetyl- α -tubulin (green) indicates ciliated cell differentiation. PAX8 (red) indicates non-ciliated cells. DAPI stains nuclei (blue). (D1) Combined staining of histological sections of normal tube with both PAX2 and FOXJ1 reveals widespread nuclear staining, except occasional lymphocytes (arrows). (D2) Occasional foci of multi-layered epithelium undergoing ciliated cell differentiation (positive nuclei) consist of some cells negative for PAX2. (D3) Tubal intraepithelial carcinoma with focal FOXJ1 staining (arrowheads) indicating ciliated cell differentiation. Circled focus of normal ciliated cells is an internal positive control.

in either an air–liquid interface (ALI) cell culture system or 3D Matrigel cultures for 10–20 days. In 3D Matrigel cultures, PAX8⁺ oviductal progenitor cells differentiated into columnar epithelium consisting of acetylated tubulin⁺/FOXJ1⁺/PAX8⁺ ciliated cells and PAX8⁺ non-ciliated cells, which resembles the human oviduct histology (Figure 2C). In the ALI culture system, a series of images of acetylated tubulin expression were taken at different time points during the differentiation and showed that the oviductal progenitor cells started to differentiate into ciliated cells at day 3 and became maturely differentiated at day 10 (Supplementary Figure 2B). At day 10 in the ALI culture system, the cloned oviductal progenitor cells formed a simple epithelium with ciliated cells marked by FOXJ1 and acetylated tubulin and non-ciliated cells marked by PAX2 (Supplementary Figure 2C). It is noteworthy that while the proliferating population is PAX2⁺ (Figure 2A), PAX2 expression was reclaimed in some non-ciliated (secretory) cells. This further indicates that the progeny of a single oviductal progenitor cell can

give rise to all epithelial lineages typically found in the oviduct, including not only mature ciliated cells but also non-ciliated (secretory) cells.

Immunostaining of both fetal and adult Fallopian tubes was performed to ascertain the distribution of PAX2-expressing cells and address the possibility that the PAX2⁺ immunophenotype was programmed earlier in development. Histological sections of fetal (at 21 weeks) and adult Fallopian tubes were examined. Fetal tubes contained an abundance of PAX2⁺ cells, with occasional interspersed ciliated cells (Supplementary Figure 1A). Expression of PAX8 was similar in distribution (Supplementary Figure 1B). Similarly, in normal adult tubes, PAX2 staining was extensive in cells that were not undergoing ciliated (tubulin⁺) differentiation (Supplementary Figure 1C). A summary of immunophenotypes for progenitor and adult cells is displayed in Supplementary Table 2.

In the adult tubes, sections were also stained with FOXJ1, and/or LCA to account for other PAX2⁺

cells that were either undergoing ciliated differentiation or were non-epithelial. Mono-layered or mildly pseudostratified normal Fallopian tube mucosa typically contained cells expressing either PAX2 or FOXJ1 (Figure 2D1). In occasional foci of prominent multi-layered epithelium with some cells staining positive with FOXJ1, loss of PAX2 nuclear staining could be seen (Figure 2D2), giving the impression that loss of PAX2 expression in non-ciliated cells was coordinated with cell growth in multi-layered epithelium. Albeit less so, FOXJ1 staining was also seen in STINs, supporting ciliated differentiation in PAX2ⁿ neoplastic growth (Figure 2D3).

Metaplastic (WCNs) differentiation of PAX2ⁿ columnar cells *in vitro* and *in vivo*

WCNs are foci of transitional-like metaplasia in the fimbria or adjacent peritoneal surface and are emblematic of basal cell outgrowth that can develop near the junctions

of disparate epithelial types [19]. Other sites include the gastro-oesophageal and cervical squamo-columnar junctions. Both have been designated as sites harbouring residual embryonic cells and studies of the latter have suggested that basal or reserve cells emerge from the overlying columnar cells and then undergo squamous metaplasia [20,21]. This process has been termed 'top-down' differentiation, ie the progeny (basal cells) emerge from beneath the progenitor population. However, no study has ever displayed this sequence *in vitro*. Fetal tubal cells propagated *in vitro* were strongly positive for both Krt7 and PAX8, in keeping with Müllerian epithelium (Figures 2A and 3A). Moreover, these progenitor cells did not express Krt5 or p63 (Figure 3A). Interestingly, when pedigree lines of these cloned oviductal progenitor cells were differentiated in 3D Matrigel cultures for 10–20 days, in addition to the typical ciliated cell differentiation (Figure 2C), subjacent p63/Krt5^p basal cells emerged (Figure 3B1) and expanded (Figure 3B3) in a pattern similar to that




Figure 3. *In vitro* and *in vivo* basal cell differentiation in the oviduct. (A) Colonies of Krt7^p/Krt5ⁿ/p63ⁿ cells from a 20-week-old fetal oviduct. (B1, B3) Single (p63, green) and multi-layered (Krt5, red) basal cell outgrowth seen in Matrigel cultures. (B2, B4) Similar basal cell growth highlighted by p63 and Krt5 in the adult fimbria. (C) Walthard cell nest in the adult tube is typically PAX2 and ALDH1 negative. Residual Krt7-positive cells (arrows) are displaced from beneath by an expanding Krt5 population.




Figure 4. (A) Laser-captured micro-dissected SCOUTs (left) and a heat map comparison of SCOUTs and normal oviduct (right). (B) Arrays generated from PAX2ⁿ SCOUTs revealed genes differentially expressed across type 1 and type 2 SCOUTs, including ALDH1, LEF1, and RCN1 (right). (C) Coordinated expression of the above genes distinguish type 1 SCOUTs, which show membranous β-catenin localization and absent ALDH1 staining plus negative or weak staining for LEF1 and RCN1 staining (left), from type 2 SCOUTs, with nuclear and cytoplasmic β-catenin, strong ALDH1, LEF1, and RCN1 staining (right).

seen in p63/Krt5^p cells in WCNs in the adult tube (Figures 3B2 and 3B4). *In vitro*, the Krt5 and p63 immunopositive cells were superimposed, although the Krt5 staining index was higher (Supplementary Figure 2E). Analysis of WCNs in tissue sections (Figure 3C) revealed a strikingly similar pattern of growth and differentiation, arising either from beneath Krt7^p epithelial cells or in continuity with columnar epithelium typical of type 1 SCOUTs. The result was a PAX2ⁿ/ALDH1ⁿ transitional-like outgrowth that was strongly Krt5^p but stathminⁿ (not shown). Taken in the context of the *in vitro* findings, this observation further linked the PAX2ⁿ immunophenotype to cell outgrowth and a Krt7^p progenitor cell to the development of not only terminal (FOXJ1⁺) but also metaplastic (Krt5⁺) differentiation in the Fallopian tube.

Altered gene expression in PAX2ⁿ proliferations (SCOUTs, STINs, and HGSCs)

Supplementary Table 3 is a list of genes selected for analysis and found to be differentially expressed in SCOUTs relative to normal-appearing epithelium. Arrays generated from RNA extracted from formalin-fixed laser-capture micro-dissected SCOUTs yielded differentially expressed genes, illustrated in the representative heat map (Figures 4A, 4B, and Supplementary Figures 4 and 5). When stained with selected

markers, type 1 SCOUTs varied from strictly secretory to mixed secretory and ciliated, and were ALDH1ⁿ, β-catenin^{mem} and stained weakly or negative for LEF1, RCN1, RUNX2, and EZH2 (Figures 4C, 5, and Supplementary Figure 3). Type 2 SCOUTs stained variably for ciliated cell differentiation and were β-catenin^{nc} and ALDH1, LEF1, RCN1, EZH2, RUNX2 (not shown) and stathmin positive (Figures 4C, 5, and Supplementary Figure 3). Basal cell differentiation, signifying WCN development, was associated with PAX2ⁿ columnar epithelium, suggesting that this pathway of differentiation might initiate within type 1 PAX2ⁿ SCOUTs.

Figure 5 and Supplementary Figure 6 summarize the staining patterns observed in the different lesions. STINs and HGSCs shared expression of several markers with SCOUTs. Expression patterns for ALDH and β-catenin were identical to type 1 SCOUTs (ALDHⁿ and β-catenin^{mem}). In addition, like type 2 SCOUTs, there was increased staining for EZH2, stathmin, LEF1, RCN1, Krt5, and RUNX2 (not shown). Not surprisingly, no marker in this group separated STINs or HGSCs from SCOUTs. This is in contrast to other published markers such as Ki67, cyclin E, p16, and others, which are significantly more commonly expressed in STINs and HGSCs relative to benign Fallopian tube mucosa [4,5,15,22].




Figure 5. Shared expression of SCOUT markers with low- (LSTIN) and high- (HSTIN or STIC) grade serous tubal intraepithelial neoplasia and high-grade serous carcinoma (HGSC). Neoplasms (STINs, HGSCs) share with type 1 SCOUTs loss of PAX2 and ALDH1, and with type 2 SCOUTs, increased LEF1, EZH2, and stathmin and other markers (see text).

Discussion

Analysis of arrays generated from high-grade serous cancer has confirmed a transcriptome that parallels oviductal epithelium [23]. Given that these tumours are strongly positive for biomarkers (such as PAX8) typically assigned to non-ciliated (so-called secretory) cells, the assumption has been that the secretory cell is the cell of origin [1]. Levanon *et al* showed that PAX8-expressing (secretory) cells of the tube were uniquely susceptible to DNA damage imposed by irradiation, a finding that parallels similar observations in latent precursors (p53 signatures) and STINs that contain p53 mutations [5,24]. However, with the discovery of PAX2ⁿ SCOUTs and a similar PAX2ⁿ expression pattern in many STINs, it became clear that there may be a relationship between the two entities, despite the fact that SCOUTs are more ubiquitous in the Fallopian tube and do not arise in the setting of a DNA damage response and loss of p53 function. Although altered PAX2 expression has been associated with neoplasia, we hypothesized that the PAX2ⁿ immunophenotype typified a 'generic' series of molecular events that were the underpinning of stem cell expansion common to many proliferations.

We addressed PAX2 expression or loss in the Fallopian tube from three perspectives. The first was by analysing expression and differentiation in proliferating normal adult and fetal cells propagated *in vitro*. The second was by comparing the *in vitro* findings to expression in tissue sections from fetal and adult tubes. The third was to look for shared expression across PAX2ⁿ cells in cell proliferation and expansion (SCOUTs,

STINs, and HGSCs). We discovered that the PAX2ⁿ immunophenotype was particularly linked to *in vitro* and *in vivo* cell growth, not infrequently with an increase in EZH2 expression. Moreover, in highly clonogenic Krt7^p/FOXJ1ⁿ oviductal progenitor cells grown *in vitro*, we demonstrated for the first time that PAX2ⁿ expanding populations were capable of both ciliated (FOXJ1) and basal cell (Krt5) differentiation. This sequence of cell growth and differentiation was recapitulated in SCOUTs, STINs, and HGSCs, with progressively reduced ciliated differentiation in the type 2 SCOUTs, STINs, and HGSCs. We thus concluded that all of these entities were related to a similar progenitor cell.

The next goal was to determine if the cells involved in benign and neoplastic outgrowth shared common expression patterns and we chose to use the least proliferative lesions (SCOUTs) as the reference. One advantage of this approach is to identify events that occur prior to the more dramatic molecular changes that characterize malignancy that may have profound influences on expression. The study delineated two general groups of SCOUTs: the first (type 1) closely resembled normal tubal epithelium, histologically and in their expression profile (Figure 1D). The second (type 2) was composed of proliferations with less pronounced ciliated differentiation, many noticeably 'endometrial'-like (Figure 1E). Accordingly, there was minimal difference in expression between type 1 SCOUTs and control epithelium, although they were consistently ALDH1ⁿ. In contrast, type 2 SCOUTs demonstrated nuclear and cytoplasmic β -catenin staining plus increased BCL2 (see ref 7), ALDH1, and Krt5 staining. This diversity in phenotype underscores the complexity of cell growth

and differentiation that can occur in the Fallopian tubes with age. Type 1 SCOUTs appear to signify very minor genomic changes, as evidenced by the similarities in transcription to normal controls. Thus, the alterations in transcription are limited to absence of ALDH1 expression. In contrast, type 2 SCOUTs, which exhibit a more divergent histology, have a common biomarker signature – stathmin, EZH2, LEF1, RCN1, and RUNX2 – that is more similar to premalignant (STINs) and malignant (HGSCs) entities in the tube (Figure 5).

A fundamental question stemming from the above observation is the relevance of the gene signature found in SCOUTs, STINs, and HGSCs to both stem cell biology and neoplasia. ALDH1 has been identified as a marker of epithelial stem cells. Its expression can be both increased or absent, the latter more typical of STINs and HGSCs [25,26]. EZH2 is a polycomb suppressor that is implicated in stem cell maintenance and regulation of differentiation. It is noteworthy that EZH2 expression typically increased in areas of cell expansion, in keeping with the coordinated suppression of PAX2 expression [27]. EZH2 is also a potential suppressor of tumour suppressor genes [28]. LEF1 is likewise expressed during lineage differentiation [29]. The function of RCN1 is less clear but this gene product is a calcium binder that is weakly expressed in renal tubular cells and up-regulated in renal cell carcinomas [30]. *RUNX2* is a gene involved in morphogenesis and osteoblastic differentiation [31]. Functions attributed to stathmin are multiple. It is a marker of P13 kinase

activation that has been linked to serous neoplasia in some studies, tumour progression and metastases in others, and regulates p53 stability in still others [32–34]. Its range of expression, including normal epithelium, SCOUTs, and STINs, is similar to that of these other markers, several of which (ALDH1, PAX2, EZH2) have also been linked to not only stem cells but also outcome or resistance to chemotherapy [35–37]. The significance of the unique β -catenin staining in type 2 SCOUTs, with a shift in distribution from the membrane to the cytoplasm and nucleus, is unclear but it is emblematic of Wnt pathway activation, and mutations in β -catenin are commonly found in endometrial and colon carcinomas [38].

Walther cell nests are a common benign condition seen in the distal Fallopian tube mucosa or the adjacent peritoneal reflection [19]. They bear a close resemblance to the cervical squamo-columnar junction, where columnar cells are undermined by p63-positive basal cells. These cells could be envisioned to either originate from the columnar epithelium or give rise to the overlying Krt7-positive epithelial cells. This study has made two novel observations. First, based on the Matrigel cell culture data, the basal cells emerge from the Krt7-positive columnar cells. Second, this process is marked by not only loss of PAX2 but also ALDH1 expression, similar to that seen in type 1 SCOUTs. The initiating cell, the Krt7^P non-ciliated epithelial cell, is remarkably similar to the cells seen in the squamo-columnar (SC) junction of the cervix from which squamous metaplasia is derived and this process is similar to so-called ‘top-down’ differentiation reported in the SC junction [21]. The fact that




Figure 6. A progenitor cell model for the Fallopian tube in which Krt7 identifies the progenitor cell and PAX2^N defines progenitor cell expansion. Expanding PAX2^N cells can differentiate into basal or ciliated cells in WCNs or type 1 SCOUTs, both of which approximate normal differentiation pathways, with loss of ALDH1 and normal or minimally increased expression of LEF1, RCN1, stathmin, and EZH2. In contrast, type 2 SCOUTs and STINs (right) share a different expression signature characterized by multiple genes, including EZH2, LEF1, RCN1, and stathmin and others, involved in a divergent pathway of progenitor cell growth.

WCNs are not considered direct precursors to malignancy is not surprising, in as much as they are terminally differentiated relative to their progenitors. This is similar to the cervix, where the progenitor cells in the SC junction are considered more vulnerable to neoplastic transformation than their metaplastic progeny [21]. What is interesting is the fact that WCNs underscore the existence of multi-potential cells in the distal Fallopian tube [12]. Given that 40–60% of HGSCs do not have a documented source (or STIN) in the Fallopian tube mucosa, coupled with the fact that a subset of HGSCs are strongly Krt5-positive, the possibility that cells involved in alternate differentiation pathways might contribute to a subset of these malignancies deserves further study (Hanamornroongruang S, Howitt BE, Crum CP, unpublished) [5,25].

Epithelia in virtually every organ (breast being a prime example) display a wide range of clonal expansions, some of which may be direct precursors to malignancy and others of which serve as risk factors for a malignant outcome. The model depicted in Figure 6 reflects a similar but novel scenario in the oviduct, with multiple categories of putative monoclonal cell outgrowth and striking similarities in expression across multiple genes between surrogate precursors and lesions that are considered premalignant or pre-metastatic. These findings emphasize the complexity of molecular and phenotypic perturbations that can take place in the Fallopian tubes during and following menopause. This complexity invites caution when considering the role (or diagnostic value) of newly discovered biomarkers as specific indicators of neoplasia. More importantly, it reveals a consistent disturbance in progenitor cell biology in keeping with a common pathway that is triggered by more than one initiating event. Thus, it introduces two approaches to cancer prevention, one directed at the initiating event and the other at the early perturbations in the pathway.

Acknowledgments

This work was supported by grants from the Department of Defense and National Cancer Institute (W81XWH-10-1-0289 and 5R21CA173190-02 to CC). We thank the Division of Gynecologic Oncology at Brigham and Women's Hospital and Dana Farber Cancer Institute for their contribution to the study, and Mei Zheng for assistance with the immunohistochemistry. We are also grateful for the support of this work by the Genome Institute of Singapore of the Agency for Science, Technology and Research, and a Bedside and Bench Grant from Singapore National Medical Research Council.

Author contribution statement

Contributions of the co-authors to design (1), data collection (2), data analysis (3), data interpretation (4), literature search (5), figures (6), and manuscript writing (7)

were as follows: GN (1–4, 6, 7); JGB (1–4, 6, 7); YY (1–3, 6); XW (2, 3); BEH (1, 2, 4, 5); MH (1–4); EY (1–3, 5); YH (2–4); MC (2–4); LW (2–4); SH (2–4); FDMcK (1, 4, 7); CPCr (1, 4, 7); and WX (1, 3, 4, 7).

Abbreviations

ALI, air–liquid interface culture; SCOUT, secretory cell outgrowth; STIN, serous tubal intraepithelial neoplasia; WCN, Walthard cell nest

References

1. Piek JM, van Diest PJ, Zweemer RP, *et al.* Dysplastic changes in prophylactically removed Fallopian tubes of women predisposed to developing ovarian cancer. *J Pathol* 2001; **195**: 451–456.
2. Kindelberger DW, Lee Y, Miron A, *et al.* Intraepithelial carcinoma of the fimbria and pelvic serous carcinoma: evidence for a causal relationship. *Am J Surg Pathol* 2007; **31**: 161–169.
3. Finch A, Shaw P, Rosen B, *et al.* Clinical and pathologic findings of prophylactic salpingo-oophorectomies in 159 BRCA1 and BRCA2 carriers. *Gynecol Oncol* 2006; **100**: 58–64.
4. Lee Y, Miron A, Drapkin R, *et al.* A candidate precursor to serous carcinoma that originates in the distal Fallopian tube. *J Pathol* 2007; **211**: 26–35. Erratum in *J Pathol* 2007; **213**: 116.
5. Crum CP, Herfs M, Ning G, *et al.* Through the glass darkly: intraepithelial neoplasia, top-down differentiation and the road to ovarian cancer. *J Pathol* 2013; **231**: 402–412.
6. Carlson JW, Miron A, Jarboe EA, *et al.* Serous tubal intraepithelial carcinoma: its potential role in primary peritoneal serous carcinoma and serous cancer prevention. *J Clin Oncol* 2008; **26**: 4160–4165.
7. Chen EY, Mehra K, Mehrad M, *et al.* Secretory cell outgrowth, PAX2 and serous carcinogenesis in the Fallopian tube. *J Pathol* 2010; **222**: 110–116.
8. Quick CM, Ning G, Bijron J, *et al.* PAX2-null secretory cell outgrowths in the oviduct and their relationship to pelvic serous cancer. *Mod Pathol* 2012; **25**: 449–455.
9. Bijron JG, Ning G, Laury AR, *et al.* Digital quantification of precursor frequency in the Fallopian tube and its significance. *Mod Pathol* 2012; **25**: 1654–1661.
10. Mehrad M, Ning G, Chen EY, *et al.* A pathologist's road map to benign, precancerous, and malignant intraepithelial proliferations in the Fallopian tube. *Adv Anat Pathol* 2010; **17**: 293–302.
11. Kumar PA, Hu Y, Yamamoto Y, *et al.* Distal airway stem cells yield alveoli *in vitro* and during lung regeneration following H1N1 influenza infection. *Cell* 2011; **147**: 525–538.
12. Laury AR, Ning G, Quick CM, *et al.* Fallopian tube correlates of ovarian serous borderline tumors. *Am J Surg Pathol* 2011; **35**: 1759–1765.
13. Vang R, Visvanathan K, Gross A, *et al.* Validation of an algorithm for the diagnosis of serous tubal intraepithelial carcinoma. *Int J Gynecol Pathol* 2012; **31**: 243–253.
14. Ning G, Bijron JG, Yuan J, *et al.* Differential expression of p-ERM, a marker of cell polarity, in benign and neoplastic oviductal epithelium. *Int J Gynecol Pathol* 2013; **32**: 345–352.
15. Lee S, Nelson G, Duan Q, *et al.* Precursor lesions and prognostic factors in primary peritoneal serous carcinoma. *Int J Gynecol Pathol* 2013; **32**: 547–555.
16. Wethington SL, Park KJ, Soslow RA, *et al.* Clinical outcome of isolated serous tubal intraepithelial carcinomas (STIC). *Int J Gynecol Cancer* 2013; **23**: 1603–1611.

17. Lowell CB, Swisher EM, Cass I, *et al.* Long term follow up of *BRCA1* and *BRCA2* mutation carriers with unsuspected neoplasia identified at risk reducing salpingo-oophorectomy. *Gynecol Oncol* 2013; **129**: 364–371.
18. Conner JR, Meserve E, Pizer E, *et al.* Outcome of unexpected adnexal neoplasia discovered during risk reduction salpingo-oophorectomy in women with germ-line *BRCA1* or *BRCA2* mutations. *Gynecol Oncol* 2014; **132**: 280–286.
19. Seidman JD, Yemelyanova A, Zaino RJ, *et al.* The Fallopian tube-peritoneal junction: a potential site of carcinogenesis. *Int J Gynecol Pathol* 2011; **30**: 4–11.
20. Wang X, Ouyang H, Yamamoto Y, *et al.* Residual embryonic cells as precursors of a Barrett's-like metaplasia. *Cell* 2011; **145**: 1023–1035.
21. Herfs M, Yamamoto Y, Laury A, *et al.* A discrete population of squamocolumnar junction cells implicated in the pathogenesis of cervical cancer. *Proc Natl Acad Sci U S A* 2012; **109**: 10516–10521.
22. Sehdev AS, Kurman RJ, Kuhn E, *et al.* Serous tubal intraepithelial carcinoma upregulates markers associated with high-grade serous carcinomas including Rsf-1 (HBXAP), cyclin E and fatty acid synthase. *Mod Pathol* 2010; **23**: 844–855.
23. Marquez RT, Baggerly KA, Patterson AP, *et al.* Patterns of gene expression in different histotypes of epithelial ovarian cancer correlate with those in normal Fallopian tube, endometrium, and colon. *Clin Cancer Res* 2005; **11**: 6116–6126.
24. Levanon K, Ng V, Piao HY, *et al.* Primary *ex vivo* cultures of human Fallopian tube epithelium as a model for serous ovarian carcinogenesis. *Oncogene* 2010; **29**: 1103–1113.
25. Deng S, Yang X, Lassus H, *et al.* Distinct expression levels and patterns of stem cell marker, aldehyde dehydrogenase isoform 1 (ALDH1), in human epithelial cancers. *PLoS One* 2010; **5**: e10277.
26. Flesken-Nikitin A, Hwang CI, Cheng CY, *et al.* Ovarian surface epithelium at the junction area contains a cancer-prone stem cell niche. *Nature* 2013; **495**: 241–245.
27. Chou RH, Yu YL, Hung MC. The roles of EZH2 in cell lineage commitment. *Am J Transl Res* 2011; **3**: 243–250.
28. Deb G, Singh AK, Gupta S. EZH2: not EZHY (easy) to deal. *Mol Cancer Res* 2014; **12**: 639–653.
29. Merrill BJ, Gat U, DasGupta R, *et al.* Tcf3 and Lef1 regulate lineage differentiation of multipotent stem cells in skin. *Genes Dev* 2001; **15**: 1688–1705.
30. Giribaldi G, Barbero G, Mandili G, *et al.* Proteomic identification of Reticulocalbin 1 as potential tumor marker in renal cell carcinoma. *J Proteomics* 2013; **91**: 385–392.
31. Yoshida T, Kanegane H, Osato M, *et al.* Functional analysis of *RUNX2* mutations in Japanese patients with cleidocranial dysplasia demonstrates novel genotype–phenotype correlations. *Am J Hum Genet* 2002; **71**: 724–738.
32. Karst AM, Levanon K, Duraisamy S, *et al.* Stathmin 1, a marker of PI3K pathway activation and regulator of microtubule dynamics, is expressed in early pelvic serous carcinomas. *Gynecol Oncol* 2011; **123**: 5–12.
33. Zheng P, Liu YX, Chen L, *et al.* Stathmin, a new target of PRL-3 identified by proteomic methods, plays a key role in progression and metastasis of colorectal cancer. *J Proteome Res* 2010; **9**: 4897–4905.
34. Sonego M, Schiappacassi M, Lovisa S, *et al.* Stathmin regulates mutant p53 stability and transcriptional activity in ovarian cancer. *EMBO Mol Med* 2014; **6**: 295.
35. Hueber PA, Waters P, Clark P, *et al.* PAX2 inactivation enhances cisplatin-induced apoptosis in renal carcinoma cells. *Kidney Int* 2006; **69**: 1139–1145.
36. Han X, Du F, Jiang L, *et al.* A2780 human ovarian cancer cells with acquired paclitaxel resistance display cancer stem cell properties. *Oncol Lett* 2013; **6**: 1295–1298.
37. Rizzo S, Hersey JM, Mellor P, *et al.* Ovarian cancer stem cell-like side populations are enriched following chemotherapy and overexpress EZH2. *Mol Cancer Ther* 2011; **10**: 325–335.
38. van der Zee M, Jia Y, Wang Y, *et al.* Alterations in Wnt- β -catenin and Pten signalling play distinct roles in endometrial cancer initiation and progression. *J Pathol* 2013; **230**: 48–58.

SUPPORTING INFORMATION ON THE INTERNET

The following supporting information may be found in the online version of this article:

Figure S1. Pax2 and acetyl-alpha-tubulin (cilia) expression in fetal and adult Fallopian tubes.

Figure S2. *In vitro* differentiation of oviduct progenitor cells.

Figure S3. Two types of PAX2⁺ SCOUTs are distinguished in these panels with β -catenin, keratin 5, and LEF1 staining.

Figure S4. Heat map comparing type 1 and type 2 SCOUTs with normal tubal epithelium and high-grade serous cancer.

Figure S5. A depiction, in tabular (A) and graphical format (B), of genes up-regulated with the two-fold change in type 2 relative to type 1 SCOUTs, several of which have been linked to STIN and HGSC.

Figure S6. H&E, p53, and PAX2 staining of cases under study (see Figure 5).

Table S1. Biomarkers selected for analysis of clonogenic cells, SCOUTs, and STINs.

Table S2. Summary of immunophenotypes in cultured progenitor cells and adult cells in tissue sections.

Table S3. Upregulated genes in Type 2 SCOUTs in comparison with Type 1 SCOUTs (3 fold and $p < 0.05$).